



Jamo[®]

BUYERS GUIDE
2022/2023



TABLE OF CONTENTS

Jamo®

STUDIO7

▶ S7-27F	10
▶ S7-25F	10
▶ S7-17B	11
▶ S7-15B	11
▶ S7-25C	12
▶ S7-43C	12
▶ S7-25HCS	13
▶ S7-17HCS	13

CONCERT SERIES II

▶ C 97 II	16
▶ C 95 II	16
▶ C 93 II	17
▶ C 91 II	17
▶ C 9 SUR II	18
▶ C 9 CEN II	18
▶ C910 SUB	19
▶ C912 SUB	19

SUBWOOFERS

▶ SUB 210	21
▶ WA-2 WIRELESS KIT	21

STUDIO 8 ACTIVE

▶ S-801 PM	23
------------	----

THX SERIES


▶ D 500 LCR	25
▶ D 500 SUR	25



PIONEERING A PURE SCANDINAVIAN SOUND SINCE 1968

Our story started in 1968 in Glyngore, a tiny fishing village nestled on the north shore of Denmark. Jamo was founded by two brothers-in-law, Preben Jacobsen and Julius Mortensen. Preben was a talented craftsman with a passion for pure sound, blessed with excellent wood working skills and a broad knowledge of

acoustics. Julius was an experienced salesman from the fishing industry. The name was created using the first two letters of their surnames to form the company moniker: Jacobsen + Mortensen = JAMO.



OVER 50 YEARS
OF ADVANCED
ACOUSTIC
DESIGN

THE REBIRTH OF JAMO

2022 marks the rebirth of Jamo, the iconic Scandinavian brand that once ruled Europe and conquered the World!

Jamo is committed to preserving and promoting its heritage, uniting the richness of the past with the ambition of the future. Thanks to its new positioning – bringing the brand back to its origins – Jamo aims to satisfy a modern and demanding audience with exceptional audio solutions and a timeless Nordic design.





STUDIO 7 SERIES

Studio7 is our new range of passive loudspeakers developed to revitalise the Jamo brand, whilst bringing a new level of quality to the listener. The result is a range that not only sounds excellent but is also visually striking and undeniably Scandinavian. The range owes its name to the 7° tilt that helps the products look so distinctive. Our engineers have used top tier components, expertly voiced and validated with countless hours of listening to bring you a rare combination of both aesthetics and audio performance unrivalled in its class.



NATURAL BASS

The bass drivers with embossed paper cones incorporate aluminium shorting rings for very natural bass. The aluminium shorting ring lowers distortion for clean, dynamic bass and increases power handling. The embossed paper cone with 'Thor's Hammer' detailing increases the rigidity to improve the transient response for that snappy yet natural bass.

CRYSTAL CLEAR HIGHS

The crystal clear high frequencies are carried out by a all new 1 inch customized tweeter featuring a copper faraday ring which increases sensitivity and reduces non linear distortion. The tweeter is made from fabric and exhibits excellent distortion characteristics and wide bandwidth, for a non fatiguing yet detailed sound.



REDUCING DIFFRACTION

Thick cabinet walls and bracing ensure a low degree of "self-noise". This improves the audio reproduction of low-level detail and increases resolution when playing at any output level compared to competing products in their class.

QUIET CABINET FOR INCREASED RESOLUTION

Radius angles on the cabinet edge helps the energy dissipates more naturally, and avoid coloring the signal produced by the driver.



7° THE MAGIC NUMBER

7 Degree is the magic number on Jamo Studio 7 speakers. It provides a very distinctive look to the range and it improves the sound experience thanks to the angle created by the tilt (time alignment).

S7-27F FLOORSTANDING SPEAKER

PLACEMENT	FRONT
SYSTEM	2-way Bass Reflex
WOOFER	Dual 6.69" / 17 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	90dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	67Hz-21kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	54Hz-28kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1629Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	17,93kg / 39.5 lbs
PRODUCT DIMENSIONS (H X W X D)	85,5 x 23 x 38 cm / 33.6 x 9 x 15 in.
FINISH	Blue fjord vinyl - grey cloud vinyl
ACCESSORIES	Metal spikes (8), rubber feet (8)

SHIPPING QUANTITY:
Pair
SHIPPING WEIGHT:
82.3lbs/37.30kg
ITEM NUMBER
1071187
(blue fjord)
1071188
(grey cloud)

S7-25F FLOORSTANDING SPEAKER

PLACEMENT	FRONT
SYSTEM	2-way Bass Reflex
WOOFER	Dual 5.5" / 14 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	90dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	69Hz-21kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	52Hz-28kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1733Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	12,32kg / 27.2 lbs
PRODUCT DIMENSIONS (H X W X D)	80,5 x 20 x 34 cm / 31.7 x 7.9 x 13.4 in.
FINISH	Blue fjord vinyl - grey cloud vinyl
ACCESSORIES	Metal spikes (8), rubber feet (8)

SHIPPING QUANTITY:
Pair
SHIPPING WEIGHT:
61.6lbs/27.95kg
ITEM NUMBER
1071185
(blue fjord)
1071186
(grey cloud)

S7-17B BOOKSHELF SPEAKER

PLACEMENT	FRONT
SYSTEM	2-way Bass Reflex
WOOFER	Single 6.69" / 17 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	87.2dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	64Hz-25kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	51Hz-30kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1530Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	8,7kg / 18,5 lbs
PRODUCT DIMENSIONS (H X W X D)	36,5 x 23 x 38 cm / 14.4 x 9 x 15 in.
FINISH	Blue fjord vinyl - grey cloud vinyl
ACCESSORIES	Rubber feet (8)

SHIPPING QUANTITY:
Pair
SHIPPING WEIGHT:
42.8lbs/19.4kg
ITEM NUMBER
1071181
(blue fjord)
1071182
(grey cloud)

S7-15B BOOKSHELF SPEAKER

PLACEMENT	FRONT / SURROUND
SYSTEM	2-way Bass Reflex
WOOFER	Single 5.5" / 14 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	86.3dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	71Hz-22kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	54Hz-29kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1700Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	5,93kg / 11 lbs
PRODUCT DIMENSIONS (H X W X D)	32 x 20 x 34 cm / 31.7 x 7.9 x 13.4 in.
FINISH	Blue fjord vinyl - grey cloud vinyl
ACCESSORIES	Rubber feet (8)
OPTIONAL	Wall mounting brackets

SHIPPING QUANTITY:
Pair
SHIPPING WEIGHT:
31.9lbs/14.5kg
ITEM NUMBER
1071179
(blue fjord)
1071180
(grey cloud)



S7-25C CENTER CHANNEL

PLACEMENT	CENTER
SYSTEM	2-way Bass Reflex
WOOFER	Dual 5.5" / 14 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	90.2dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	82Hz-21kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	70Hz-31kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1562Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	7,85kg / 17.3 lbs
PRODUCT DIMENSIONS (H X W X D)	18 x 54 x 23 cm / 12,5 x 60 x 17.1in
FINISH	Blue fjord vinyl - grey cloud vinyl

SHIPPING QUANTITY:
Single
SHIPPING WEIGHT:
20.1lbs/9.10kg
ITEM NUMBER
1071183 (blue fjord)
1071184 (grey cloud)

S7-25FHCS

2 x S7-25F
2 x S7-15B
1 x S7-25C



SHIPPING QUANTITY:
Pack
SHIPPING WEIGHT:
ITEM NUMBER
1071193 (blue fjord)
1071194 (grey cloud)

S7-17HCS

2 x S7-17B
2 x S7-15B
2 x S743C



SHIPPING QUANTITY:
Pack
SHIPPING WEIGHT:
ITEM NUMBER
1071195 (blue fjord)
1071196 (grey cloud)



S7-43C CENTER CHANNEL

PLACEMENT	FRONT
SYSTEM	2-way Bass Reflex
WOOFER	Quad 3.3" / 8,4 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	91.2dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	123Hz-21kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	99Hz-30kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1770Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	6,32kg / 13.9 lbs
PRODUCT DIMENSIONS (H X W X D)	12,5 x 60 x 17,1 cm / 4.9 x 23.6 x 6.3 in.
FINISH	Blue fjord vinyl - grey cloud vinyl

SHIPPING QUANTITY:
Single
SHIPPING WEIGHT:
16.3lbs/7.40kg
ITEM NUMBER
1071189 (blue fjord)
1071190 (grey cloud)

*SPL AT 1M, HALF-SPACE ANECHOIC WITH 2.83 V INPUT

BEAUTIFUL ENVIRONMENTAL INTEGRATION



CONCERT SERIES II



The aesthetic of Jamo's flagship Concert Series was envisioned by Kieron Dunk, world-renowned industrial designer. Concert series' beautiful exteriors house high performance drivers, acoustically tuned to provide open, transparent playback of movies and music. Warm, natural sound is delivered throughout the environment, enveloping the listener.

High quality cabinetry, designer finishes and advanced technologies combine to create gorgeous furniture with exceptional acoustics surpassed only by their beauty. New heather tweed grilles, magnetic attachment for the grilles, matte painted MDF baffles, cast metal feet with brushed finish and a smaller and sleeker logo in chrome metal look make the Concert series aesthetically elegant, while providing exceptional performance.

SMOOTH HIGH FREQUENCIES

A 1" Silk dome tweeter mated to an Anti-Diffraction Waveguide offers a cleaner sound throughout your space, even if you change seats.

WELL-BALANCED MEDIUMS & DEEP BASS

Hybrid Composition Conical Cone (HCCC) woofer and midrange technology provides the stiffness and strength of aluminum or titanium, with the transient response and smoothness of wood fibre, while Long Displacement Surround (LDS) provides cleaner, tighter, and deeper bass.



HIGH QUALITY SPEAKER

High quality cabinetry, designer finishes and advanced technologies combine to create gorgeous furniture with exceptional acoustics surpassed only by their beauty. New heather tweed grilles, magnetic attachment for the grilles, satin painted MDF baffles, cast metal feet with brushed finish and a smaller and sleeker logo in chrome metal look make the Concert series aesthetically elegant, while providing exceptional performance.

C 9 SERIES II



C 97 II FLOORSTANDING SPEAKER

PLACEMENT	FRONT
MATERIAL	MDF
ENCLOSURE TYPE	Bass reflex
INPUTS	Chrome plated bi-wiring screw terminals
SYSTEM	3-Way Bass Reflex
WOOFER	2 x 152.4 mm / 6" HCCC Cone
TWEETER	25 mm / 1" Silk Dome with WaveGuide
POWER	180 W (360 W peak)
SENSITIVITY	89 dB
FREQUENCY RANGE	32 Hz - 24 kHz
IMPEDANCE	6 ohms
WEIGHT	25.8 kg / 56.88 lb
DIMENSIONS	107,2 cm (42.2") H x 21,5 cm (8.5") W x 34,2 cm (13.5") D
FINISH	Black Ash, Matte white

SHIPPING QUANTITY:
Single

ITEM NUMBER
1066709 (Black)
1068693 (Matte White)



C 93 II BOOKSHELF SPEAKER

PLACEMENT	FRONT/SURROUND
MATERIAL	MDF
ENCLOSURE TYPE	Bass reflex
INPUTS	Chrome plated bi-wiring screw terminals
SYSTEM	2-Way Bass Reflex
WOOFER	152.4 mm / 6" HCCC Cone
TWEETER	25 mm / 1" Silk Dome with WaveGuide
POWER	120 W (240 W peak)
SENSITIVITY	88 dB
FREQUENCY RANGE	45 Hz - 24 kHz
IMPEDANCE	6 ohms
WEIGHT	6.4 kg / 14 lb
DIMENSIONS	35 cm (13.8") H x 20 cm (7.9") W x 25,9 cm (10.2") D
FINISH	Black Ash, Matte white

SHIPPING QUANTITY:
Pair

ITEM NUMBER
1066715 (Black)
1068695 (Matte White)



C 95 II FLOORSTANDING SPEAKER

PLACEMENT	FRONT
MATERIAL	MDF
ENCLOSURE TYPE	Bass reflex
INPUTS	Chrome plated bi-wiring screw terminals
SYSTEM	2-Way Bass Reflex
WOOFER	2 x 152.4 mm / 6" HCCC Cone
TWEETER	25 mm / 1" Silk Dome with WaveGuide
POWER	165 W (330 W peak)
SENSITIVITY	89 dB
FREQUENCY RANGE	37 Hz - 24 kHz
IMPEDANCE	6 ohms
WEIGHT	20 kg / 44 lb
DIMENSIONS	98,2 cm (38.7") H x 21,5 cm (8.5") W x 31,7 cm (12.5") D
FINISH	Black Ash, Matte white

SHIPPING QUANTITY:
Single

ITEM NUMBER
1066712 (Black)
1068694 (Matte White)



C 91 II BOOKSHELF SPEAKER

PLACEMENT	FRONT/SURROUND
MATERIAL	MDF
ENCLOSURE TYPE	Bass reflex
INPUTS	Chrome plated bi-wiring screw terminals
SYSTEM	2-Way Bass Reflex
WOOFER	101.6 mm / 4" HCCC Cone
TWEETER	25 mm / 1" Silk Dome with WaveGuide
POWER	100 W (200 W peak)
SENSITIVITY	86 dB
FREQUENCY RANGE	65 Hz - 24 kHz
IMPEDANCE	6 ohms
WEIGHT	4.1 kg / 9 lb
DIMENSIONS	26,5 cm (10.4") H x 17,5 cm (6.9") W x 19,1 cm (7.5") D
FINISH	Black Ash, Matte white

SHIPPING QUANTITY:
Pair

ITEM NUMBER
1068698 (Black)
1068696 (Matte White)

C 9 SERIES II



C 9 SUR II SURROUND SPEAKER

PLACEMENT	SURROUND
MATERIAL	MDF
ENCLOSURE TYPE	Bass reflex
INPUTS	Chrome plated screw terminals
SYSTEM	3-Way Sealed
WOOFER	101.6 mm/ 4" HCCC Cone
MID RANGE DRIVERS	95.3 mm / 3,75" HCCC Cone
TWEETER	25 mm/ 1" Silk Dome with WaveGuide
POWER	120 W (240 W peak)
SENSITIVITY	87 dB
FREQUENCY RANGE	80 Hz - 24 kHz
IMPEDANCE	6 ohms
WEIGHT	8.2 kg / 18 lb
DIMENSIONS	35 cm (13.8") H x 31,85 cm (12.5") W x 19,6 cm (7.7") D
FINISH	Black Ash, Matte white

SHIPPING QUANTITY:
Pair

ITEM NUMBER
1066724 (Black)
1068698 (Matte White)



C 912 SUB SUBWOOFER

WOOFER	10" Long-Throw IMG
AMPLIFIER TYPE	Class D with Analog Preamp Stage
AMPLIFIER POWER	400 W
SENSITIVITY	114 dB
FREQUENCY RANGE	29 Hz - 125 Hz
ENCLOSURE MATERIAL	MDF
ENCLOSURE TYPE	Bass Reflex via Front-Firing Tube Port
WEIGHT	18,94 kg / 41.75 lbs
DIMENSIONS	45,4 cm (17.89") H x 35,6 cm (13.99") W x 48 cm (18.88") D
FINISH	Black Ash, Matte White

SHIPPING QUANTITY:
Single

ITEM NUMBER
1068189 (black)
1068190 (matte white)



C 9 CEN II CENTER CHANNEL

PLACEMENT	CENTER
MATERIAL	MDF
ENCLOSURE TYPE	Bass reflex
INPUTS	Chrome plated screw terminals
SYSTEM	2-Way Bass Reflex
WOOFER	2 x 101.6 mm/ 4" HCCC Cone
TWEETER	25 mm/ 1" Silk Dome with WaveGuide
POWER	140 W (280 W peak)
SENSITIVITY	88 dB
FREQUENCY RANGE	55 Hz - 24 kHz
IMPEDANCE	6 ohms
WEIGHT	6.8 kg / 15 lb
DIMENSIONS	17,9 cm (7") H x 46 cm (18.1") W x 21,95 cm (8.6") D
FINISH	Black Ash, Matte white

SHIPPING QUANTITY:
Single

ITEM NUMBER
1066721 (Black)
1068697 (Matte White)



C 910 SUB SUBWOOFER

WOOFER	10" Long-Throw IMG
AMPLIFIER TYPE	Class D with Analog Preamp Stage
AMPLIFIER POWER	300 W
SENSITIVITY	110 dB
FREQUENCY RANGE	32 Hz - 125 Hz
ENCLOSURE MATERIAL	MDF
ENCLOSURE TYPE	Bass Reflex via Front-Firing Tube Port
INPUTS	Dual RCA/LFE Line In, WA-2 Wireless Port
WEIGHT	14.06 kg / 31 lbs
DIMENSIONS	40 cm (15.76") H x 31,8 cm (12.5") W x 40,8 cm (16.1") D
FINISH	Black Ash, Matte White

SHIPPING QUANTITY:
Single

ITEM NUMBER
1068181 (black)
1068182 (matte white)



FEEL YOUR
MUSIC AND
MOVIES

SUBWOOFERS

JAMO SUBWOOFERS



C910
SUBWOOFER

Don't just hear your movies, experience them with the robust, earth-shaking bass of Jamo high-performance subwoofers. These low frequency subs fill rooms with deeper acoustics and at the same time - look incredible in your space. Utilizing modern designs and acoustic technologies, Jamo subwoofers demonstrate the difference a real subwoofer can make to your sound experience. The Jamo Subwoofer line-up is comprised of more than just highly versatile, quality products; each member of the range is tuned with a dynamic, balanced sound that can be combined with an existing Jamo sound system or any other quality audio system. Jamo subwoofers are specially designed to broaden your experience of low frequencies, from explosions and earthquakes to subtle musical nuances and dynamic peaks.

SUB 210 SUBWOOFER



SYSTEM	Bass Reflex
WOOFER	230 mm / 8"
RATED OUTPUT	200 W
FREQUENCY RANGE	38 Hz 200 kHz
IMPEDANCE	22 ohms
WEIGHT	7.5 kg / 16.5 lbs
DIMENSIONS	31,3 cm (12.3") H x 28,3 cm (11.1") W x 30,5 cm (12") D
FINISH	Black Ash

SHIPPING
QUANTITY:
Single

ITEM NUMBER
89500
(black)

WA-2 WIRELESS SUBWOOFER KIT



FREQ OF OPERATION	2.4 GHz ISM band
CHANNEL SELECTION	Automatic
SIGNAL RANGE	50 feet (15 m)
FREQUENCY RANGE	15 -150 Hz +/-3 dB

Part Number:
1013170

SMALL CABINET BIG SOUND



STUDIO 8 ACTIVE



S-801PM
POWERED SPEAKERS

S-801 PM POWERED SPEAKERS

The S-801 PM are specifically designed to provide exceptional output and balanced, full sound in any application despite the small stature.

These powered monitors have organic lines - fully magnetic grilles with no mounting holes or push pin to provide a clean, minimalistic front baffle design, while the large woven linen grille cloth creates visual interest with heavy texture.

Expand the sound of your S 801 PM powered monitors by simply adding a subwoofer. Jamo offers several best-in-class options to take your listening experience to the next level.



S 801 PM POWERED MONITORS

PLACEMENT	FRONT
WOOFER (MM/IN)	102 mm / 4" Polyfiber Woofer
TWEETER (MM/IN)	25 mm / 1" Soft Dome Tweeter
VOLTAGE	110/240V
POWER	60 W Total System Power (120 W Peak) 24 W per channel cont. @ $\leq 1\%$ THD
SENSITIVITY	85 dB
FREQUENCY RANGE	76 Hz - 26 kHz
IMPEDANCE	8 ohms
INPUTS	Bluetooth wireless technology/RCA Line analog/USB digital/Optical digital
OUTPUTS	Subwoofer
ENCLOSURE MATERIAL	MDF
ENCLOSURE TYPE	Bass Reflex via Rear Firing Slot Port
WEIGHT	6.5 lbs
DIMENSIONS	28,5 cm (11.22") H x 15,6 cm (6.14) W x 16,3 cm (6.42") D
ACCESSORIES	Remote control/Power Supply(1.5M Region specific) Speaker Wire(4M) / USB Type A to Type B cable (4M) 2xAA batteries
FINISH	Black, White

SHIPPING
QUANTITY:

Pair

ITEM NUMBER

1067899
(Black)

1067901
(White)

ENJOY CINEMA SOUND
AT HOME



THX SERIES

D-500 THX



The size of the Jamo D 500 THX home theater system allows direct placement in most medium-sized living rooms. In addition to the compact dimensions, these speakers are styled in a way that accommodates many contemporary decorations and furniture combinations.

Finished in high-gloss lacquer with carefully engineered drive units, the D 500 series adds a musical-instrument-touch to the modern home, delivering impeccable reproduction of even the most demanding movie-sound-track.

D 500 LCR



SYSTEM	3-WAY CLOSED
WOOFER	2 x 140 mm / 5½"
TWEETER	1 x 25 mm / 1"
MIDRANGE	2 x 76 mm / 3"n
CROSSOVER FREQUENCY	400 / 2.5 kHz
FREQUENCY RANGE	80 - 20 kHz
POWER	150 W (cont) / 200 W (peak)
SENSITIVITY	89 dB
IMPEDANCE	4 ohms
WEIGHT	7,2 kg / 15.8 lbs
DIMENSIONS	26 cm (10.2") H x 45 cm (17.7") W x 13 cm (5.1") D
FINISH	High gloss black or White

Part Number:
89400 (Black)
89402 (White)

D 500 SUR



SYSTEM	3-WAY CLOSED DIPOLE
WOOFER	1 x 140 mm / 5½"
TWEETER	2 x 25 mm / 1"
MIDRANGE	2 x 76 mm / 3"
CROSSOVER FREQUENCY	250 / 2.5 kHz
FREQUENCY RANGE	80 - 20 kHz
POWER	120 W (cont) / 170 W (peak)
SENSITIVITY	84 dB
IMPEDANCE	8 ohms
WEIGHT	6,7 kg / 14.8 lbs
DIMENSIONS (HXWXD)	26 cm (10.2") H x 45 cm (17.7") W x 13 cm (5.1") D
FINISH	High gloss black or White

Part Number:
89401 (Black)
89403 (White)



THE PURSUIT OF PERFECTION

For over half a century JAMO has designed and engineered its products utilizing some of the most talented, skilled and passionate people in the industry – starting with Preben Jacobsen, in a hen house in Glyngøre, Denmark. We continue to innovate, honoring the principals and ideals of Preben Jacobsen and Julius Mortensen, providing high-performance sound to the places where we live, integrating beautifully into our environments.



PRO SYSTEM DESIGN

Acoustically transform any room into the ultimate Jamo experience! We offer free ProDesign services to all of our integration partners. Once your designs and requirements are submitted to our team of sound engineers, they will create a system that turns your space into a fully immersive, high-performance movie theater. To get started, email plans to ProSystemDesign@jamo.com.

©2022 KLIPSCH GROUP, INC. ALL RIGHTS RESERVED. JAMO IS A TRADEMARK OF KLIPSCH GROUP, INC., REGISTERED IN THE US AND OTHER COUNTRIES. KLIPSCH GROUP, INC. IS A WHOLLY-OWNED SUBSIDIARY OF VOXX INTERNATIONAL CORPORATION.

Visit [jamo.com](https://www.jamo.com)

Follow us



@JAMOSPEAKERS

Jamo®



GLYNGØRE

Jamo[®]

EST. 1968

DENMARK

jamo.com