



Jamo®

BUYERS GUIDE
2022/2023



TABLE OF CONTENTS

STUDIO7

▶ S7-27F	10
▶ S7-25F	10
▶ S7-17B	11
▶ S7-15B	11
▶ S7-25C	12
▶ S7-43C	12
▶ S7-25HCS	13
▶ S7-17HCS	13


Jamo®



PIONEERING A PURE
SCANDINAVIAN SOUND
SINCE 1968

Our story started in 1968 in Glyngore, a tiny fishing village nestled on the north shore of Denmark. Jamo was founded by two brothers-in-law, Preben Jacobsen and Julius Mortensen. Preben was a talented craftsman with a passion for pure sound, blessed with excellent wood working skills and a broad knowledge of

acoustics. Julius was an experienced salesman from the fishing industry. The name was created using the first two letters of their surnames to form the company moniker: Jacobsen + Mortensen = JAMO.



OVER 50 YEARS
OF ADVANCED
ACOUSTIC
DESIGN

THE REBIRTH OF JAMO

2022 marks the rebirth of Jamo, the iconic Scandinavian brand that once ruled Europe and conquered the World!

Jamo is committed to preserving and promoting its heritage, uniting the richness of the past with the ambition of the future. Thanks to its new positioning – bringing the brand back to its origins – Jamo aims to satisfy a modern and demanding audience with exceptional audio solutions and a timeless Nordic design.



STUDIO 7 SERIES

Studio7 is our new range of passive loudspeakers developed to revitalise the Jamo brand, whilst bringing a new level of quality to the listener. The result is a range that not only sounds excellent but is also visually striking and undeniably Scandinavian. The range owes its name to the 7° tilt that helps the products look so distinctive. Our engineers have used top tier components, expertly voiced and validated with countless hours of listening to bring you a rare combination of both aesthetics and audio performance unrivalled in its class.



NATURAL BASS

The bass drivers with embossed paper cones incorporate aluminium shorting rings for very natural bass. The aluminium shorting ring lowers distortion for clean, dynamic bass and increases power handling. The embossed paper cone with 'Thor's Hammer' detailing increases the rigidity to improve the transient response for that snappy yet natural bass.

CRYSTAL CLEAR HIGHS

The crystal clear high frequencies are carried out by a all new 1 inch customized tweeter featuring a copper faraday ring which increases sensitivity and reduces non linear distortion. The tweeter is made from fabric and exhibits excellent distortion characteristics and wide bandwidth, for a non fatiguing yet detailed sound.



REDUCING DIFFRACTION

Thick cabinet walls and bracing ensure a low degree of "self-noise". This improves the audio reproduction of low-level detail and increases resolution when playing at any output level compared to competing products in their class.

QUIET CABINET FOR INCREASED RESOLUTION

Radius angles on the cabinet edge helps the energy dissipates more naturally, and avoid coloring the signal produced by the driver.



7° THE MAGIC NUMBER

7 Degree is the magic number on Jamo Studio 7 speakers. It provides a very distinctive look to the range and it improves the sound experience thanks to the angle created by the tilt (time alignment).

S7-27F FLOORSTANDING SPEAKER



PLACEMENT	FRONT
SYSTEM	2-way Bass Reflex
WOOFER	Dual 6.69" / 17 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	90dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	67Hz-21kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	54Hz-28kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1629Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	17,93kg / 39.5 lbs
PRODUCT DIMENSIONS (H X W X D)	85,5 x 23 x 38 cm / 33.6 x 9 x 15 in.
FINISH	Blue fjord vinyl - grey cloud vinyl
ACCESSORIES	Metal spikes (8), rubber feet (8)

SHIPPING QUANTITY:
Pair
SHIPPING WEIGHT:
82.3lbs/37.30kg
ITEM NUMBER
1071187 (blue fjord)
1071188 (grey cloud)



S7-17B BOOKSHELF SPEAKER

PLACEMENT	FRONT
SYSTEM	2-way Bass Reflex
WOOFER	Single 6.69" /17 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	87.2dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	64Hz-25kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	51Hz-30kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1530Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	8,7kg / 18,5 lbs
PRODUCT DIMENSIONS (H X W X D)	36,5 x 23 x 38 cm / 14.4 x 9 x 15 in.
FINISH	Blue fjord vinyl - grey cloud vinyl
ACCESSORIES	Rubber feet (8)

SHIPPING QUANTITY:
Pair
SHIPPING WEIGHT:
42.8lbs/19.4kg
ITEM NUMBER
1071181 (blue fjord)
1071182 (grey cloud)

S7-25F FLOORSTANDING SPEAKER



PLACEMENT	FRONT
SYSTEM	2-way Bass Reflex
WOOFER	Dual 5.5" / 14 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	90dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	69Hz-21kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	52Hz-28kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1733Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	12,32kg / 27.2 lbs
PRODUCT DIMENSIONS (H X W X D)	80,5 x 20 x 34 cm / 31.7 x 7.9 x 13.4 in.
FINISH	Blue fjord vinyl - grey cloud vinyl
ACCESSORIES	Metal spikes (8), rubber feet (8)

SHIPPING QUANTITY:
Pair
SHIPPING WEIGHT:
61.6lbs/27.95kg
ITEM NUMBER
1071185 (blue fjord)
1071186 (grey cloud)



S7-15B BOOKSHELF SPEAKER

PLACEMENT	FRONT / SURROUND
SYSTEM	2-way Bass Reflex
WOOFER	Single 5.5" / 14 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	86.3dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	71Hz-22kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	54Hz-29kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1700Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	5,93kg / 11 lbs
PRODUCT DIMENSIONS (H X W X D)	32 x 20 x 34 cm / 31.7 x 7.9 x 13.4 in.
FINISH	Blue fjord vinyl - grey cloud vinyl
ACCESSORIES	Rubber feet (8)
OPTIONAL	Wall mounting brackets

SHIPPING QUANTITY:
Pair
SHIPPING WEIGHT:
31.9lbs/14.5kg
ITEM NUMBER
1071179 (blue fjord)
1071180 (grey cloud)

*SPL AT 1M, HALF-SPACE ANECHOIC WITH 2.83 V INPUT

*SPL AT 1M, HALF-SPACE ANECHOIC WITH 2.83 V INPUT



S7-25C CENTER CHANNEL

PLACEMENT	CENTER
SYSTEM	2-way Bass Reflex
WOOFER	Dual 5.5" / 14 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	90.2dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	82Hz-21kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	70Hz-31kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1562Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	7,85kg / 17.3 lbs
PRODUCT DIMENSIONS (H X W X D)	18 x 54 x 23 cm / 12,5 x 60 x 17.1in
FINISH	Blue fjord vinyl - grey cloud vinyl

SHIPPING QUANTITY:
Single
SHIPPING WEIGHT:
20.1lbs/9.10kg
ITEM NUMBER
1071183 (blue fjord)
1071184 (grey cloud)

S7-25FHCS

2 x S7-25F
2 x S7-15B
1 x S7-25C



SHIPPING QUANTITY:
Pack
SHIPPING WEIGHT:
ITEM NUMBER
1071193 (blue fjord)
1071194 (grey cloud)



S7-43C CENTER CHANNEL

PLACEMENT	FRONT
SYSTEM	2-way Bass Reflex
WOOFER	Quad 3.3" / 8,4 cm woofers. Embossed paper cone with Thor's Hammer
TWEETER	1" (2,54 cm) vented tweeter with a fabric dome
SENSITIVITY	91.2dB @ 2.83V/1m
FREQUENCY RESPONSE (±3DB)	123Hz-21kHz
FREQUENCY RANGE IN BASS SECTION (-6DB)	99Hz-30kHz
IMPEDANCE	4 ohms
CROSSOVERY FRENQUENCY	1770Hz
MATERIAL	MDF
ENCLORE TYPE	Bass reflex
INPUTS	Single Binding Posts
PRODUCT WEIGHT (KG)	6,32kg / 13.9 lbs
PRODUCT DIMENSIONS (H X W X D)	12,5 x 60 x 17,1 cm / 4.9 x 23.6 x 6.3 in.
FINISH	Blue fjord vinyl - grey cloud vinyl

SHIPPING QUANTITY:
Single
SHIPPING WEIGHT:
16.3lbs/7.40kg
ITEM NUMBER
1071189 (blue fjord)
1071190 (grey cloud)

S7-17HCS

2 x S7-17B
2 x S7-15B
2 x S743C



SHIPPING QUANTITY:
Pack
SHIPPING WEIGHT:
ITEM NUMBER
1071195 (blue fjord)
1071196 (grey cloud)

*SPL AT 1M, HALF-SPACE ANECHOIC WITH 2.83 V INPUT



THE PURSUIT OF PERFECTION

For over half a century JAMO has designed and engineered its products utilizing some of the most talented, skilled and passionate people in the industry – starting with Preben Jacobsen, in a hen house in Glyngøre, Denmark. We continue to innovate, honoring the principals and ideals of Preben Jacobsen and Julius Mortensen, providing high-performance sound to the places where we live, integrating beautifully into our environments.



PRO SYSTEM DESIGN

Acoustically transform any room into the ultimate Jamo experience! We offer free ProDesign services to all of our integration partners. Once your designs and requirements are submitted to our team of sound engineers, they will create a system that turns your space into a fully immersive, high-performance movie theater. To get started, email plans to ProSystemDesign@jamo.com.

©2022 KLIPSCH GROUP, INC. ALL RIGHTS RESERVED. JAMO IS A TRADEMARK OF KLIPSCH GROUP, INC., REGISTERED IN THE US AND OTHER COUNTRIES. KLIPSCH GROUP, INC. IS A WHOLLY-OWNED SUBSIDIARY OF VOXX INTERNATIONAL CORPORATION.

Visit jamo.com

Follow us



@JAMOSPEAKERS

Jamo®



GLYNGØRE

Jamo®

EST. 1968

DENMARK

jamo.com