

Sonus faber[®]

ARTISAN OF SOUND

GLOBAL PRICE LIST
EUR

Valid from
JANUARY, 2024

PASSIVE LOUDSPEAKERS

REFERENCE COLLECTION

- SUPREMA
- AIDA
- LILIUM
- IL CREMONESE
- IL CREMONESE EX3ME

HOMAGE COLLECTION

- STRADIVARI
- AMATI
- SERAFINO
- GUARNERI
- VOX

HERITAGE COLLECTION

- MAXIMA AMATOR
- ELECTA AMATOR III
- MINIMA AMATOR II

OLYMPICA NOVA COLLECTION

- OLYMPICA NOVA V
- OLYMPICA NOVA III
- OLYMPICA NOVA II
- OLYMPICA NOVA I
- OLYMPICA NOVA CII
- OLYMPICA NOVA CI
- OLYMPICA NOVA W

SONETTO COLLECTION

- SONETTO VIII
- SONETTO V
- SONETTO III
- SONETTO II
- SONETTO I
- SONETTO CII
- SONETTO CI
- SONETTO W

LUMINA COLLECTION

- LUMINA V AMATOR
- LUMINA V
- LUMINA III
- LUMINA II AMATOR
- LUMINA II
- LUMINA I
- LUMINA CI

PAG. 3

- PAG. 4
- PAG. 7
- PAG. 9
- PAG. 11
- PAG. 13

PAG. 15

- PAG. 16
- PAG. 17
- PAG. 18
- PAG. 19
- PAG. 20

PAG. 21

- PAG. 22
- PAG. 23
- PAG. 24

PAG. 25

- PAG. 26
- PAG. 27
- PAG. 28
- PAG. 29
- PAG. 30
- PAG. 31
- PAG. 32

PAG. 33

- PAG. 34
- PAG. 35
- PAG. 36
- PAG. 37
- PAG. 38
- PAG. 39
- PAG. 40
- PAG. 41

PAG. 42

- PAG. 43
- PAG. 44
- PAG. 45
- PAG. 46
- PAG. 47
- PAG. 48
- PAG. 49

ACTIVE SUBWOOFERS

GRAVIS COLLECTION

- GRAVIS VI
- GRAVIS V
- GRAVIS III
- GRAVIS II
- GRAVIS I

PAG. 50

- PAG. 51
- PAG. 52
- PAG. 53
- PAG. 54
- PAG. 55

WIRELESS SPEAKERS

WIRELESS

- DUETTO
- OMNIA

PAG. 56

- PAG. 56
- PAG. 58

CUSTOM INSTALLATION

ARENA

- ARENA 30
- ARENA 20
- ARENA S15
- ARENA 10

PAG. 60

- PAG. 61
- PAG. 61
- PAG. 62
- PAG. 62

PALLADIO LEVEL 6

- PW 662
- PC 662
- PC 682
- PC 662P
- PC 664P
- PC 683
- PL 664

PAG. 63

- PAG. 65
- PAG. 65
- PAG. 66
- PAG. 66
- PAG. 67
- PAG. 67
- PAG. 68

PALLADIO LEVEL 5

- PW 562
- PC 562
- PC 582
- PC 562P
- PL 563
- PC 563P
- PS G101

PAG. 69

- PAG. 70
- PAG. 70
- PAG. 71
- PAG. 71
- PAG. 72
- PAG. 72
- PAG. 73

OUTDOOR

- ASTER

PAG. 74


- PAG. 75

FINISHES DISPLAY

PAG. 76-77

CUSTOM FINISHES

PAG. 78



REFERENCE

The Reference Collection represents the pinnacle of audio craftsmanship, embodying the Italian brand's unwavering commitment to sonic excellence and aesthetic refinement. Meticulously handcrafted in Vicenza, Italy, each product within this collection is a testament to the intersection of art and technology.

For audio enthusiasts seeking an unparalleled blend of performance and elegance, the Sonus faber Reference Collection stands as an enduring symbol of sonic mastery and design sophistication.

•Sf•



SUPREMA

The definition of Suprema is having a position of dominance or unchallenged superiority, which is why the Suprema loudspeaker system is undoubtedly the most ambitious project ever crafted by Sonus Faber.

Born from a legacy of relentless pursuit of perfection, Suprema is the epitome of audio excellence, redefining the boundaries of sonic immersion. The first-of-its-kind offering represents the pinnacle of the brand's 40th anniversary year, where exquisite detailing, luxurious materials, and craftsmanship of the highest quality elevate the project beyond the concept of a loudspeaker system.

•Sf•

SUPREMA TECHNICAL SPECIFICATIONS

**MAIN COLUMN****SYSTEM
4.5 way sealed box**

LOUDSPEAKERS	SUPER TWEETER: 20mm silk dome with dedicated waveguide, neodymium magnet TWEETER: 38mm silk dome with dedicated waveguide, neodymium magnet MIDRANGE: 6.5" dual driver motor system with neodymium ring magnet, LINK MIDWOOFER: 8" neodymium slug magnet, Ø 65mm voice coil, sandwich paper cone WOOFERS: 4 x 8" dual driver motor system with neodymium ring magnet, Ø 50mm voice coil, sandwich paper cone BACK EMISSION TW: 28mm silk dome, neodymium magnet BACK EMISSION MD: 4" paper cone driver, neodymium magnet
CROSSOVER	Front emission: 360, 430, 1700, 6700 Hz Back emission: 500, 2300 Hz
FREQUENCY RESPONSE	Front emission: 45Hz – 40KHz Back emission: 500Hz – 20KHz
SENSITIVITY	91dB 1m/2.83V
NOMINAL IMPEDANCE	4 Ohm
RECOMMENDED AMPLIFIER POWER	100 W – 700 W
PRODUCT DIMENSIONS (H X W X D)	75" x 25,6" x 65" 1905mm x 650mm x 880mm
DIMENSIONS WITH PACKAGING (H X W X D)	47,2 x 32,7 x 83 in 2110x 1200 x 830 mm
WEIGHT	110 kg 242,5 lb
SHIPPING WEIGHT	222 kg 489 lb

**SUBWOOFER****SYSTEM
Sealed box loading, passive subwoofer**

LOUDSPEAKERS	WOOFERS: 2 x 38 cm carbon fiber sandwich cone
FREQUENCY RESPONSE	16 to 30/80 Hz -variable based on the setting of the electronic crossover
SENSITIVITY	92dB 1m/2.83V
NOMINAL IMPEDANCE	4 Ohm
RECOMMENDED AMPLIFIER POWER	500 W – 2000 W
PRODUCT DIMENSIONS (H X W X D)	57,1 x 33,46 x 23,42 in 1451 x 850 x 595 mm
DIMENSIONS WITH PACKAGING (H X W X D)	39,4 x 32,7 x 84,8 in 1900 x 100 x 83 mm
WEIGHT	103kg 227 lb
SHIPPING WEIGHT (WITH CROSSOVER)	240kg 529 lb
SHIPPING WEIGHT (WITHOUT CROSSOVER)	221kg 487lb

**CROSSOVER****SYSTEM
Full Discrete –Pure Analog Stereo/Mono active Crossover**

INPUT CHANNELS	2 Unbalanced – 2 Balanced
OUTPUT CHANNELS	8 Unbalanced – 8 Balanced
FREQUENCY RESPONSE	MAIN: 25Hz -150KHz PROC: 5Hz -150KHz
INPUT IMPEDANCE	Unbalanced: 20 kΩ Balanced: 10 kΩ
OUTPUT DRIVING CAPABILITY	Unbalanced: 6 V rms (+15,5 dBv) @ 490 Ω Balanced: 11 V rms (+20 dBv) @ 980 Ω
MAINS VOLTAGE (FREQUENCY)	115V (60 Hz) or 230V (50 Hz), factory-set.
PRODUCT DIMENSIONS (H X W X D)	110 x 451 x 424 mm 4,3 x 17,8 x 17 in
WEIGHT	17 kg 37,5 lb

SUPREMA




PASSIVE LOUDSPEAKERS


FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)


WENGE
HIGH GLOSS




GRAPHITE
HIGH GLOSS




RED
HIGH GLOSS



RED VIOLIN
HIGH GLOSS




WALNUT
HIGH GLOSS




BLACK LEATHER



CARBON FIBRE



BLACK ALUMINIUM



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
SUPREMA SPEAKER			
SUPREMA WENGE	DIF410GFI 8056684714933	PAIR	550.000 €
SUPREMA GRAPHITE	DIF410PFI 8056684714957	PAIR	550.000 €
SUPREMA RED	DIF410RFI 8056684714919	PAIR	550.000 €
SUPREMA RED VIOLIN	DIF410VFI 8056684714926	PAIR	550.000 €
SUPREMA WALNUT	DIF410WFI 8056684714940	PAIR	550.000 €
SUPREMA SUBWOOFER AND ELECTRONIC CROSSOVER			
SUPREMA EC WENGE	DIF413GFI 8056684715213	SINGLE	175.000 €
SUPREMA EC GRAPHITE	DIF413PFI 8056684715237	SINGLE	175.000 €
SUPREMA EC RED	DIF413RFI 8056684715190	SINGLE	175.000 €
SUPREMA EC RED VIOLIN	DIF413VFI 8056684715206	SINGLE	175.000 €
SUPREMA EC WALNUT	DIF413WFI 8056684715220	SINGLE	175.000 €
SUPREMA SUBWOOFER			
SUPREMA SUB WENGE	DIF412GFI 8056684715169	SINGLE	75.000 €
SUPREMA SUB GRAPHITE	DIF412PFI 8056684715183	SINGLE	75.000 €
SUPREMA SUB RED	DIF412RFI 8056684715145	SINGLE	75.000 €
SUPREMA SUB RED VIOLIN	DIF412RFI 8056684715152	SINGLE	75.000 €
SUPREMA SUB WALNUT	DIF412WFI 8056684715176	SINGLE	75.000 €



AIDA

Let's start with our queen: Aida. Powerful, seductive, with natural shapes that shape the sound, Aida takes its name from the greatest opera of the master Giuseppe Verdi. Aida is the result of love, tradition and innovation of the entire team of Sonus faber.

•Sf•

AIDA



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)


RED HIGH GLOSS



WALNUT HIGH GLOSS




WENGE HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM

3 and 2/3 way, Sound field Shaper technology, "Zero Vibration Transmission™" technology, para-aperiodic vented box "Stealth Ultraflex System™" and staggered low frequency floor standing loudspeaker system

LOUDSPEAKERS

TW: H28 XTR-04 DAD™ Arrow Point, Ø 28 mm
MD: M18 XTR-04 Neodymium Magnet System, Ø 180 mm
W: 2 x W22XTR-12 Neodymium Magnet System, Ø 220 mm
SW: SW32XTR-08 Neodymium Magnet System, Ø 320 mm

SOUND FIELD SHAPER

TW: 29XTR2 DAD Arrow Point, Ø 29 mm
MD: 2 x M8XTR, Ø 80 mm

CROSS-OVER

55 Hz - 150 Hz - 200 Hz - 3.000 Hz

FREQUENCY RESPONSE

18 Hz - 35.000 Hz
 Stealth Ultraflex™ included

SENSITIVITY

92 db SPL (2.83V/1 m)

NOMINAL IMPEDANCE

4 Ohm

SUGGESTED AMPLIFIER POWER OUTPUT

100 W - 1K W, without clipping

DIMENSIONS (HxWxD)

1.725 x 482 x 780 mm
 68 x 19 x 31 in

WEIGHT (EA)

165 Kg - 363 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF121RFI 8056684711871	PAIR	110.000 €
WALNUT	DIF121AFI 8056684713844	PAIR	110.000 €
WENGE	DIF121WFI 8056684711888	PAIR	110.000 €



LILIUM

This name has its origin in shapes and design. Its unique top looks like a lily, “Lilium” in Latin. A speaker that merges all the contrasts, seemingly opposites, that coexist in Music: Lilium is strength and grace. Dynamics and melody. Full and empty. Sweetness and impetuosity.

•Sf•

LILIUM



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 way para-aperiodic vented box
LOUDSPEAKERS	TW: H28 XTR-04 DAD™ Arrow Point, Ø 28 mm MD: M18 XTR-04 Neodymium Magnet System, Ø 180 mm W: 3 x W18XTR-16, Ø 180 mm SW: SW26 XT-08, Ø 260 mm
CROSS-OVER	55 Hz - 150 Hz - 200 Hz – 3.000 Hz
FREQUENCY RESPONSE	20 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	92 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	100 W – 800 W, without clipping
DIMENSIONS (HxWxD)	1.600 x 491 x 705 mm 63 x 19,3 x 27,7 in
WEIGHT (EA)	103 Kg - 227 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)


RED HIGH GLOSS



WALNUT HIGH GLOSS



WENGE HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF170RFI 8056684710751	PAIR	70.000 €
WALNUT	DIF170WFI 8056684710782	PAIR	70.000 €
WENGE	DIF170EFI 8056684712588	PAIR	70.000 €



IL CREMONESE

Sonus faber finds its inspirations in the Italian violin making tradition. Through the Il Cremonese we pay homage to the great Antonio Stradivari.

The Il Cremonese indeed is the name of his most famous instrument. Passion and scientific research are the essential elements that link this model and his famous violin.

•Sf•

IL CREMONESE



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 way, full para-aperiodic vented box
LOUDSPEAKERS	TW: H28 XTR-04 DAD Arrow Point, Ø 28 mm MD: M18 XTR-04 Neodymium Magnet System, Ø 180 mm W: 2 x W18XTR-12, Ø 180 mm SW: 2 x W22XTR-16, Ø 220 mm
CROSS-OVER	80 Hz - 250 Hz - 2.500 Hz
FREQUENCY RESPONSE	35 Hz – 30.000 Hz Tuning port included
SENSITIVITY	92 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	100 W – 800 W, without clipping
DIMENSIONS (HxWxD)	1.449 x 398 x 621 mm 57 x 15,6 x 24,5 in
WEIGHT (EA)	84 Kg - 185 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)


RED HIGH GLOSS



WALNUT HIGH GLOSS



WENGE HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF201RFI 8056684710874	PAIR	50.000 €
WALNUT	DIF201WFI 8056684710881	PAIR	50.000 €
WENGE	DIF201EFI 8056684712007	PAIR	50.000 €



IL CREMONESE EX3ME

Il Cremonese merges with the technological experience cultivated with Ex3ma, the 30-year anniversary limited edition speaker. A new look, embellished by the return of an historical Sonus faber finish: the classic “Red Violin”.

•Sf•

IL CREMONESE EX3ME



(CUSTOM FINISHES AVAILABLE)

FINISH COMPOSITION

RED VIOLIN GLOSS



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 ways, 6 speakers
LOUDSPEAKERS	TW: 30 mm Diamond Like Carbon Beryllium dome diaphragm MD: 150 mm composite cone, Nd magnet W: 2 x 180 mm composite cone, Fe magnet SW: 2 x 220 mm Nanocarbon Fiber/Nomex Honeycomb Long Throw Subwoofer
SOUND EMISSION	Direct
CROSS-OVER	250 Hz and 2.500 Hz
FREQUENCY RESPONSE	25 Hz – 35.000 Hz
SENSITIVITY	92 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	100 W – 800 W, without clipping
DIMENSIONS (HxWxD)	1.449 x 398 x 621 mm 57 x 15,6 x 24,5 in
WEIGHT (EA)	84 Kg - 185 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED VIOLIN	DIF20XRFI 8056684713325	PAIR	55.000 €



HOMAGE

Keeping up with the topic of the Italian violin making, the Homage collection is a real “Homage” by which we celebrate the greatest families of lute makers from the 1600s to the 1800s in Cremona. Here we are with Stradivari, Amati, Serafino and Guarneri and Vox.

•Sf•

STRADIVARI



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 way Midrange sealed box with Intono Woofers vented box "Stealth Ultraflex" system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MD: Neodymium Magnet System, Ø 150 mm W: 2 x Dual Drive Motor System, Ø 260 mm
CROSS-OVER	160 Hz - 220 Hz – 2.200 Hz
FREQUENCY RESPONSE	25 Hz - 35.000 Hz
SENSITIVITY	92 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	100 W - 600 W
DIMENSIONS (HxWxD)	1.374 x 715 x 428 mm 54 x 28,1 x 16,8 in
WEIGHT (EA)	63 kg – 138,9 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)

RED HIGH GLOSS



GRAPHITE HIGH GLOSS



WENGE HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - DARK GREY FINISH



ALUMINUM - DARK GREY FINISH



ALUMINUM - DARK GREY FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF384RFI 8056684714834	PAIR	50.000 €
GRAPHITE	DIF384PFI 8056684714858	PAIR	50.000 €
WENGE	DIF384GFI 8056684714841	PAIR	50.000 €

AMATI




TECHNICAL SPECIFICATIONS

SYSTEM	3.5 way Midrange sealed box with Intono Woofers vented box "Stealth Ultraflex" system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MD: Neodymium Magnet System, Ø 150 mm W: 2 x Dual Drive Motor System, Ø 220 mm
CROSS-OVER	200 Hz - 270 Hz – 2.200 Hz
FREQUENCY RESPONSE	28 Hz - 35.000 Hz
SENSITIVITY	91 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 450 W
DIMENSIONS (HxWxD)	1.176 x 411 x 512 mm 46,3 x 16,2 x 20,1 in
WEIGHT (EA)	55,5 kg – 112,36 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF380RFI 8056684714438	PAIR	35.000 €
GRAPHITE	DIF380PFI 8056684714452	PAIR	35.000 €
WENGE	DIF380GFI 8056684714445	PAIR	35.000 €

SERAFINO



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 way Midrange sealed box with Intono Woofers vented box "Stealth Ultraflex" system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MD: Neodymium Magnet System, Ø 150 mm W: 2 x Ø 180 mm
CROSS-OVER	200 Hz - 250 Hz – 2.400 Hz
FREQUENCY RESPONSE	30 Hz - 35.000 Hz
SENSITIVITY	90 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 300 W
DIMENSIONS (HxWxD)	1.091 x 396 x 485 mm 43 x 15,6 x 19 in
WEIGHT (EA)	48,5 kg – 109,92 lb


PASSIVE LOUDSPEAKERS

FINISH COMPOSITION


RED HIGH GLOSS



GRAPHITE HIGH GLOSS



WENGE HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - DARK GREY FINISH



ALUMINUM - DARK GREY FINISH



ALUMINUM - DARK GREY FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF382RFI 8056684714490	PAIR	25.000 €
GRAPHITE	DIF382PFI 8056684714513	PAIR	25.000 €
WENGE	DIF382GFI 8056684714506	PAIR	25.000 €

GUARNERI




TECHNICAL SPECIFICATIONS

SYSTEM	2 way Vented box "Stealth Ultraflex" system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MW: Neodymium Magnet System, Ø 150 mm
CROSS-OVER	2.200 Hz
FREQUENCY RESPONSE	40 Hz - 35.000 Hz
SENSITIVITY	86 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 125 W
DIMENSIONS (HxWxD)	377 x 239 x 375 mm 14,8 x 9,4 x 14,7 in
WEIGHT (EA)	14,6 Kg – net weight 32,19 lb – net weight
STAND DIMENSIONS (HxWxD)	758 x 300 x 390 mm 29,8 x 11,8 x 15,3 in
STAND WEIGHT (EA)	13 kg – 28,6 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF381RFI 8056684714469	PAIR	18.500 €*
GRAPHITE	DIF381PFI 8056684714483	PAIR	18.500 €*
WENGE	DIF381GFI 8056684714476	PAIR	18.500 €*

* STAND INCLUDED CLN231FIN

VOX



TECHNICAL SPECIFICATIONS

SYSTEM	3 way Midrange sealed box with Intono Woofers vented box "Stealth Ultraflex" system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MD: 2 x Neodymium Magnet System, Ø 150 mm W: 2 x Ø 180 mm
CROSS-OVER	280 Hz - 2.100 Hz
FREQUENCY RESPONSE	40 Hz - 35.000 Hz
SENSITIVITY	90 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 300 W
DIMENSIONS (HxWxD)	315 x 836 x 385 mm 12,4 x 32,9 x15 in
WEIGHT (EA)	36 Kg – 79,36 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION


RED HIGH GLOSS



GRAPHITE HIGH GLOSS



WENGE HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - DARK GREY FINISH



ALUMINUM - DARK GREY FINISH



ALUMINUM - DARK GREY FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF383RFI 8056684714629	UNIT	16.500 €
GRAPHITE	DIF383PFI 8056684714643	UNIT	16.500 €
WENGE	DIF383GFI 8056684714636	UNIT	16.500 €



HERITAGE

Our Heritage, a landmark that will be always part of the Sonus faber DNA. This collection is a restyling of three iconic loudspeakers.

Minima Amator II, a small jewel, Electa Amator III, refined and performing and their older sister, Maxima Amator.

•Sf•

MAXIMA AMATOR



TECHNICAL SPECIFICATIONS

SYSTEM	2-way floorstanding Loudspeaker system
LOUDSPEAKERS	TW: H28 XTR-04 DAD™, Ø 28 mm MW: MW18XTR-04, Ø 180 mm
CROSS-OVER	2.100 Hz
FREQUENCY RESPONSE	35 Hz – 35.000 Hz
SENSITIVITY	88 dB SPL (2,83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	25 W - 125 W, without clipping
DIMENSIONS (HxWxD)	1.120 x 300 x 350 mm 44,1 x 11,8 x 13,8 in
WEIGHT (EA)	38 Kg - 83,7 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

SOLID WALNUT SEMI GLOSS



SOLID WALNUT SEMI GLOSS GRAPHITE



BLACK LEATHER



BLACK LEATHER



PORT SAINT LAURENT MARBLE



MATTE MARQUINIA MARBLE



BRASS



POLISHED STEEL



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT SAINT LAURENT MARBLE	DIF360FIN 8056684713820	PAIR	16.000 €
GRAPHITE MARQUINIA MATTE MARBLE	DIF363FIN 8056684714827	PAIR	16.000 €

ELECTA AMATOR III



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

SOLID WALNUT SEMI GLOSS



SOLID WALNUT SEMI GLOSS GRAPHITE



BLACK LEATHER



BLACK LEATHER



PORT SAINT LAURENT MARBLE



MATTE MARQUINIA MARBLE



BRASS



POLISHED STEEL



TECHNICAL SPECIFICATIONS

SYSTEM	2-way bookshelf / standmount vented loudspeaker system
LOUDSPEAKERS	TW: H28 XTR-04 DAD™, Ø 28 mm MW: MW18XTR-04, Ø 180 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	40 Hz – 35.000 Hz
SENSITIVITY	88 dB SPL (2,83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	35 W - 125 W, without clipping
DIMENSIONS (HxWxD)	375 x 235 x 360 mm 14,8 x 9,3 x 14,2 in
WEIGHT (EA)	14,6 Kg - 32,2 lb
OPTIONAL STAND DIMENSIONS (HxWxD)	720 x 300 x 350 mm 28,4 x 11,8 x 13,8 in
OPTIONAL STAND WEIGHT (EA)	11,2 Kg - 24,7 lb

PRICES:

LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT CARRARA MARBLE	DIF290FIN 8056684712571	PAIR	10.000 €*
GRAPHITE MARQUINIA MATTE MARBLE	DIF293FIN 8056684714810	PAIR	10.000 €*

* STAND IS NOT INCLUDED

CARRARA STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK / CARRARA BASE	CLN290FIN 8056684712564	PAIR	1.700 €
BLACK / MARQUINIA BASE	CLN293FIN 8056684714797	PAIR	1.700 €

Sonus faber reserves the right to change prices and / or specifications without notice.

MINIMA AMATOR II



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

SOLID WALNUT SEMI GLOSS



SOLID WALNUT SEMI GLOSS GRAPHITE



BLACK LEATHER



BLACK LEATHER



PORT SAINT LAURENT MARBLE



MATTE MARQUINIA MARBLE



BRASS



POLISHED STEEL



TECHNICAL SPECIFICATIONS

SYSTEM	2-way bookshelf / standmount vented loudspeaker system
LOUDSPEAKERS	TW: H28 XTR2-04 DAD™, Ø 28 mm MW: MW15 XT-04, Ø 150 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	50 Hz – 35.000 Hz
SENSITIVITY	87 dB SPL (2,83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	35 W - 100 W, without clipping
DIMENSIONS (HxWxD)	325 x 200 x 274 mm 12,8 x 7,8 x 10,8 in
WEIGHT (EA)	7,1 Kg - 15,7 lb
OPTIONAL STAND DIMENSIONS (HxWxD)	720 x 300 x 350 mm 28,4 x 11,8 x 13,8 in
OPTIONAL STAND WEIGHT (EA)	11,2 Kg - 24,7 lb

PRICES:

LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
SOLID WALNUT	DIF310FIN 8056684712908	PAIR	4.750 €*
GRAPHITE MARQUINIA MATTE MARBLE	DIF313FIN 8056684714803	PAIR	4.750 €*

* STAND IS NOT INCLUDED

CARRARA STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK / CARRARA BASE	CLN290FIN 8056684712564	PAIR	1.700 €
BLACK / MARQUINIA BASE	CLN293FIN 8056684714797	PAIR	1.700 €

Sonus faber reserves the right to change prices and / or specifications without notice.



OLYMPICA NOVA

This collection celebrates our roots, Vicenza and its most famous architect Andrea Palladio who designed, among other things, the Olympic Theater, the symbol of Vicenza city and a place where music is translated into freedom, power and emotion

•Sf•

OLYMPICA NOVA V



PASSIVE LOUDSPEAKERS

TECHNICAL SPECIFICATIONS

SYSTEM	3 way, full para-aperiodic vented box "Stealth Ultraflex"
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MD: M15 XTR2-04, Ø 150 mm W: W18XTR2-12, Ø 180 mm
CROSS-OVER	250 Hz - 2.500 Hz
FREQUENCY RESPONSE	32 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	60 W – 400 W, without clipping
DIMENSIONS (HxWxD)	1.174 x 424 x 529 mm 46,3 x 16,7 x 20,8 in
WEIGHT (EA)	44 kg - 97 lb

FINISH COMPOSITION

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF305WFI 8056684712830	PAIR	16.000 €
WENGE	DIF305EFI 8056684712823	PAIR	16.000 €
PIANO BLACK	DIF305BFI 8056684714094	PAIR	16.000 €

OLYMPICA NOVA III



TECHNICAL SPECIFICATIONS

SYSTEM	3 way, full para-aperiodic vented box "Stealth Ultraflex"
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MD: M15 XTR2-04, Ø150 mm W: W18XTR2-08, Ø 180 mm
CROSS-OVER	250 Hz - 2.500 Hz
FREQUENCY RESPONSE	32 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 300 W, without clipping
DIMENSIONS (HxWxD)	1.104 x 376 x 459 mm 43,5 x 14,8 x 18,1 in
WEIGHT (EA)	35 kg - 77,1 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF303WFI 8056684712816	PAIR	13.000 €
WENGE	DIF303EFI 8056684712809	PAIR	13.000 €
PIANO BLACK	DIF303BFI 8056684714087	PAIR	13.000 €

OLYMPICA NOVA II



TECHNICAL SPECIFICATIONS

SYSTEM	3 way, full para-aperiodic vented box "Stealth Ultraflex"
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MD: M15 XTR2-04, Ø 150 mm W: W18XTR2-04, Ø 180 mm
CROSS-OVER	250 Hz - 2.500 Hz
FREQUENCY RESPONSE	40 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	88 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 250 W, without clipping
DIMENSIONS (HxWxD)	1.036 x 359 x 422 mm 40,8 x 14,2 x 16,6 in
WEIGHT (EA)	30,7 kg - 67,6 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF302WFI 8056684712793	PAIR	9.750 €
WENGE	DIF302EFI 8056684712786	PAIR	9.750 €
PIANO BLACK	DIF302BFI 8056684714070	PAIR	9.750 €

OLYMPICA NOVA I



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	2 way, full para-aperiodic vented box "Stealth Ultraflex"
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MW: MW15 XTR2-04, Ø150 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	45 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	87 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	35 W – 250 W, without clipping
DIMENSIONS (HxWxD)	355 x 199 x 395 mm 14 x 7,8 x 15,5 in
WEIGHT (EA)	10,5 kg - 23,1 lb
OPTIONAL STAND DIMENSIONS (HxWxD)	723 x 82 x 395 mm 28,4 x 3,3 x 15,5 in
OPTIONAL STAND WEIGHT (EA)	6,6 kg - 14,5 lb

PRICES:

LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF301WFI 8056684712779	PAIR	6.500 €*
WENGE	DIF301EFI 8056684712762	PAIR	6.500 €*
PIANO BLACK	DIF301BFI 8056684714063	PAIR	6.500 €*

* STAND IS NOT INCLUDED

STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN301FIN 8056684712915	PAIR	1.000 €

Sonus faber reserves the right to change prices and / or specifications without notice.

OLYMPICA NOVA CII



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	3 way, full para-aperiodic vented box "Stealth Ultraflex"
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MD: M15 XTR2-08, Ø150 mm W: W18XTR2-08, Ø 180
CROSS-OVER	250 Hz - 1.550 Hz
FREQUENCY RESPONSE	35 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 300 W, without clipping
DIMENSIONS (HxWxD)	278 x 866 x 459 mm 11 x 34 x 18 in
WEIGHT (EA)	29 kg - 63,9 in
OPTIONAL STAND DIMENSIONS (HxWxD)	374 x 530 x 467 mm 14,7 x 20,8 x 18,3 in
OPTIONAL STAND WEIGHT (EA)	8 kg - 17,6 lb

PRICES:

LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF307WFI 8056684712878	UNIT	7.000 €*
WENGE	DIF307EFI 8056684712861	UNIT	7.000 €*
PIANO BLACK	DIF307BFI 8056684714117	UNIT	7.000 €*

* STAND IS NOT INCLUDED

CENTER CHANNEL STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN306FIN 8056684712922	UNIT	750 €

Sonus faber reserves the right to change prices and / or specifications without notice.

OLYMPICA NOVA CI



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	2 way, full para-aperiodic vented box "Stealth Ultraflex"
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MW: MW15 XTR2-08, Ø150 mm
CROSS-OVER	1.550 Hz
FREQUENCY RESPONSE	45 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	35 W – 250 W, without clipping
DIMENSIONS (HxWxD)	241 x 616 x 397 mm 9,5 x 24,2 x 15,6 in
WEIGHT (EA)	18 kg - 39,6 lb
OPTIONAL STAND DIMENSIONS (HxWxD)	374 x 530 x 467 mm 14,7 x 20,8 x 18,3 in
OPTIONAL STAND WEIGHT (EA)	8 kg - 17,6 lb

PRICES:

LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF306WFI 8056684712854	UNIT	5.000 €*
WENGE	DIF306EFI 8056684712847	UNIT	5.000 €*
PIANO BLACK	DIF306BFI 8056684714100	UNIT	5.000 €*

* STAND IS NOT INCLUDED

CENTER CHANNEL STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN306FIN 8056684712922	UNIT	750 €

Sonus faber reserves the right to change prices and / or specifications without notice.

OLYMPICA NOVA WALL



TECHNICAL SPECIFICATIONS

SYSTEM	2 way, passive radiator
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MW: MW15 XTR2-04, Ø150 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	50 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	87 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	35 W – 250 W, without clipping
DIMENSIONS (HxWxD)	562 x 309 x 234 mm 22,1 x 12,1 x 10,9 in
WEIGHT (EA)	9 kg - 19,8 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF308WFI 8056684712892	UNIT	3.750 €
WENGE	DIF308EFI 8056684712885	UNIT	3.750 €
PIANO BLACK	DIF308BFI 8056684714124	UNIT	3.750 €



SONETTO

A family that communicates sympathy and lightness but lets the listener experiences great performances and emotions. The name refers to the classic poetic compositions with a lyrical character, a symbol of Italian creativity

•Sf•

SONETTO VIII



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



WHITE MATTE



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	3-way floorstanding loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver DKM dome diaphragm, Neo Magnet system, Ø 29 mm MD: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 150 mm W: Ultra-free compression basket, aluminum cone for maximum speed, Ø 3 x 180 mm cone drivers.
CROSS-OVER	270 Hz - 3.000 Hz
FREQUENCY RESPONSE	36 Hz – 25.000 Hz
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 300 W, without clipping
DIMENSIONS (HxWxD)	1.188 x 283 x 427 mm 47 x 11 x 17 in
WEIGHT (EA)	26,3 Kg - 57,9 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF286EFI 8056684713202	PAIR	6.749 €
WALNUT	DIF286RFI 8056684712144	PAIR	6.749 €
PIANO BLACK	DIF286BFI 8056684712137	PAIR	6.749 €
WHITE MATTE	DIF286WFI 8056684712151	PAIR	6.749 €

SONETTO V




PASSIVE LOUDSPEAKERS

TECHNICAL SPECIFICATIONS

SYSTEM	3-way floorstanding loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver, DKM dome diaphragm, Ø 29 mm MD: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 150 mm W: Ultra-free compression basket, aluminum cone for maximum speed, Ø 2 x 180 mm cone drivers
CROSS-OVER	235 Hz - 3.000 Hz
FREQUENCY RESPONSE	38 Hz – 25.000 Hz
SENSITIVITY	90 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 300 W, without clipping
DIMENSIONS (HxWxD)	1.072 x 258 x 409 mm 42 x 10 x 16 in
WEIGHT (EA)	22,6 Kg - 49,8 lb

FINISH COMPOSITION



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF284EFI 8056684713189	PAIR	4.999 €
WALNUT	DIF284RFI 8056684712113	PAIR	4.999 €
PIANO BLACK	DIF284BFI 8056684712106	PAIR	4.999 €
WHITE MATTE	DIF284WFI 8056684712120	PAIR	4.999 €

SONETTO III



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



WHITE MATTE



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	3-way floorstanding loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver, DKM dome diaphragm, Ø 29 mm MD: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 150 mm W: Ultra-free compression basket, aluminum cone for maximum speed, Ø 2 x 150 mm cone drivers
CROSS-OVER	220 Hz - 3.250 Hz
FREQUENCY RESPONSE	42 Hz – 25.000 Hz
SENSITIVITY	89 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 250 W, without clipping
DIMENSIONS (HxWxD)	1.018 x 219 x 305 mm 40 x 9 x 12 in
WEIGHT (EA)	16 Kg - 35,2 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF280EFI 8056684713141	PAIR	3.899 €
WALNUT	DIF280RFI 8056684712083	PAIR	3.899 €
PIANO BLACK	DIF280BFI 8056684712076	PAIR	3.899 €
WHITE MATTE	DIF280WFI 8056684712090	PAIR	3.899 €

SONETTO II



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



WHITE MATTE



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver, DKM dome diaphragm, Ø 29 mm MW: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 165 mm
CROSS-OVER	2.650 Hz
FREQUENCY RESPONSE	42 Hz – 25.000 Hz
SENSITIVITY	87 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	40 W – 200 W, without clipping
DIMENSIONS (HxWxD)	370 x 250 x 334 mm 15 x 10 x 13 in
WEIGHT (EA)	6,8 kg - 14,9 lb
OPTIONAL STAND DIMENSION (HxWxD)	386 x 315 x 686 mm 12,4 x 15,2 x 27 in
OPTIONAL STAND WEIGHT (EA)	4,7 kg - 10,3 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF281EFI 8056684713158	PAIR	2.199 €*
WALNUT	DIF281RFI 8056684712052	PAIR	2.199 €*
PIANO BLACK	DIF281BFI 8056684712045	PAIR	2.199 €*
WHITE MATTE	DIF281WFI 8056684712069	PAIR	2.199 €*

* STAND IS NOT INCLUDED

STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN281FIN 8056684712373	PAIR	450 €

Sonus faber reserves the right to change prices and / or specifications without notice.

SONETTO I



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



WHITE MATTE



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver, DKM dome diaphragm, Ø 29 mm MW: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 150 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	45 Hz – 25.000 Hz
SENSITIVITY	87 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W – 150 W, without clipping
DIMENSIONS (HxWxD)	359 x 219 x 305 mm 14 x 9 x 12 in
WEIGHT (EA)	5,5 kg - 12,1 lb
OPTIONAL STAND DIMENSION (HxWxD)	386 x 315 x 686 mm 12,4 x 15,2 x 27 in
OPTIONAL STAND WEIGHT (EA)	4,7 kg - 10,3 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF282EFI 8056684713165	PAIR	1.699 € *
WALNUT	DIF282RFI 8056684712021	PAIR	1.699 € *
PIANO BLACK	DIF282BFI 8056684712014	PAIR	1.699 € *
WHITE MATTE	DIF282WFI 8056684712038	PAIR	1.699 € *

* STAND IS NOT INCLUDED

STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN281FIN 8056684712373	PAIR	450 €

Sonus faber reserves the right to change prices and / or specifications without notice.

SONETTO CII



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



WHITE MATTE



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver, DKM dome diaphragm, Neo Magnet system, Ø 29 mm MD: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 2 x 150 mm W: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 2 x 150 mm
CROSS-OVER	220 Hz - 1.650 Hz
FREQUENCY RESPONSE	42 Hz – 25.000 Hz
SENSITIVITY	91 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 300 W, without clipping
DIMENSIONS (HxWxD)	289 x 743 x 409 mm 12 x 30 x 16 in
WEIGHT (EA)	16,2 Kg - 35,7 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF287EFI 8056684713219	UNIT	2.199 €
WALNUT	DIF287RFI 8056684712205	UNIT	2.199 €
PIANO BLACK	DIF287BFI 8056684712199	UNIT	2.199 €
WHITE MATTE	DIF287WFI 8056684712212	UNIT	2.199 €

SONETTO CI



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver, DKM dome diaphragm, Neo Magnet system, Ø 29 mm MW: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 2 x 150 mm cone drivers
CROSS-OVER	1.550 Hz
FREQUENCY RESPONSE	60 Hz – 25.000 Hz
SENSITIVITY	90 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 200 W, without clipping
DIMENSIONS (HxWxD)	242 x 495 x 303 mm 10 x 20 x 12 in
WEIGHT (EA)	6,5 Kg - 14,3 lb

FINISH COMPOSITION

WENGE OPEN PORE



WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



ALUMINUM - TITANIUM FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF283EFI 8056684713172	UNIT	1.099 €
WALNUT	DIF283RFI 8056684712175	UNIT	1.099 €
PIANO BLACK	DIF283BFI 8056684712168	UNIT	1.099 €

SONETTO WALL



PASSIVE LOUDSPEAKERS

TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver, DKM dome diaphragm, Neo Magnet system, Ø 29 mm MW: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 150 mm cone passive radiator
CROSS-OVER	3.800 Hz
FREQUENCY RESPONSE	60 Hz – 25.000 Hz
SENSITIVITY	89 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W – 150 W, without clipping
DIMENSIONS (HxWxD)	500 x 291 x 163 mm 20 x 12 x 7 in
WEIGHT (EA)	4,8 Kg - 10,5 lb

FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



WHITE MATTE




ALUMINUM - TITANIUM FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF285EFI 8056684713196	UNIT	1.099 €
WALNUT	DIF285RFI 8056684712236	UNIT	1.099 €
PIANO BLACK	DIF285BFI 8056684712229	UNIT	1.099 €
WHITE MATTE	DIF285WFI 8056684712243	UNIT	1.099 €



LUMINA

LUxury, MInimalist, NAtural. Lumina is the acronym of these three words that summarize its philosophy, a design approach based on “less is more”, a new adventure that does not betray the brand’s tradition and DNA.

•Sf•

LUMINA V AMATOR



TECHNICAL SPECIFICATIONS

SYSTEM	3-way floorstanding loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver, Visco-elastically baffle decoupling MD: Ø 150 mm cone driver W: Ø 2 x 165 mm cone drivers, Sandwich diaphragm structure
CROSS-OVER	260 Hz - 2.850 Hz
FREQUENCY RESPONSE	38 Hz – 24.000 Hz
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 300 W undistorted signal
DIMENSIONS (HxWxD)	1.049 x 280 x 372 mm 4,13 x 11 x 14,7 in
WEIGHT (EA)	22,5 Kg - 49,6 lb


PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

RED HIGH GLOSS



WALNUT HIGH GLOSS



WENGE HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF355GFI 8056684715107	PAIR	3.499 €
WALNUT	DIF355SFI 8056684715114	PAIR	3.499 €
RED	DIF355RFI 8056684715015	PAIR	3.499 €

LUMINA V



TECHNICAL SPECIFICATIONS

SYSTEM	3-way floorstanding loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver, Visco-elastically baffle decoupling MD: Ø 150 mm cone driver W: Ø 2 x 165 mm cone drivers, Sandwich diaphragm structure
CROSS-OVER	260 Hz - 2.600 Hz
FREQUENCY RESPONSE	38 Hz – 24.000 Hz
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 300 W undistorted signal
DIMENSIONS (HxWxD)	1.049 x 280 x 372 mm 4,13 x 11 x 14,7 in
WEIGHT (EA)	22,5 Kg - 49,6 lb

FINISH COMPOSITION

WENGE SEMI GLOSS



WALNUT SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF355EFI 8056684713752	PAIR	2.899 €
WALNUT	DIF355WFI 8056684713769	PAIR	2.899 €
PIANO BLACK	DIF355BFI 8056684713745	PAIR	2.899 €

LUMINA III



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE SEMI GLOSS



WALNUT SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver, DKM dome diaphragm, Ø 29 mm MW: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 150 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	45 Hz – 25.000 Hz
SENSITIVITY	87 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W – 150 W, without clipping
DIMENSIONS (HxWxD)	359 x 219 x 305 mm 14 x 9 x 12 in
WEIGHT (EA)	5,5 kg - 12,1 lb
OPTIONAL STAND DIMENSION (HxWxD)	386 x 315 x 686 mm 12,4 x 15,2 x 27 in
OPTIONAL STAND WEIGHT (EA)	4,7 kg - 10,3 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF353EFI 8056684713721	PAIR	2.199 €
WALNUT	DIF353WFI 8056684713738	PAIR	2.199 €
PIANO BLACK	DIF353BFI 8056684713714	PAIR	2.199 €

LUMINA II AMATOR



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver Visco-elastically baffle decoupling MW: Ø 150 mm cone driver
CROSS-OVER	2.600 Hz
FREQUENCY RESPONSE	55 Hz -24.000 Hz
SENSITIVITY	86 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 150 W undistorted signal
DIMENSIONS (HxWxD)	304 x 180 x 263 mm 12 x 7,1 x 10,3 in
WEIGHT (EA)	5,8 Kg – 12,8 lb


PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

RED HIGH GLOSS



WALNUT HIGH GLOSS



WENGE HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF352GFI 8056684715077	PAIR	1.499 €
WALNUT	DIF352SFI 8056684715084	PAIR	1.499 €
RED	DIF352RFI 8056684714995	PAIR	1.499 €

LUMINA II



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver Visco-elastically baffle decoupling MW: Ø 150 mm cone driver
CROSS-OVER	1.800 Hz
FREQUENCY RESPONSE	55 Hz -24.000 Hz
SENSITIVITY	86 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 150 W undistorted signal
DIMENSIONS (HxWxD)	304 x 180 x 263 mm 12 x 7,1 x 10,3 in
WEIGHT (EA)	5,8 Kg – 12,8 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE SEMI GLOSS



WALNUT SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF352EFI 8056684713691	PAIR	1.199 €
WALNUT	DIF352WFI 8056684713707	PAIR	1.199 €
PIANO BLACK	DIF352BFI 8056684713684	PAIR	1.199 €

LUMINA I



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver Visco-elastically baffle decoupling MW: Ø 120 mm cone driver
CROSS-OVER	2.000 Hz
FREQUENCY RESPONSE	65 Hz -24.000 Hz
SENSITIVITY	84 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 100 W undistorted signal
DIMENSIONS (HxWxD)	280 x 148 x 213 mm 11 x 5,8 x 8,4 in
WEIGHT (EA)	4,4 Kg - 9,7 lb

FINISH COMPOSITION

WENGE SEMI GLOSS



WALNUT SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF351EFI 8056684713660	PAIR	899 €
WALNUT	DIF351WFI 8056684713677	PAIR	899 €
PIANO BLACK	DIF351BFI 8056684713653	PAIR	899 €

LUMINA CI



TECHNICAL SPECIFICATIONS

SYSTEM	2-way horizontal loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver, Visco-elastically baffle decoupling MW: Ø 2 x 120 mm cone drivers
CROSS-OVER	2.000 Hz
FREQUENCY RESPONSE	65 Hz -24.000 Hz
SENSITIVITY	87 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 100 W undistorted signal
DIMENSIONS (HxWxD)	168 x 523 x 212 mm 6,6 x 20,6 x 8,4 in
WEIGHT (EA)	7,6 Kg - 16,8 lb

FINISH COMPOSITION

WENGE SEMI GLOSS



WALNUT SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF356EFI 8056684713783	UNIT	749 €
WALNUT	DIF356WFI 8056684713790	UNIT	749 €
PIANO BLACK	DIF356BFI 8056684713776	UNIT	749 €



GRAVIS

A historical name, linked to the aim of the product: reproducing grave sounds. In this line power and design go hand in hand.

•Sf•


GRAVIS VI



ACTIVE SUBWOOFERS

FINISH COMPOSITION 2023

(CUSTOM FINISHES AVAILABLE)



FINISH COMPOSITION REFERENCE & HOMAGE TRADITION



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Closed box loading, two-driver, active subwoofer
LOUDSPEAKERS	2 x Ø 320 mm (12") double coil 4 + 4 ohm, very long throw, sandwich honeycomb cone, wide rubber surround woofer
POWER AMPLIFICATION	High performance, class AB amplifier 1.800 W
FREQUENCY RESPONSE	18 Hz (@ - 6 dB, acoustic Linkwitz 4th order roll-on, EQ1 setting) to Fc (user continuously adjustable)
VOLTAGE MAINS INPUT	Selectable, 120 Vac - 60 Hz or 230 Vac - 50 Hz
FUSE	T12A H 250V (for 230 Vac – 60 Hz) T6.3A H 250V (for 110 Vac – 50 Hz)
CONTROLS	Direct access Master volume; App control featuring: volume, continuously adjustable crossover frequency (40 to 150 Hz), filtering slope 24 dB / oct; continuously adjustable signal phase; parametric EQ (4 presets available), Delay (1 to 20 ms); auto eq; auto power on / off switch
AUDIO SIGNAL INPUTS	2 x Line level, left and right / LFE RCA phono plugs (unbalanced) 2 x Line Level, left and right / LFE XLR plugs (balanced) 1 x High level, Neutrik 4 - pole Speakon®
POWER CONSUMPTION	0,5 W (Stand-by) - 1.800 W (Peak)
DIMENSIONS (HxWxD)	616 x 448 x 585 mm 24 x 17,6 x 23 in
WEIGHT (EA)	52 Kg - 114,6 lb

PRICES

FINISH		ITEM CODE EAN CODE	U.M.	MSRP
RED	2023	SBWU11RFI 8056684714735	UNIT	6.500 €
	REF&TRAD	SBWU10RFI 8056684712441		
GRAPHITE	2023	SBWU11PFI 8056684714742	UNIT	6.500 €
WENGE	2023	SBWU11GFI 8056684714728	UNIT	6.500 €
	REF&TRAD	SBWU10GFI 8056684712427		
PIANO BLACK	2023	SBWU11BFI 8056684714711	UNIT	6.500 €
	REF&TRAD	SBWU10BFI 8056684712410		

Sonus faber reserves the right to change prices and / or specifications without notice.

GRAVIS V



FINISH COMPOSITION 2023

(CUSTOM FINISHES AVAILABLE)



FINISH COMPOSITION REFERENCE & HOMAGE TRADITION



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Closed box loading, single driver, active subwoofer
LOUDSPEAKERS	1 x Ø 320 mm (12") double coil 4 + 4 ohm, very long throw, sandwich honeycomb cone, wide rubber surround
POWER AMPLIFICATION	High performance, class AB amplifier 850 W
FREQUENCY RESPONSE	20 Hz (@ - 6dB, acoustic Linkwitz 4th order roll-on, EQ1 setting) to Fc (user continuously adjustable)
VOLTAGE MAINS INPUT	Selectable, 120 Vac - 60 Hz or 230 Vac - 50 Hz
FUSE	T12A H 250V (for 230 Vac - 50 Hz) T6.3A H 250V (for 110 Vac - 60 Hz)
CONTROLS	Direct access Master volume; App control featuring: volume, continuously adjustable crossover frequency (40 to 150 Hz), filtering slope 24 dB / oct; continuously adjustable signal phase; parametric EQ (4 presets available), Delay (1 to 20 ms); auto eq; auto power on / off switch
AUDIO SIGNAL INPUTS	2 x Line level, left and right RCA phono plugs (unbalanced) 2 x Line Level, left and right XLR plugs (balanced) 1 x High level, Neutrik 4 - pole Speakon®
POWER CONSUMPTION	0,5 W (Stand-by) - 1.200 W (Peak)
DIMENSIONS (HxWxD)	455 x 448 x 448 mm 17,9 x 17,6 x 17,6 in
WEIGHT (EA)	32 Kg - 70,5 lb

PRICES

FINISH		ITEM CODE EAN CODE	U.M.	MSRP
RED	2023	SBWU21RFI 8056684714773	UNIT	4.500 €
	REF&TRAD	SBWU20RFI 8056684712496		
GRAPHITE	2023	SBWU21PFI 8056684714780	UNIT	4.500 €
	REF&TRAD	SBWU20GFI 8056684712472		
WENGE	2023	SBWU21GFI 8056684714766	UNIT	4.500 €
	REF&TRAD	SBWU20GFI 8056684712472		
PIANO BLACK	2023	SBWU21BFI 8056684714759	UNIT	4.500 €
	REF&TRAD	SBWU20BFI 8056684712465		

GRAVIS III



FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Sealed box loading, single driver, active subwoofer
LOUDSPEAKERS	1 x Ø 250 mm (10") long throw, sandwich honeycomb cone, wide rubber surround LF unit
POWER AMPLIFICATION	600 W (nominal), 900 W (peak)
FREQUENCY RESPONSE	25 Hz (@ - 6 dB, acoustic Linkwitz 4th order roll-on, default setting) to Fc (user continuously adjustable)
VOLTAGE MAINS INPUT	100 - 120 Vac – 50 / 60 Hz or 220 - 240 Vac – 50 / 60 Hz Factory selected
FUSE	T6.3A L250V (100 - 120 Vac – 50 / 60 Hz) T3.15A L250V (220 - 240 Vac – 50 / 60 Hz)
CONTROLS	Direct access Master volume; APP control featuring: 4 selectable presets, volume, continuously adjustable crossover frequency (40 to 150 Hz, filtering slope 24 dB / oct); continuously adjustable signal phase (0° to 360°); up to 8 parametric EQ filters, Delay (1 to 20 ms); automatic room calibration; selectable threshold auto power on / off
AUDIO SIGNAL INPUTS	2 x LINE (unbalanced), Left and Right / LFE - RCA plugs 1 x LINE (balanced) - XLR plug HIGH LEVEL - Neutrik 4 - pole Speakon® plug
POWER CONSUMPTION	< 2 W (Stand-by) 700 W (rated power)
DIMENSIONS (HxWxD)	415 x 400 x 495 mm 16,3 x 15,7 x 19,5 in
WEIGHT (EA)	26,7 Kg - 58,8 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	SBWU30WFI 8056684713240	UNIT	2.500 €
WENGE	SBWU30EFI 8056684713233	UNIT	2.500 €
PIANO BLACK	SBWU30BFI 8056684713226	UNIT	2.500 €

GRAVIS II



FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



WHITE MATTE



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Passive radiator bass-reflex loading active subwoofer
LOUDSPEAKERS	1 x Ø 260 mm (10") very long throw, treated paper cone, wide rubber surround woofer
POWER AMPLIFICATION	High linearity Class AB 350 W rms, 700 W (peak)
FREQUENCY RESPONSE	From 25 / 35 Hz to Fc (user adjustable)
VOLTAGE MAINS INPUT	Factory selected, 120 Vac - 60 Hz or 230 Vac - 50 Hz
FUSE	T6.3A (110 Vac, 60 Hz); T3.15A (230 V, 50 Hz) Output signal short circuit; Over-heating; DC fault
CONTROLS	Independent Master and LFE volume controls; Continuously adjustable Crossover frequency (30 to 120 Hz), slope 24 dB / oct; Signal phase inversion switch (0/180°) Auto switch - on / off (deselectable)
AUDIO SIGNAL INPUTS	LFE (Low Frequency Effect), single phono plug; Line level signal, single phono plug; High level signals, Neutrik 4 - pole Speakon®
POWER CONSUMPTION	0,5 W (Stand-by) 450 W (Rated power)
DIMENSIONS (HxWxD)	404 x 356 x 408 mm 15,9 x 14 x 16 in
WEIGHT (EA)	21,5 Kg - 47,3 lb

PRICES

FINISH	VOLT	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	120 V	SBWU41EFI 8056684713356	UNIT	1.250 €
	220 V	SBWU42EFI 8056684713363		
WALNUT	120 V	SBWU41RFI 8056684712267	UNIT	1.250 €
	220 V	SBWU42RFI 8056684712298		
PIANO BLACK	120 V	SBWU41BFI 8056684712250	UNIT	1.250 €
	220 V	SBWU42BFI 8056684712281		
WHITE MATTE	120 V	SBWU41WFI 8056684712274	UNIT	1.250 €
	220 V	SBWU42WFI 8056684712304		

GRAVIS I



FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



WHITE MATTE



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Closed box loading, down firing active subwoofer
LOUDSPEAKERS	1 x Ø 210 mm (8") very long throw, treated paper cone, wide rubber surround woofer
POWER AMPLIFICATION	High linearity Class AB 150 W rms, 250 W (peak)
FREQUENCY RESPONSE	From 30 Hz to Fc (user adjustable)
VOLTAGE MAINS INPUT	Factory selected, 120Vac - 60Hz or 230 Vac - 50 Hz
FUSE	T4.0A (110 Vac, 60 Hz); T2.0A (230 V, 50 Hz) Output signal short circuit Over-heating DC fault
CONTROLS	Independent Master and LFE volume controls; Continuously adjustable Crossover frequency (30 to 120 Hz), slope 24 dB / oct; Signal phase inversion switch (0 / 180°) Auto switch - on / off (deselectable)
AUDIO SIGNAL INPUTS	LFE (Low Frequency Effect), single phono plug; Line level signal, single phono plug; High level signals, Neutrik 4 - pole Speakon®
POWER CONSUMPTION	0,5 W (Stand-by) 250 W (Rated power)
DIMENSIONS (HxWxD)	334 x 286 x 316 mm 13,1 x 11,2 x 12,4 in
WEIGHT (EA)	14,5 Kg - 32 lb

PRICES

FINISH	VOLT	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	120 V	SBWU51EFI 8056684713370	UNIT	850 €
	220 V	SBWU52EFI 8056684713387		
WALNUT	120 V	SBWU51RFI 8056684712328	UNIT	850 €
	220 V	SBWU52RFI 8056684712359		
PIANO BLACK	120 V	SBWU51BFI 8056684712311	UNIT	850 €
	220 V	SBWU52BFI 8056684712342		
WHITE MATTE	120 V	SBWU51WFI 8056684712335	UNIT	850 €
	220 V	SBWU52WFI 8056684712366		
TRANSMITTER BLACK MATTE		WTX112FIN 8056684712595	UNIT	399 €

Sonus faber reserves the right to change prices and / or specifications without notice.



DUETTO

A duet is a musical form in which the sounds of two instruments come together in harmony, resulting in a new and unique timbre, which can only be repeated when performed by those specific sounds. In this manner, with Duetto, Sonus faber has created a wireless pair of speakers that achieve a new level of performance.

The Duetto sets a new standard for wireless listening, combining the true Hi-Fi experience with the best digital and analogue connectivity. It's a new way to enjoy the music and cinema sound experience without compromising on a unique Italian design or the industry's best technological performance.

•Sf•

DUETTO



WIRELESS SPEAKERS

FINISH COMPOSITION


WALNUT



GRAPHITE



BLACK LEATHER



BLACK FABRIC



BLACK FABRIC



TECHNICAL SPECIFICATIONS

SYSTEM	2 way, Curved Vented box
LOUDSPEAKERS	TW: Ferrite Magnet system with copper cap, Silk dome and dedicated Waveguide MW: Neodymium Magnet system with copper cap and Aluminum ring, Long excursion design
CROSS-OVER	1900Hz – Designed with Sf know-how
FREQUENCY RESPONSE	37 Hz – 30.000 Hz
MAX SPL	105 dB SPL @1m
ON BOARD AMPLIFIERS	Tw: 100W Class AB Mw: 250W Class D
DAC	SABRE, AKM
CONNECTIVITY	RCA Line/Phono IN, Optical, HDMI ARC/EARC, SUB Output
BUILT IN STREAMING	Airplay, Chromecast, Spotify, Tidal connect, Roon Ready, QQMUSIC, Bluetooth Aptx HD
DEDICATED STAND (OPTIONAL)	Yes
DIMENSIONS (HxWxD) (HxWxD) INCLUDING STAND	342 x 210 x 272 mm / 13,4 x 8,3 x 10,7 in 1082 x 298 x 371 mm / 42,6 x 11,7 x 14,6 in
WEIGHT (EA) (EA) INCLUDING STAND	6,8 kg - 15,0 lb 14,6 kg - 32,2 lb

PRICES

COUNTRY	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
EU	WALNUT	DIF342WFI 8056684714391	UNIT	3.999 €
	GRAPHITE	DIF342GFI 8056684714384		
CHN	WALNUT	DIF342CFI 8056684714704	UNIT	3.999 €
	GRAPHITE	DIF342HFI 8056684714698		
KR, JP, TW	WALNUT	DIF342WAI 8056684714667	UNIT	3.999 €
	GRAPHITE	DIF342GAI 8056684714674		

STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN342FIN 8056684714964	PAIR	749 €



OMNIA

Omnia in Latin means “Everything”. The all-in-one speaker ecosystem that embodies Sonus faber’s values and heritage, from Italian tradition to modern technologies. The Sonus faber idea of sound merges with the innovation and easiness of use of streaming connections.

•Sf•

OMNIA



WIRELESS SPEAKERS

FINISH COMPOSITION

WALNUT



GRAPHITE



BLACK FABRIC



BLACK FABRIC



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	Stereo 4 - way; DSP - optimized closed box system
SPEAKERS	2 x Soft Dome Tweeter 2 x Cone Midrange 2 x Extended Range Side Drivers 1 x Woofer
POWER RATING	490 W
MAINS SUPPLY	100 - 120 V, 220 - 240 V, 50 / 60 Hz
POWER CONSUMPTION	Typical use: 18 W Standby mode: 3,5 W Deep sleep (No - network standby mode): 0,5 W
MAXIMUM SOUND LEVEL	108 dB SPL at 1 meter
FREQUENCY RESPONSE	Bandwidth: 30 Hz to 25k Hz (@ - 6 dB) Accuracy in frequency response: ± 2 dB from 20 Hz to 20k Hz
AUDIO INPUTS	HDMI Arc 2 channel Analog input: MM Phono / line-in
NETWORK CONNECTIVITY	Ethernet (10 / 100 Mbps) Wi-Fi dual band 2 x 2 802.11 b/g/n/ac (2.4 GHz and 5.2 GHz)
STREAMING	Apple AirPlay 2 Chromecast Built-in Spotify ® Connect TIDAL connect Room Ready Bluetooth AptX HD, SRC
DIMENSIONS (HxWxD)	130 x 650 x 280 mm 5,1 x 25,5 x 11 in
WEIGHT (EA)	7,6 Kg - 16,7 lb

PRICES

COUNTRY	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
EU	WALNUT	DIF340WFI 8056684713967	UNIT	1.799 €
	GRAPHITE	DIF340GFI 8056684713936		
CHN	WALNUT	DIF340CFI 8056684714346	UNIT	1.799 €
	GRAPHITE	DIF340HFI 8056684714353		
KR, JP, TW	WALNUT	DIF340WAI 8056684713950	UNIT	1.799 €
	GRAPHITE	DIF340GAI 8056684713929		

Sonus faber reserves the right to change prices and / or specifications without notice.



ARENA

The Arena, in Roman times, was the focal space within theatres. The space where the action took place. Today, with Arena collection the user can experience the stunning emotion of home theatre with the Made in Italy and unique new concept of CI-FI, Custom Intallation High Fidelity.

•Sf•

ARENA 30



TECHNICAL SPECIFICATIONS

SPEAKER TYPE	4 way
LOW FREQUENCY TRANSDUCER	2 x 8 in
MID/HIGH FREQUENCY TRANSDUCER	2 x 6,25 in - 38 mm Dome Tw + 19 mm Super Tw
MAXIMUM RECOMMENDED POWER	600 W
LOW-FREQUENCY CUT-OFF (-6DB)	44,30 Hz
FREQUENCY RESPONSE (-3DB ON-AXIS)	55,50 Hz
MAX SPL 1 METER	121 dB
SENSITIVITY 2.83 VRMS@1M	94,00 dB
NOMINAL IMPEDANCE	4 ohm
MINIMAL IMPEDANCE	2,8 ohm
CROSSOVER FREQUENCIES	200 Hz / 2k Hz / 10k Hz
ENCLOSURE TYPE	Closed Box
MOUNTING DEPTH	162 mm - 6,3 in
WEIGHT	58,7 kg - 129,4 lb
DEPTH	167 mm - 6,5 in
WIDTH	321 mm - 12,6 in
HEIGHT	1.774 mm - 69,8 in

ARENA 20



TECHNICAL SPECIFICATIONS

SPEAKER TYPE	3,5 way
LOW FREQUENCY TRANSDUCER	2 x 8 in
MID/HIGH FREQUENCY TRANSDUCER	6,25 in - 19 mm Dome Tw
MAXIMUM RECOMMENDED POWER	400 W
LOW-FREQUENCY CUT-OFF (-6DB)	55 Hz
FREQUENCY RESPONSE (-3DB ON-AXIS)	60 Hz
MAX SPL 1 METER	117 dB
SENSITIVITY 2.83 VRMS@1M	92,00 dB
NOMINAL IMPEDANCE	4 ohm
MINIMAL IMPEDANCE	2,8 ohm
CROSSOVER FREQUENCIES	160 Hz / 220 Hz / 3100 Hz
ENCLOSURE TYPE	Closed Box
MOUNTING DEPTH	144 mm - 5,6 in
WEIGHT	47,2 kg - 104 lb
DEPTH	150 mm - 5,9 in
WIDTH	321 mm - 12,6 in
HEIGHT	1.577 mm - 62 in

CUSTOM INSTALLATION

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
4 WAY IN-WALL SEALED BOX ENCLOSURE	/	DIF393FIN 8056684714612	UNIT	15.000 €

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3,5 WAY IN-WALL SEALED BOX ENCLOSURE	/	DIF392FIN 8056684714605	UNIT	10.000 €

ARENA S15



IN-WALL SUB WOOFER
ARRAY BALANCED

TECHNICAL SPECIFICATIONS

SPEAKER TYPE	Array Balanced Sub-Woofer	
LOW FREQUENCY TRANSDUCER	4 x 6,5 in	
MID/HIGH FREQUENCY TRANSDUCER	-	
MAXIMUM RECOMMENDED POWER	400 W	
LOW-FREQUENCY CUT-OFF (-6DB)	29 Hz	
LOW-FREQUENCY CUT-OFF (-3DB)	31,50 Hz	
FREQUENCY RESPONSE (-6DB ON-AXIS)	29 Hz	180 Hz
FREQUENCY RESPONSE (-3DB ON-AXIS)	31,50 Hz	180 Hz
SENSITIVITY 2.83 VRMS@1M	90,00 dB	
NOMINAL IMPEDANCE	4 ohm	
MINIMAL IMPEDANCE	3,5 ohm	
ENCLOSURE TYPE	Patentable Acoustical Load	
MOUNTING DEPTH	202 mm - 7,9 in	
WEIGHT	38,7 kg - 85,3 lb	
DEPTH	208 mm - 8,1 in	
WIDTH	432 mm - 17 in	
HEIGHT	947 mm - 37,2 in	
MAX SPL WITH EQ	113 dB	
MAX SPL W/O EQ	105 dB	

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
IN-WALL SUB WOOFER ARRAY BALANCED	/	DIF390FIN 8056684714599	UNIT	7.000 €

ARENA 10



TECHNICAL SPECIFICATIONS

SPEAKER TYPE	3,0way
LOW FREQUENCY TRANSDUCER	4 x 6,5 in
MID/HIGH FREQUENCY TRANSDUCER	1 x 6,25 in - 19 mm Tw
MAXIMUM RECOMMENDED POWER	400 W
FREQUENCY RESPONSE (-6DB on-axis)	36 Hz 33580,0 Hz
FREQUENCY RESPONSE (-3DB ON-AXIS)	40 Hz 31585,0 Hz
MAX SPL 1 METER	111,0 dB
SENSITIVITY 2.83 VRMS@1M	88,5 dB
NOMINAL IMPEDANCE	4,0 ohm
MINIMAL IMPEDANCE	3,5 ohm
CROSSOVER FREQUENCIES	250 Hz / 2100 Hz
ENCLOSURE TYPE	Closed Box
MOUNTING DEPTH	150,0 mm
WEIGHT	25 kg
DEPTH	150,0 mm
WIDTH	590,0 mm
HEIGHT	590,0 mm

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3 WAY IN-CEILING SEALED BOX ENCLOSURE	/	DIF391FIN 8056684714865	UNIT	7.000 €




PALLADIO

Andrea Palladio is the father of Renaissance architecture, widely considered to be one of the most influential individuals in the history of architecture. He decided to spend his life in Vicenza, Sonus faber hometown, designing and realizing some of the most spectacular monuments in human history (Teatro Olimpico and Basilica Palladiana over all the others). With Palladio custom installation collection, Sonus faber pays tribute to his fellow citizens with a new concept of architectural sound.

•Sf•

PALLADIO LEVEL 6

CUSTOM INSTALLATION



PW 662



OPTIONAL
VERTICAL PREMIUM KIT

TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-wall Sealed box enclosure
TWEETER - DAD™ DRIVER	Ø 29 mm / 1,1 in
MID-WOOFER	Ø 165 mm / 6,5 in
CROSSOVER FREQUENCY	3.000 Hz
FREQUENCY RESPONSE	60 Hz - 25.000 Hz (-6 dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	496 x 288 mm 19,5 x 11,3 in
CUT OUT	473 x 265 mm 18,6 x 10,4 in
DEPTH BEHIND SURFACE	100 mm - 4 in
PROTRUSION	15 mm - 0,59 in
NET WEIGHT	6,7 kg - 14.9 lb
INCLUDED IN THE BOX	Bezel - Free rectangular magnetic grille: 291 x 499 mm 11,4 x 19,6 in
ADDITIONAL FITTINGS	<u>Premium Kit:</u> Natural wood front mask, String grille, Paintable frame (net weight 0,55 Kg - 1,21 lb)

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY IN-WALL SEALED BOX ENCLOSURE	/	CIL330FIN 8056684712694	UNIT	1.375 €
- WOOD - PAINTABLE FRAME	WALNUT	KIT330FIN 8056684713035	UNIT	275 €
- STRING GRILLE	WENGE	KIT331FIN 8056684713042	UNIT	275 €

PC 662



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MID-WOOFER	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz - 25.000 Hz (-6 dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 234 mm - 9,2 in
CUT OUT	Ø 208 mm - 8,19 in
DEPTH BEHIND SURFACE	115 mm - 4,5 in
PROTRUSION	10 mm - 0,4 in
NET WEIGHT	3,63 kg - 8 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	<u>Pre-mount kit:</u> 0,32 kg - 0,7 lb <u>Bezel-Free square magnetic grille:</u> 0,32 kg - 0,7 lb 236 x 236 mm 9,3 x 9,3 in

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-CEILING	/	CIL331FIN 8056684712700	UNIT	600 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT320FIN 8056684712984	(10 PCS) X 1KIT	350 €
*OPTIONAL PRE MOUNTING	/	KIT322FIN 8056684713004	(5 PCS) X 1 KIT	150 €

PC 682



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MID-WOOFER	Ø 200 mm - 8 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	2.500 Hz
FREQUENCY RESPONSE	45 Hz - 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 283 mm - 11,1 in
CUT OUT	Ø 257 mm - 10,1 in
DEPTH BEHIND SURFACE	142 mm - 5,7 in
PROTRUSION	13 mm - 0,51 in
NET WEIGHT	4,36 kg - 9,6 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	<u>Pre-mount kit:</u> 0,34 kg - 0,74 lb <u>Bezel-Free square magnetic grille:</u> 0,44 kg - 0,97 lb 287 x 287 mm 11,3 x 11,3 in

PC 662 P



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MID-WOOFER	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz - 25.000 Hz (-6 dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 265 mm - 10,4 in
CUT OUT	Ø 244 mm - 9,6 in
DEPTH BEHIND SURFACE	172 mm - 6,8 in
PROTRUSION	10 mm - 0,4 in
NET WEIGHT	3,83 kg - 8,44 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	<u>Pre-mount kit:</u> 0,34 kg - 0,74 lb <u>Bezel-Free square magnetic grille:</u> 0,44 kg - 0,97 lb 287 x 287 mm 11,3 x 11,3 in

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 8 in IN-CEILING	/	CIL332FIN 8056684712717	UNIT	650 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT324FIN 8056684713028	(5 PCS) X 1 KIT	150 €

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-CEILING	/	CIL333FIN 8056684712724	UNIT	600 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT323FIN 8056684713011	(5 PCS) X 1 KIT	150 €

PC 664 P



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	3-way point In-ceiling system Drone cone passive radiator enclosure
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDRANGE	Ø 80 mm - 3,1 in
WOOFER	Ø 165 mm - 6,5 in
DRONE CONE	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	500 Hz - 3.500 Hz
FREQUENCY RESPONSE	58 Hz - 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	411 x 411 mm 16,2 x 16,2 in
CUT OUT	388 x 388 mm 15,2 x 15,2 in
DEPTH BEHIND SURFACE	220 mm - 8,6 in
PROTRUSION	9 mm - 0,3 in
NET WEIGHT	10,4 Kg - 22,9 lb
INCLUDED IN THE BOX	<u>Bezel-Free square magnetic grille:</u> 287 x 287 mm 11,3 x 11,3 in <u>Security cable</u>

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3 WAY POINT IN-CEILING DRONE CONE PASSIVE RADIATOR ENCLOSURE	/	CIL334FIN 8056684712731	UNIT	2.000 €

* SECURITY CABLE INCLUDED

PC 683



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	3-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDRANGE	Ø 80 mm - 3,1 in
WOOFER	Ø 200 mm - 8 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	1.400 Hz - 3.500 Hz
FREQUENCY RESPONSE	45 Hz – 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 283 mm - 11,1 in
CUT OUT	Ø 257 mm - 10,1 in
DEPTH BEHIND SURFACE	142 mm - 5,7 in
PROTRUSION	13 mm - 0,51 in
NET WEIGHT	4,5 kg - 10 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	<u>Bezel-Free square magnetic grille:</u> 0,44 kg - 0,97 lb 287 x 287 mm 11,3 x 11,3 in <u>Pre-mount kit:</u> 0,34 kg - 0,74 lb

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3 WAY IN-CEILING INFINITE BAFFLE	/	CIL335FIN 8056684712748	UNIT	825 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT324FIN 8056684713028	(5 PCS) X 1 KIT	150 €

Sonus faber reserves the right to change prices and / or specifications without notice.

PL 664



CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™ 500 Hz - 3.500 Hz

FREQUENCY RESPONSE 56 Hz - 25.000Hz (-6dB)

SENSITIVITY (2.83 VRMS @ 1M) 90 dBSPL

NOMINAL IMPEDANCE 4 ohm

SUGGESTED AMPLIFIER POWER OUTPUT (*) 40 W – 200 W Undistorted signal

FRAME OUTER 751 x 288 mm
29,5 x 11,3 in

CUT OUT 724 x 265 mm
28,5 x 10,4 in

DEPTH BEHIND SURFACE 100 mm - 4 in

PROTRUSION 15 mm - 0,59 in

NET WEIGHT 10,3 kg - 22,7 lb

TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM 3-way left/right/center
In-wall
Drone cone passive radiator enclosure

TWEETER - DAD™ DRIVER Ø 29 mm - 1,1 in

MIDRANGE Ø 80 mm - 3,1 in

WOOFER Ø 165 mm - 6,5 in


DRONE CONE Ø 165 mm - 6,5 in

INCLUDED IN THE BOX Bezel-Free rectangular magnetic grille:
750 x 291 mm
29,5 x 11,4 in

ADDITIONAL FITTINGS Premium Kit:
Natural wood front mask, String grille, Paintable frame (net weight 0,88 kg | 1,94 lb)

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3 WAY LCR 2X6 in IN-WALL MID	/	CIL334FIN 8056684712731	UNIT	2.000 €
*OPTIONAL VERTICAL PREMIUM KIT: - WOOD - PAINTABLE FRAME - STRING GRILLE	WALNUT VERTICAL	KIT333FIN 8056684713066	UNIT	325 €
	WENGE VERTICAL	KIT335FIN 8056684713080	UNIT	325 €
*OPTIONAL HORIZONTAL PREMIUM KIT: - WOOD - PAINTABLE FRAME - STRING GRILLE	WALNUT HORIZONTAL	KIT332FIN 8056684713059	UNIT	325 €
	WENGE HORIZONTAL	KIT334FIN 8056684713073	UNIT	325 €



PALLADIO LEVEL 5

CUSTOM INSTALLATION



PW 562



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-wall system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz - 25.000 Hz
SENSITIVITY (2.83 VRMS @ 1M)	88 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 60° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W without clipping
FRAME OUTER	216 x 323 mm 8,5 x 12,7 in
CUT OUT	192 x 299 mm 7,6 x 11,8 in
DEPTH BEHIND SURFACE	101 mm - 3,4 in
PROTRUSION	12 mm - 0,47 in
NET WEIGHT	3,7 Kg - 8,2 lb
INCLUDED IN THE BOX	Bezel-Free square magnetic grille

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-WALL	/	CIL320FIN 8056684712649	UNIT	500 €

PC 562



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	Ø 165 mm / 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz – 25.000 Hz
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 60° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 234 mm - 9,2 in
CUT OUT	Ø 208 mm - 8,1 in
DEPTH BEHIND SURFACE	115 mm - 4,5 in
PROTRUSION	10 mm - 0,4 in
NET WEIGHT	3,1 Kg - 6,8 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	Bezel-Free square magnetic grille. Pre-mount kit.

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-CEILING	/	CIL321FIN 8056684712632	UNIT	375 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT320FIN 8056684712984	(10 PCS) X 1 KIT	350 €
*OPTIONAL PRE MOUNTING	/	KIT322FIN 8056684713004	(5 PCS) X 1 KIT	150 €

PC 582



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	Ø 200 mm - 8 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	45 Hz - 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 60° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W without clipping
FRAME OUTER	Ø 283 mm - 11,1 in
CUT OUT	Ø 257 mm - 10,1 in
DEPTH BEHIND SURFACE	139 mm - 5,5 in
PROTRUSION	13 mm - 0,51 in
NET WEIGHT	3,4 Kg - 7,5 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	Pre-mount kit. Bezel-Free square magnetic grille.

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 8 in IN-CEILING	/	CIL322FIN 8056684712656	UNIT	450 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT324FIN 8056684713028	(5 PCS) X 1 KIT	150 €

PC 562 P



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way point In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz – 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 60° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W without clipping
FRAME OUTER	Ø 265 mm - 10,4 in
CUT OUT	Ø 244 mm - 9,6 in
DEPTH BEHIND SURFACE	170 mm - 6,7 in
PROTRUSION	10 mm - 0,4 in
NET WEIGHT	3,2 Kg - 7 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	Pre-mount kit. Bezel-Free square magnetic grille.

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-CEILING	/	CIL323FIN 8056684712663	UNIT	425 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT323FIN 8056684713011	(5 PCS) X 1 KIT	150 €

PL 563



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way left/right/center In-wall system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	2 x Ø 165 mm 2 x Ø 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	1.650 Hz
FREQUENCY RESPONSE	50 Hz - 25.000 Hz
SENSITIVITY (2.83 VRMS @ 1M)	92 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 45° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 250 W without clipping
FRAME OUTER	471 x 216 mm 18,5 x 8,5 in
CUT OUT	448 x 192 mm 17,6 x 7,6 in
DEPTH BEHIND SURFACE	101 mm - 3,4 in
PROTRUSION	13 mm - 0,51 in
NET WEIGHT	6,3 Kg - 13,9 lb
INCLUDED IN THE BOX	Bezel-Free square magnetic grille

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 2X6 in IN-WALL LCR	/	CIL324FIN 8056684712670	UNIT	1.000 €

PC 563 P



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way point In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	2 x Ø 165 mm 2 x Ø 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	1.650 Hz
FREQUENCY RESPONSE	45 Hz – 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	92 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 45° H - ± 45° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 250 W without clipping
FRAME OUTER	460 x 386 mm 18,1 x 15,1 in
CUT OUT	433 X 359 mm 17 x 14,1 in
DEPTH BEHIND SURFACE	148 mm - 5,8 in
PROTRUSION	13 mm - 0,5 in
NET WEIGHT	6,5 Kg - 14,3 lb
INCLUDED IN THE BOX	Bezel-Free square magnetic grille

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 2X6 in IN-CEILING	/	CIL325FIN 8056684712687	UNIT	1.100 €

PS G101



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	In-wall passive subwoofer Infinite baffle
WOOFER	Ø 250 mm - 10 in
FREQUENCY RESPONSE	25 Hz - 1.000 Hz
SENSITIVITY (2.83 VRMS @ 1M)	86 dB SPL
NOMINAL IMPEDANCE	8 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	200 W – 800 W without clipping
FRAME OUTER	310 x 310 mm 12,2 x 12,2 in
CUT OUT	280 x 280 mm 11 x 11 in
DEPTH BEHIND SURFACE	98 mm - 3,8 in
PROTRUSION	23 mm - 0,9 in
NET WEIGHT	5,6 Kg - 12,4 lb
INCLUDED IN THE BOX	Bezel-Free square magnetic grille

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
10 in IN-WALL SUB	/	CIL326FIN 8056684712939	UNIT	750 €





ASTER

Aster is the Latin for “Star”. The first Sonus faber outdoor speaker brings enriching Natural Sound to the open-air spaces of home and public environments. As for its name, its nature is to face the sky, guaranteeing durability and reliability to all the weathers.

•Sf•

ASTER



TECHNICAL SPECIFICATIONS

SPEAKER TYPE	2 way
LOW/MID FREQUENCY TRANSDUCER	1 x 5.25"
HIGH FREQUENCY TRANSDUCER	1 x 1"
MAXIMUM RECOMMENDED POWER	125 W
FREQUENCY RESPONSE	60 Hz – 32 kHz
MAX SPL 1 METER	100,00 dB SPL
SENSITIVITY 2.83 VRMS@1M	88,00 dB
NOMINAL IMPEDANCE	6 Ohm
CROSSOVER FREQUENCY	1.8 kHz
ENCLOSURE TYPE	Passive radiator
DIMENSIONS (HxWxD)	195 x 330 x 150 mm 7,6 x 12,9 x 5,9 in depth with mounting bracket 208 mm - 8,1 in
WEIGHT (EA)	3,1 Kg - 6,8 lb

CUSTOM INSTALLATION

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY OUTDOOR SPEAKER	BLACK	DIF370BFI 8056684714650	UNIT	450 €
	WHITE	DIF370WFI 8056684714667	UNIT	450 €






WALNUT WOOD painted in red with black maple inlays, treated with 7 layers of transparent lacquer polished by hand.



MAPLE WOOD painted in red with black maple inlays, treated with 7 layers of transparent lacquer polished by hand.




WALNUT WOOD painted in dark grey with black maple inlays, treated with 7 layers of transparent lacquer polished by hand.



WENGE WOOD with natural maple inlays, treated with 7 layers of transparent lacquer polished by hand.



WALNUT WOOD with black maple inlays, treated with 7 layers of transparent lacquer polished by hand.



WALNUT WOOD with natural maple inlays, treated with 7 layers of transparent lacquer polished by hand.



WALNUT WOOD painted in red, treated with 7 layers of transparent lacquer polished by hand.




WALNUT WOOD painted in dark grey, treated with 7 layers of transparent lacquer polished by hand.



WENGE WOOD treated with 7 layers of transparent lacquer polished by hand.



WALNUT WOOD treated with 7 layers of transparent, lacquer polished by hand.



WENGE WOOD with natural maple inlays, hand coated with transparent protective lacquer.




WALNUT WOOD with natural maple inlays, hand coated with transparent protective lacquer.




WALNUT WOOD veneer coated with transparent protective lacquer.



WENGE WOOD veneer coated with transparent protective lacquer.




SOLID WALNUT WOOD, hand coated with transparent protective lacquer.




SOLID WALNUT WOOD, painted in dark grey, hand coated with transparent protective lacquer.



High gloss black lacquer polished by hand.



White matte lacquer.



SOLID WALNUT WOOD, hand coated with transparent protective lacquer.



SOLID WALNUT WOOD, painted in dark grey, hand coated with transparent protective lacquer.



Lacquer polished by hand. Matte lacquer.

Sonus faber reserves the right to change prices and / or specifications without notice.

SONUS FABER LOUDSPEAKER CUSTOMIZATION PROGRAM

CUSTOMIZATION

Customization is available for all products in the Sonus faber catalog.

Please refer to your regional sales representative for complete details.

Custom orders are priced at a premium of at least +20% on MSRP with a minimum lead time of 90 days.



sonusfaber.com