



RETAIL PRICE CATALOGUE 2024



105 AER

FEATURES:

- Dynamic open-back circumaural headphone;
- Driver features the 105 series Dual Membrane Diaphragm a combination of PEEK polymer, cellulose + carbon fiber composite and copper-zinc alloy;
- Easy to drive from most devices, from portable sources to full home setups;
- ABS-PC earcups, zinc, manganese steel, soft PU leather headband and soft velour earpads for a comfortable, lightweight, yet highly durable structure.


TECH SPECS:

- Transducer Size: 50 mm
- Frequency Range: 5Hz 30KHz
- Sensitivity: 112 dB SPL at 1 KHz, 1 mW
- Impedance: 42 Ohm
- Headphone connectors: 3.5 mm TS jack
- Weight: ~336 g (11.85 oz) without cables

- Case: Hard EVA pouch
- Included adapters: 6.3 mm gold-plated jack
- Standard cable: mono 3.5 mm to 3.5 mm (1/8 in), 1.8 m (70.9 in) Kevlar OFC cable with black aluminium casings









- 25 x 23 x 11.5 cm
- Shrink-wrapped hard cover box
 Package total weight: ~1200 g (42.3 oz)









FEATURES:

- Driver type: Rinaro Isodynamic Hybrid Array Driver®
- Open-back, Circumaural headphones
- Aluminium CNC frame
- Carbon fiber headband
- Patent Pending pressure distribution wings
- Revolutionary isomagnetic earpads
- Anthropometric earcup shape

TECH SPECS:

- Diaphragm type: Rinaro Parus® [MZ3SE]
- Frequency range: 3 112.000 Hz
- Impedance: 32 Ohm
- Nominal SPL: 101 dB (1mW/1kHz)
- Maximum SPL: > 130 dB
- Total Harmonic Distortion (THD): < 0.05% (in the whole frequency range)
- Headphone termination: 2x4 pin mini-XLR
- Weight: ~372 gr (13.1 oz) without earpads

INCLUDED ACCESSORIES:

- Case: High-strength ABS plastic suitcase with foam inserts and leather handle
- Two sets of earpads included: one Hybrid (perforated Alcantara® interior+leather exterior) one Angled Alcantara®
- Stock cable*: Premium silver-plated or copper PCUHD.
- Termination options: balanced 2.5 mm/3.5 mm/balanced 4.4 mm/6.3 mm/balanced 4 pin XLR.

*The stock cable will be provided as a stand-alone item and will not be included in the suitcase.









FEATURES:

- Driver type: Rinaro Isodynamic Hybrid Array Driver®
- Open-back, Circumaural headphones
- Aluminium CNC frame
- Carbon fiber headband
- Patent Pending pressure distribution wings
- Revolutionary isomagnetic earpads
- Anthropometric earcup shape

TECH SPECS:

- Diaphragm type: Rinaro Parus® [MZ3SE]
- Frequency range: 3 112.000 Hz
- Impedance: 32 Ohm
- Nominal SPL: 101 dB (1mW/1kHz)
- Maximum SPL: > 130 dB
- Total Harmonic Distortion (THD): < 0.05% (in the whole frequency range)
- Headphone termination: 2x4 pin mini-XLR
- Weight: ~372 gr (13.1 oz) without earpads

INCLUDED ACCESSORIES:

- Case: High-strength ABS plastic suitcase with foam inserts and leather handle
- Two sets of earpads included: one Hybrid (perforated Alcantara® interior+leather exterior)
 one Angled Alcantara®
- Stock cable*: Premium silver-plated or copper PCUHD.
- Termination options: balanced 2.5 mm/3.5 mm/balanced 4.4 mm/6.3 mm/balanced 4 pin XLR.

*The stock cable will be provided as a stand-alone item and will not be included in the suitcase.







ELITE Packaging

- 32 x 35 x 15.5 cm
- Corrugated brown outer box
 Package total weight ~2300 g (81.1 oz)





EMPYREAN II

FEATURES:

- Building upon the legacy of its predecessor, EMPYREAN II is here to deliver more of what you love more clarity, more depth, more fun all of this inside a lightweight, comfortable, art-inspired frame
- Driver type: Rinaro Isodynamic Hybrid Array Driver®
- Enclosure: Open-back
- Ear Coupling: Circumaural
- Aluminium CNC frame
- Carbon fiber headband
- Patent-pending pressure distribution wings
- Isomagnetic earpads coupling technology
- Anthropometric earcup shape

TECH SPECS:

- Diaphragm type: Rinaro Isoplanar® [MZ3]
- Frequency range: 8 110.000 Hz
- Impedance: 32 Ohm
- Sensitivity: 105 dB SPL ® 1 V, 1 kHz
- Maximum SPL: > 130 dB
- Total Harmonic Distortion (THD): <0.05% (in the whole frequency range)
- Headphone termination: 2x4 pin mini-XLR
- Weight: ~385 gr (13.6 oz) without earpads

INCLUDED ACCESSORIES:

- Case: High-strength ABS plastic suitcase with foam inserts and leather handle
- Two sets of earpads included: Duo Earpads
 - Angled Alcantara®
- Stock cable*: Premium silver-plated or copper PCUHD.
- Termination options: balanced 2.5 mm/3.5 mm/balanced 4.4 mm/6.3 mm/balanced 4 pin XLR.

*The stock cable will be provided as a stand-alone item and will not be included in the suitcase.







EMPYREAN II Packaging

- 32 x 35 x 15.5 cm
- Corrugated brown outer box
 Package total weight ~2300 g (81.1 oz)







LIRIC
(2nd Generation)

FEATURES:

- Driver type: Rinaro Isodynamic Hybrid Array® MZ4
- Closed-back, circumaural headphones
- Detachable magnetic ear pads
- Lightweight magnesium frame
- Stainless steel headband with padded cushions with optimal airflow control
- PES System
- Macassar ebony wood earcups

TECH SPECS:

- Diaphragm type: Rinaro Isoplanar®[MZ4]
- Frequency range: 4 92,000 Hz
- Impedance: 61 Ohm
- Nominal SPL: 100 dB (1mW/1kHz)
- Maximum SPL: > 130 dB
- Total Harmonic Distortion (THD): <0.15%
- Headphone connectors: 3.5 mm TS jack
- Weight: ~427 g (15.1 oz)

- Premium PU leather box with foam inserts
- Hard EVA pouch with velvet lining
- Included adapters: 6.3 mm gold-plated jack
 - Airplane jack
- Two cables included: mono 3.5 mm to 4.4 mm, 1.3 m (4.2 ft) balanced copper PCUHD premium cable,
 - mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 ft) soft TPE cable with copper aluminium casings





LIRIC (2nd Generation) Packaging

- 28.5 x 28.5 x 15.5 cm
- Corrugated brown outer box
 Package total weight ~2400 g (84.6 oz)



109 PRO

FEATURES:

- Dynamic open-back circumaural headphone;
- Driver features the 109 series Dual Membrane Diaphragm a combination of Beryllium-coated polymer, cellulose + carbon fiber composite and copper-zinc alloy;
- Easy to drive from most devices, from portable sources to full home setups;
- Dark walnut wood earcups, zinc, manganese steel, vegan leather headband and soft velour earpads for a comfortable, lightweight, yet highly durable structure.

TECH SPECS:

• Transducer Size: 50 mm

• Frequency Range: 5Hz - 3 0KHz

• Sensitivity: 112 dB SPL at 1 KHz, 1 mW

Impedance: 40 OhmEarcups: Walnut Wood

• Headphone connectors: 3.5 mm TS jack

• Weight: ~375 g (13 oz) without cables

INCLUDED ACCESSORIES:

- Case: Hard EVA pouch
- Included adapters: 6.3 mm gold-plated jack
- Standard cables: mono 3.5 mm to 3.5 mm (1/8 in), 1.5 m (4.9 in) soft TPE cable with black aluminium casings

- mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 in) soft TPE cable with black aluminium casings







109 PRO Packaging

- 24.5 x 28 x 13.5 cm
- Shrink-wrapped hard cover box
 Package total weight: ~1800 g (63.5 oz)





€899 MSRP

109 PRO Premium Package

FEATURES:

- Dynamic open-back circumaural headphone;
- Driver features the 109 series Dual Membrane Diaphragm a combination of Beryllium-coated polymer, cellulose + carbon fiber composite and copper-zinc alloy;
- Easy to drive from most devices, from portable sources to full home setups;
- Dark walnut wood earcups, zinc, manganese steel, vegan leather headband and soft velour earpads for a comfortable, lightweight, yet highly durable structure.

TECH SPECS:

- Transducer Size: 50 mm
- Frequency Range: 5Hz 3 0KHz
- Sensitivity: 112 dB SPL at 1 KHz, 1 mW
- Impedance: 40 OhmEarcups: Walnut Wood
- Headphone connectors: 3.5 mm TS jack
- Weight: ~375 g (13 oz) without cables

- Case: Hard EVA pouch
- Included adapters: 6.3 mm gold-plated jack
- Standard cables: mono 3.5 mm to 3.5 mm (1/8 in), 1.5 m (4.9 in) soft TPE cable with black aluminium casings
 - mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 in) soft TPE cable with black aluminium casings
- Premium cable: mono 3.5 mm to 4.4 mm Balanced Copper PCUHD Premium Cable







- Shrink-wrapped hard cover box
 Package total weight: ~1900 g (67 oz)





99 CLASSICS

WALNUT GOLD

FEATURES:

- Real walnut wood earcups
- Durable build, screw assembly, no plastic, no gluing
- Fully serviceable
- Detachable cables
- Built to comfortably fit all head sizes
- Efficient passive noise isolation, memory foam earpads
- Ergonomic 2 axis swivel system in earcup

TECH SPECS:

- Transducer type: Dynamic Neodymium / Mylar
- Transducer size: 40 mm
- Frequency range: 15 Hz 25 KHz
 Sensitivity: 103 Db 1 kHz/1 mW
- Impedance: 32 Ohm
- Rated input power: 30 mW
- Maximum input power: 50 mW
- Weight: ~260 g (9.17oz) without cables

INCLUDED ACCESSORIES:

- Case: Hard EVA carrying pouch
- Included adapters: 6.3 mm gold-plated jack
 - Airplane jack
- Standard cables: mono 3.5 mm to 3.5 mm (1/8 in), 1.2 m (3.9 ft) thread Kevlar OFC cable with Mic and remote
 - mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 ft) thread Kevlar OFC cable



GOLD





99 CLASSICS

WALNUT SILVER

FEATURES:

- Real walnut wood earcups
- Durable build, screw assembly, no plastic, no gluing
- Fully serviceable
- Detachable cables
- Built to comfortably fit all head sizes
- Efficient passive noise isolation, memory foam earpads
- Ergonomic 2 axis swivel system in earcup

TECH SPECS:

- Transducer type: Dynamic Neodymium / Mylar
- Transducer size: 40 mm
- Frequency range: 15 Hz 25 KHz
 Sensitivity: 103 Db 1 kHz/1 mW
- Impedance: 32 Ohm
- Rated input power: 30 mW
- Maximum input power: 50 mW
- Weight: ~260 g (9.17oz) without cables

INCLUDED ACCESSORIES:

- Case: Hard EVA carrying pouch
- Included adapters: 6.3 mm gold-plated jack
 - Airplane jack
- Standard cables: mono 3.5 mm to 3.5 mm (1/8 in), 1.2 m (3.9 ft) thread Kevlar OFC cable with Mic and remote
 - mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 ft) thread Kevlar OFC cable



SILVER



€199 MSRP

99 NEO

FEATURES:

- ABS plastic earcups
- Durable build, screw assembly, no gluing
- Fully serviceable
- Detachable cables
- Built to comfortably fit all head sizes
- Efficient passive noise isolation, memory foam earpads
- Ergonomic 2 axis swivel system in earcup

TECH SPECS:

- Transducer type: Dynamic Neodymium / Mylar
- Transducer size: 40 mm
- Frequency range: 15 Hz 25 KHz
- Sensitivity: 103 Db 1 kHz/1 mW
- Impedance: 26 Ohm
- Rated input power: 30 mW
- Maximum input power: 50 mW
- Weight: ~260 g (9.17oz) without cables

- Case: Hard EVA carrying pouch
- Included adapter: 6.3 mm gold-plated jack
- Standard cables: mono 3.5 mm to 3.5 mm (1/8 in), 1.5 m (4.9 ft) thread Kevlar OFC









99 SERIES Packaging

- 22 x 24 x 10.5 cm
- Shrink-wrapped hard cover box
 Package total weight: ~1300 g (45.8 oz)



€159 MSRP

ALBA

FEATURES:

- Easy to drive, pairs well with any device, thanks to its high sensitivity and low impedance
- A silhouette inspired by natural patterns, a rock-solid shape that ensures the highest stability
- Materials: Premium zinc alloy produced by diecasting finish with anodized aluminum parts
- Finish: Pearl color shell
- Custom designed silicone eartips

TECH SPECS:

- Driver: 10.8 mm Dynamic driver
 Frequency Range: 15 Hz 25 kHz
- Impedance: 32 Ohm
- Sensitivity: 109 dB SPL/mW at 1 kHz (ref. 20 Pa)
- Distortion: <0.1% at 1 kHz
- Weight without cable: ~14 g (0.5 oz)

- Case: Hard eco-leather carrying pouch
- 4 pairs (S, M, L, XL) eartips
- Standard cable: 2-Pin to 3.5 mm (1/8 in) silver plated braided cable
- Custom-designed 3.5 mm to USB-C adapter (with a built-in DAC/AMP)
- 1 x user manual







ALBA Packaging

- 13.3 x 11.7 x 3.8 cm
- Shrink-wrapped hard cover box
 Package total weight: ~193 g (6.8 oz)





