

Sonus faber[®]

ARTISAN OF SOUND

GLOBAL PRICE LIST
EUR

Valid from
JUNE, 2025



INDEX

PASSIVE LOUDSPEAKERS

REFERENCE COLLECTION

- SUPREMA
- AIDA
- LILIUM
- IL CREMONESE
- IL CREMONESE EX3ME

HOMAGE COLLECTION

- STRADIVARI
- AMATI FOLGORE
- AMATI
- SERAFINO
- GUARNERI
- VOX

HERITAGE COLLECTION

- MAXIMA AMATOR
- ELECTA AMATOR III
- CONCERTINO MAESTRO SPECIAL EDITON
- CONCERTINO STANDARD EDITION

OLYMPICA NOVA COLLECTION

- OLYMPICA NOVA V
- OLYMPICA NOVA III
- OLYMPICA NOVA II
- OLYMPICA NOVA I
- OLYMPICA NOVA CII
- OLYMPICA NOVA CI
- OLYMPICA NOVA W

SONETTO G2 COLLECTION

- SONETTO VIII
- SONETTO V
- SONETTO III
- SONETTO II
- SONETTO I
- SONETTO CENTER
- SONETTO W

LUMINA COLLECTION

- LUMINA V AMATOR
- LUMINA V
- LUMINA III
- LUMINA II AMATOR
- LUMINA II
- LUMINA I
- LUMINA CI

PAG. 3

- PAG. 4
- PAG. 7
- PAG. 9
- PAG. 11
- PAG. 13

PAG. 15

- PAG. 16
- PAG. 17
- PAG. 18
- PAG. 19
- PAG. 20
- PAG. 21

PAG. 22

- PAG. 23
- PAG. 24
- PAG. 25
- PAG. 26

PAG. 27

- PAG. 28
- PAG. 29
- PAG. 30
- PAG. 31
- PAG. 32
- PAG. 33
- PAG. 34

PAG. 35

- PAG. 36
- PAG. 37
- PAG. 38
- PAG. 39
- PAG. 40
- PAG. 41
- PAG. 42

PAG. 43

- PAG. 44
- PAG. 45
- PAG. 46
- PAG. 47
- PAG. 48
- PAG. 49
- PAG. 50

ACTIVE SUBWOOFERS

GRAVIS COLLECTION

- GRAVIS VI
- GRAVIS V
- GRAVIS III
- GRAVIS II
- GRAVIS I

PAG. 51

- PAG. 52
- PAG. 53
- PAG. 54
- PAG. 55
- PAG. 56

WIRELESS SPEAKERS

WIRELESS

- DUETTO
- OMNIA

PAG. 57

- PAG. 58
- PAG. 60

CUSTOM INSTALLATION

ARENA

- ARENA 30
- ARENA 20
- ARENA S15
- ARENA 10

PAG. 61

- PAG. 62
- PAG. 62
- PAG. 62
- PAG. 62

PALLADIO LEVEL 6

- PW 662
- PC 662
- PC 682
- PC 662P
- PC 664P
- PC 683
- PL 664

PAG. 65

- PAG. 66
- PAG. 66
- PAG. 67
- PAG. 67
- PAG. 68
- PAG. 68
- PAG. 69

PALLADIO LEVEL 5

- PW 562
- PC 562
- PC 582
- PC 562P
- PL 563
- PC 563P
- PS G101

PAG. 70

- PAG. 71
- PAG. 71
- PAG. 72
- PAG. 72
- PAG. 73
- PAG. 73
- PAG. 74

OUTDOOR

- ASTER

PAG. 75


- PAG. 76

FINISHES DISPLAY

CUSTOM FINISHES

PAG. 77-79

PAG. 80




REFERENCE

The Reference Collection represents the pinnacle of audio craftsmanship, embodying the Italian brand's unwavering commitment to sonic excellence and aesthetic refinement. Meticulously handcrafted in Vicenza, Italy, each product within this collection is a testament to the intersection of art and technology.

For audio enthusiasts seeking an unparalleled blend of performance and elegance, the Sonus faber Reference Collection stands as an enduring symbol of sonic mastery and design sophistication.

•Sf•



SUPREMA

The definition of Suprema is having a position of dominance or unchallenged superiority, which is why the Suprema loudspeaker system is undoubtedly the most ambitious project ever crafted by Sonus Faber.

Born from a legacy of relentless pursuit of perfection, Suprema is the epitome of audio excellence, redefining the boundaries of sonic immersion. The first-of-its-kind offering represents the pinnacle of the brand's 40th anniversary year, where exquisite detailing, luxurious materials, and craftsmanship of the highest quality elevate the project beyond the concept of a loudspeaker system.

•Sf•

SUPREMA TECHNICAL SPECIFICATIONS



MAIN
COLUMN

SYSTEM
4.5 way sealed box

LOUDSPEAKERS	SUPER TWEETER: 20mm silk dome with dedicated waveguide, neodymium magnet TWEETER: 38mm silk dome with dedicated waveguide, neodymium magnet MIDRANGE: 6.5" dual driver motor system with neodymium ring magnet, LINK MIDWOOFER: 8" neodymium slug magnet, Ø 65mm voice coil, sandwich paper cone WOOFERS: 4 x 8" dual driver motor system with neodymium ring magnet, Ø 50mm voice coil, sandwich paper cone BACK EMISSION TW: 28mm silk dome, neodymium magnet BACK EMISSION MD: 4" paper cone driver, neodymium magnet
CROSSOVER	Front emission: 360, 430, 1700, 6700 Hz Back emission: 500, 2300 Hz
FREQUENCY RESPONSE	Front emission: 45Hz – 40KHz Back emission: 500Hz – 20KHz
SENSITIVITY	91dB 1m/2.83V
NOMINAL IMPEDANCE	4 Ohm
RECOMMENDED AMPLIFIER POWER	100 W – 700 W
PRODUCT DIMENSIONS (H X W X D)	75" x 25,6" x 65" 1905mm x 650mm x 880mm
DIMENSIONS WITH PACKAGING (H X W X D)	47,2 x 32,7 x 83 in 2110x 1200 x 830 mm
WEIGHT	110 kg 242,5 lb
SHIPPING WEIGHT	222 kg 489 lb



SUBWOOFER

SYSTEM
Sealed box loading, passive subwoofer\

LOUDSPEAKERS	WOOFERS: 2 x 38 cm carbon fiber sandwich cone
FREQUENCY RESPONSE	16 to 30/80 Hz -variable based on the setting of the electronic crossover
SENSITIVITY	92dB 1m/2.83V
NOMINAL IMPEDANCE	4 Ohm
RECOMMENDED AMPLIFIER POWER	500 W – 2000 W
PRODUCT DIMENSIONS (H X W X D)	57,1 x 33,46 x 23,42 in 1451 x 850 x 595 mm
DIMENSIONS WITH PACKAGING (H X W X D)	39,4 x 32,7 x 84,8 in 1900 x 100 x 83 mm
WEIGHT	103kg 227 lb
SHIPPING WEIGHT (WITH CROSSOVER)	240kg 529 lb
SHIPPING WEIGHT (WITHOUT CROSSOVER)	221kg 487lb



CROSSOVER

SYSTEM
Full Discrete –Pure Analog Stereo/Mono active Crossover

INPUT CHANNELS	2 Unbalanced – 2 Balanced
OUTPUT CHANNELS	8 Unbalanced – 8 Balanced
FREQUENCY RESPONSE	MAIN: 25Hz -150KHz PROC: 5Hz -150KHz
INPUT IMPEDANCE	Unbalanced: 20 kΩ Balanced: 10 kΩ
OUTPUT DRIVING CAPABILITY	Unbalanced: 6 V rms (+15,5 dBv) @ 490 Ω Balanced: 11 V rms (+20 dBv) @ 980 Ω
MAINS VOLTAGE (FREQUENCY)	115V (60 Hz) or 230V (50 Hz), factory-set.
PRODUCT DIMENSIONS (H X W X D)	110 x 451 x 424 mm 4,3 x 17,8 x 17 in
WEIGHT	17 kg 37,5 lb

SUPREMA


PASSIVE LOUDSPEAKERS



FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)


WENGE
HIGH GLOSS



GRAPHITE
HIGH GLOSS




RED
HIGH GLOSS




RED VIOLIN
HIGH GLOSS



WALNUT
HIGH GLOSS




BLACK LEATHER



CARBON FIBRE



BLACK ALUMINIUM



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
SUPREMA SPEAKER			
SUPREMA WENGE	DIF410GFI 8056684714933	PAIR	550.000 €
SUPREMA GRAPHITE	DIF410PFI 8056684714957	PAIR	550.000 €
SUPREMA RED	DIF410RFI 8056684714919	PAIR	550.000 €
SUPREMA RED VIOLIN	DIF410VFI 8056684714926	PAIR	550.000 €
SUPREMA WALNUT	DIF410WFI 8056684714940	PAIR	550.000 €
SUPREMA SUBWOOFER AND ELECTRONIC CROSSOVER			
SUPREMA SUB + CE WENGE	DIF411GFI 8056684715671	SINGLE	175.000 €
SUPREMA SUB + CE GRAPHITE	DIF411PFI 8056684715695	SINGLE	175.000 €
SUPREMA SUB + CE RED	DIF411RFI 8056684715657	SINGLE	175.000 €
SUPREMA SUB + CE RED VIOLIN	DIF411VFI 8056684715664	SINGLE	175.000 €
SUPREMA SUB + CE WALNUT	DIF411WFI 8056684715688	SINGLE	175.000 €
SUPREMA SUBWOOFER			
SUPREMA SUB WENGE	DIF412GFI 8056684715169	SINGLE	75.000 €
SUPREMA SUB GRAPHITE	DIF412PFI 8056684715183	SINGLE	75.000 €
SUPREMA SUB RED	DIF412RFI 8056684715145	SINGLE	75.000 €
SUPREMA SUB RED VIOLIN	DIF412RFI 8056684715152	SINGLE	75.000 €
SUPREMA SUB WALNUT	DIF412WFI 8056684715176	SINGLE	75.000 €



AIDA

Let's start with our queen: Aida. Powerful, seductive, with natural shapes that shape the sound, Aida takes its name from the greatest opera of the master Giuseppe Verdi. Aida is the result of love, tradition and innovation of the entire team of Sonus faber.

•Sf•

AIDA




PASSIVE LOUDSPEAKERS


FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)


RED HIGH GLOSS




WALNUT HIGH GLOSS




WENGE HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM

3 and 2/3 way, Sound field Shaper technology, “Zero Vibration Transmission™” technology, para-aperiodic vented box “Stealth Ultraflex System™” and staggered low frequency floor standing loudspeaker system

LOUDSPEAKERS

TW: H28 XTR-04 DAD™ Arrow Point, Ø 28 mm
MD: M18 XTR-04 Neodymium Magnet System, Ø 180 mm
W: 2 x W22XTR-12 Neodymium Magnet System, Ø 220 mm
SW: SW32XTR-08 Neodymium Magnet System, Ø 320 mm

SOUND FIELD SHAPER

TW: 29XTR2 DAD Arrow Point, Ø 29 mm
MD: 2 x M8XTR, Ø 80 mm

CROSS-OVER

55 Hz - 150 Hz - 200 Hz – 3.000 Hz

FREQUENCY RESPONSE

18 Hz – 35.000 Hz
Stealth Ultraflex™ included

SENSITIVITY

92 db SPL (2.83V/1 m)

NOMINAL IMPEDANCE

4 Ohm

SUGGESTED AMPLIFIER
POWER OUTPUT

100 W – 1K W, without clipping

DIMENSIONS
(HxWxD)

1.725 x 482 x 780 mm
68 x 19 x 31 in

WEIGHT
(EA)

165 Kg - 363 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF121RFI 8056684711871	PAIR	130.000 €
WALNUT	DIF121AFI 8056684713844	PAIR	130.000 €
WENGE	DIF121WFI 8056684711888	PAIR	130.000 €



LILIUM

This name has its origin in shapes and design. Its unique top looks like a lily, “Lilium” in Latin. A speaker that merges all the contrasts, seemingly opposites, that coexist in Music: Lilium is strength and grace. Dynamics and melody. Full and empty. Sweetness and impetuosity.

•Sf•

LILIUM



PASSIVE LOUDSPEAKERS


FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)

RED HIGH GLOSS




WALNUT HIGH GLOSS




WENGE HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM

3.5 way para-aperiodic vented box

LOUDSPEAKERS

TW: H28 XTR-04 DAD™ Arrow Point, Ø 28 mm
MD: M18 XTR-04 Neodymium Magnet System, Ø 180 mm
W: 3 x W18XTR-16, Ø 180 mm
SW: SW26 XT-08, Ø 260 mm

CROSS-OVER

55 Hz - 150 Hz - 200 Hz – 3.000 Hz

FREQUENCY RESPONSE

20 Hz – 35.000 Hz
Stealth reflex included

SENSITIVITY

92 db SPL (2.83V/1 m)

NOMINAL IMPEDANCE

4 Ohm

SUGGESTED AMPLIFIER
POWER OUTPUT

100 W – 800 W, without clipping

DIMENSIONS
(HxWxD)

1.600 x 491 x 705 mm
63 x 19,3 x 27,7 in

WEIGHT
(EA)

103 Kg - 227 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF170RFI 8056684710751	PAIR	70.000 €
WALNUT	DIF170WFI 8056684710782	PAIR	70.000 €
WENGE	DIF170EFI 8056684712588	PAIR	70.000 €



IL CREMONESE

Sonus faber finds its inspirations in the Italian violin making tradition. Through the Il Cremonese we pay homage to the great Antonio Stradivari.

The Il Cremonese indeed is the name of his most famous instrument. Passion and scientific research are the essential elements that link this model and his famous violin.

•Sf•

IL CREMONESE



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 way, full para-aperiodic vented box
LOUDSPEAKERS	TW: H28 XTR-04 DAD Arrow Point, Ø 28 mm MD: M18 XTR-04 Neodymium Magnet System, Ø 180 mm W: 2 x W18XTR-12, Ø 180 mm SW: 2 x W22XTR-16, Ø 220 mm
CROSS-OVER	80 Hz - 250 Hz - 2.500 Hz
FREQUENCY RESPONSE	35 Hz – 30.000 Hz Tuning port included
SENSITIVITY	92 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	100 W – 800 W, without clipping
DIMENSIONS (HxWxD)	1.449 x 398 x 621 mm 57 x 15,6 x 24,5 in
WEIGHT (EA)	84 Kg - 185 lb


FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)

RED HIGH GLOSS




WALNUT HIGH GLOSS




WENGE HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF201RFI 8056684710874	PAIR	65.000 €
WALNUT	DIF201WFI 8056684710881	PAIR	65.000 €
WENGE	DIF201EFI 8056684712007	PAIR	65.000 €



IL CREMONESE EX3ME

Il Cremonese merges with the technological experience cultivated with Ex3ma, the 30-year anniversary limited edition speaker. A new look, embellished by the return of an historical Sonus faber finish: the classic “Red Violin”.

•Sf•

IL CREMONESE EX3ME




FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)

RED VIOLIN GLOSS



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 ways, 6 speakers
LOUDSPEAKERS	TW: 30 mm Diamond Like Carbon Beryllium dome diaphragm MD: 150 mm composite cone, Nd magnet W: 2 x 180 mm composite cone, Fe magnet SW: 2 x 220 mm Nanocarbon Fiber/Nomex Honeycomb Long Throw Subwoofer
SOUND EMISSION	Direct
CROSS-OVER	250 Hz and 2.500 Hz
FREQUENCY RESPONSE	25 Hz – 35.000 Hz
SENSITIVITY	92 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	100 W – 800 W, without clipping
DIMENSIONS (HxWxD)	1.449 x 398 x 621 mm 57 x 15,6 x 24,5 in
WEIGHT (EA)	84 Kg - 185 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED VIOLIN	DIF20XRFI 8056684713325	PAIR	70.000 €



HOMAGE

Keeping up with the topic of the Italian violin making, the Homage collection is a real “Homage” by which we celebrate the greatest families of lute makers from the 1600s to the 1800s in Cremona. Here we are with Stradivari, Amati, Serafino and Guarneri and Vox.

•Sf•

STRADIVARI



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 way Midrange sealed box with Intono Woofers vented box "Stealth Ultraflex" system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MD: Neodymium Magnet System, Ø 150 mm W: 2 x Dual Drive Motor System, Ø 260 mm
CROSS-OVER	160 Hz - 220 Hz – 2.200 Hz
FREQUENCY RESPONSE	25 Hz - 35.000 Hz
SENSITIVITY	92 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	100 W - 600 W
DIMENSIONS (HxWxD)	1.374 x 715 x 428 mm 54 x 28,1 x 16,8 in
WEIGHT (EA)	63 kg – 138,9 lb

FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)

RED HIGH GLOSS



GRAPHITE HIGH GLOSS



WENGE HIGH GLOSS



BLACK LEATHER




BLACK LEATHER




BLACK LEATHER




ALUMINUM - DARK GREY FINISH



ALUMINUM - DARK GREY FINISH



ALUMINUM - DARK GREY FINISH



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF384RFI 8056684714834	PAIR	57.500 €
GRAPHITE	DIF384PFI 8056684714858	PAIR	57.500 €
WENGE	DIF384GFI 8056684714841	PAIR	57.500 €


AMATI FOLGORE LIMITED EDITION




PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

RAME FOLGORE



ECONYL®



ALUMINUM - DARK GREY FINISH



TECHNICAL SPECIFICATIONS

SYSTEM

3.5 way Midrange sealed box with Intono
Woofers vented box "Stealth Ultraflex" system

LOUDSPEAKERS

TW: DAD™ Arrow Point, Ø 28 mm
MD: Neodymium Magnet System, Ø 150 mm
W: 2 x Dual Drive Motor System, Ø 220 mm

CROSS-OVER

200 Hz - 270 Hz – 2.200 Hz

FREQUENCY RESPONSE

28 Hz - 35.000 Hz

SENSITIVITY

91 dB SPL (2.83V/1 m)

NOMINAL IMPEDANCE

4 Ohm

SUGGESTED AMPLIFIER
POWER OUTPUT

50 W - 450 W

DIMENSIONS
(HxWxD)

1.176 x 411 x 512 mm
46,3 x 16,2 x 20,1 in

WEIGHT
(EA)

55,5 kg – 112,36 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RAME FOLGORE	DIF380MFI 8056684715053	PAIR	55.000 €


AMATI



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 way Midrange sealed box with Intono Woofers vented box “Stealth Ultraflex” system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MD: Neodymium Magnet System, Ø 150 mm W: 2 x Dual Drive Motor System, Ø 220 mm
CROSS-OVER	200 Hz - 270 Hz – 2.200 Hz
FREQUENCY RESPONSE	28 Hz - 35.000 Hz
SENSITIVITY	91 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 450 W
DIMENSIONS (HxWxD)	1.176 x 411 x 512 mm 46,3 x 16,2 x 20,1 in
WEIGHT (EA)	55,5 kg – 112,36 lb

FINISH COMPOSITION

RED HIGH GLOSS	GRAPHITE HIGH GLOSS	WENGE HIGH GLOSS
		
BLACK LEATHER	BLACK LEATHER	BLACK LEATHER
		
ALUMINUM - DARK GREY FINISH	ALUMINUM - DARK GREY FINISH	ALUMINUM - DARK GREY FINISH
		

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF380RFI 8056684714438	PAIR	41.000 €
GRAPHITE	DIF380PFI 8056684714452	PAIR	41.000 €
WENGE	DIF380GFI 8056684714445	PAIR	41.000 €



SERAFINO



TECHNICAL SPECIFICATIONS

SYSTEM	3.5 way Midrange sealed box with Intono Woofers vented box "Stealth Ultraflex" system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MD: Neodymium Magnet System, Ø 150 mm W: 2 x Ø 180 mm
CROSS-OVER	200 Hz - 250 Hz – 2.400 Hz
FREQUENCY RESPONSE	30 Hz - 35.000 Hz
SENSITIVITY	90 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 300 W
DIMENSIONS (HxWxD)	1.091 x 396 x 485 mm 43 x 15,6 x 19 in
WEIGHT (EA)	48,5 kg – 109,92 lb

FINISH COMPOSITION

RED HIGH GLOSS	GRAPHITE HIGH GLOSS	WENGE HIGH GLOSS
		
BLACK LEATHER	BLACK LEATHER	BLACK LEATHER
		
ALUMINUM - DARK GREY FINISH	ALUMINUM - DARK GREY FINISH	ALUMINUM - DARK GREY FINISH
		

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF382RFI 8056684714490	PAIR	30.000 €
GRAPHITE	DIF382PFI 8056684714513	PAIR	30.000 €
WENGE	DIF382GFI 8056684714506	PAIR	30.000 €



GUARNERI



TECHNICAL SPECIFICATIONS

SYSTEM	2 way Vented box “Stealth Ultraflex” system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MW: Neodymium Magnet System, Ø 150 mm
CROSS-OVER	2.200 Hz
FREQUENCY RESPONSE	40 Hz - 35.000 Hz
SENSITIVITY	86 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 125 W
DIMENSIONS (HxWxD)	377 x 239 x 375 mm 14,8 x 9,4 x 14,7 in
WEIGHT (EA)	14,6 Kg – net weight 32,19 lb – net weight
STAND DIMENSIONS (HxWxD)	758 x 300 x 390 mm 29,8 x 11,8 x 15,3 in
STAND WEIGHT (EA)	13 kg – 28,6 lb

FINISH COMPOSITION

RED HIGH GLOSS	GRAPHITE HIGH GLOSS	WENGE HIGH GLOSS
		
BLACK LEATHER	BLACK LEATHER	BLACK LEATHER
		
ALUMINUM - DARK GREY FINISH	ALUMINUM - DARK GREY FINISH	ALUMINUM - DARK GREY FINISH
		

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF381RFI 8056684714469	PAIR	17.500 €
GRAPHITE	DIF381PFI 8056684714483	PAIR	17.500 €
WENGE	DIF381GFI 8056684714476	PAIR	17.500 €

GUARNERI STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK / CARBON FIBRE	CLN231FIN 8056684711574	PAIR	4.000 €

Sonus faber reserves the right to change prices and / or specifications without notice.



VOX



TECHNICAL SPECIFICATIONS

SYSTEM	3 way Midrange sealed box with Intono Woofers vented box "Stealth Ultraflex" system
LOUDSPEAKERS	TW: DAD™ Arrow Point, Ø 28 mm MD: 2 x Neodymium Magnet System, Ø 150 mm W: 2 x Ø 180 mm
CROSS-OVER	280 Hz - 2.100 Hz
FREQUENCY RESPONSE	40 Hz - 35.000 Hz
SENSITIVITY	90 dB SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 300 W
DIMENSIONS (HxWxD)	315 x 836 x 385 mm 12,4 x 32,9 x15 in
WEIGHT (EA)	36 Kg – 79,36 lb

FINISH COMPOSITION

RED HIGH GLOSS	GRAPHITE HIGH GLOSS	WENGE HIGH GLOSS
		
BLACK LEATHER	BLACK LEATHER	BLACK LEATHER
		
ALUMINUM - DARK GREY FINISH	ALUMINUM - DARK GREY FINISH	ALUMINUM - DARK GREY FINISH
		

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
RED	DIF383RFI 8056684714629	UNIT	19.000 €
GRAPHITE	DIF383PFI 8056684714643	UNIT	19.000 €
WENGE	DIF383GFI 8056684714636	UNIT	19.000 €



HERITAGE

Our Heritage, a landmark that will be always part of the Sonus faber DNA. This collection is a restyling of three iconic loudspeakers.

Minima Amator II, a small jewel, Electa Amator III, refined and performing and their older sister, Maxima Amator.

•Sf•

MAXIMA AMATOR



FINISH COMPOSITION

SOLID WALNUT SEMI GLOSS



BLACK LEATHER



PORT SAINT LAURENT MARBLE



BRASS



TECHNICAL SPECIFICATIONS

SYSTEM	2-way floorstanding Loudspeaker system
LOUDSPEAKERS	TW: H28 XTR-04 DAD™, Ø 28 mm MW: MW18XTR-04, Ø 180 mm
CROSS-OVER	2.100 Hz
FREQUENCY RESPONSE	35 Hz – 35.000 Hz
SENSITIVITY	88 dB SPL (2,83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	25 W - 125 W, without clipping
DIMENSIONS (HxWxD)	1.120 x 300 x 350 mm 44,1 x 11,8 x 13,8 in
WEIGHT (EA)	38 Kg - 83,7 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
SOLID WALNUT PORT SAINT LAURENT MARBLE	DIF360FIN 8056684713820	PAIR	19.000 €

ELECTA AMATOR III



FINISH COMPOSITION

SOLID WALNUT SEMI GLOSS



BLACK LEATHER



CARRARA MARBLE



BRASS



TECHNICAL SPECIFICATIONS

SYSTEM	2-way bookshelf / standmount vented loudspeaker system
LOUDSPEAKERS	TW: H28 XTR-04 DAD™, Ø 28 mm MW: MW18XTR-04, Ø 180 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	40 Hz – 35.000 Hz
SENSITIVITY	88 dB SPL (2,83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	35 W - 125 W, without clipping
DIMENSIONS (HxWxD)	375 x 235 x 360 mm 14,8 x 9,3 x 14,2 in
WEIGHT (EA)	14,6 Kg - 32,2 lb
OPTIONAL STAND DIMENSIONS (HxWxD)	720 x 300 x 350 mm 28,4 x 11,8 x 13,8 in
OPTIONAL STAND WEIGHT (EA)	11,2 Kg - 24,7 lb

PRICES:
LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
SOLID WALNUT CARRARA MARBLE	DIF290FIN 8056684712571	PAIR	12.000 €*

* STAND IS NOT INCLUDED

CARRARA STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK / CARRARA BASE	CLN290FIN 8056684712564	PAIR	2.000 €

Sonus faber reserves the right to change prices and / or specifications without notice.

CONCERTINO
(FIRST 300 PAIRS: MAESTRO SPECIAL EDITION)




EXCLUSIVE TO THE MAESTRO EDITON



FINISH COMPOSITION

SOLID WALNUT



PATENTED, PLANT-BASED LEATHER ALTERNATIVE FROM OHOSKIN



BRASS (GLOSSY)



POLISHED STEEL



TECHNICAL SPECIFICATIONS

SYSTEM	2.0 way Vented Cork enclosure design
LOUDSPEAKERS	TW: 1,1" DAD™ Arrow Point tweeter MW: 1x 5.25" Ferrite Magnet Midwoofer
CROSS-OVER	1.700 Hz
FREQUENCY RESPONSE	60 Hz – 25.000 Hz
SENSITIVITY	85 dB SPL (2,83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 150 W, without clipping
DIMENSIONS (HxWxD)	21.4 x 31.4 x 29.6 cm 8,4 x 12,4 x 11,6 in
WEIGHT (EA)	6,6 Kg - 14,5 lb
OPTIONAL STAND DIMENSIONS (HxWxD)	27 x 73 x 32 cm 10,6 x 28,6 x 12,6 in
OPTIONAL STAND WEIGHT (EA)	14.5 Kg - 32,0 lb

PRICES:
LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
SOLID WALNUT	DIF440FIN 8056684714896	PAIR	4.750 € *

* STAND IS NOT INCLUDED

IRON STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK / SOLID WALNUT	CLN440FIN 8056684714971	PAIR	1.700 €


Sonus faber reserves the right to change prices and / or specifications without notice.

CONCERTINO
(STANDARD EDITION)



FINISH COMPOSITION

SOLID WALNUT



PATENTED, PLANT-BASED LEATHER ALTERNATIVE FROM OHOSKIN



BRASS (MATT)



POLISHED STEEL



TECHNICAL SPECIFICATIONS

SYSTEM	2.0 way Vented Cork enclosure design
LOUDSPEAKERS	TW: 1,1" DAD™ Arrow Point tweeter MW: 1x 5.25" Ferrite Magnet Midwoofer
CROSS-OVER	1.700 Hz
FREQUENCY RESPONSE	60 Hz – 25.000 Hz
SENSITIVITY	85 dB SPL (2,83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 150 W, without clipping
DIMENSIONS (HxWxD)	21.4 x 31.4 x 29.6 cm 8,4 x 12,4 x 11,6 in
WEIGHT (EA)	6,6 Kg - 14,5 lb
OPTIONAL STAND DIMENSIONS (HxWxD)	27 x 73 x 32 cm 10,6 x 28,6 x 12,6 in
OPTIONAL STAND WEIGHT (EA)	14.5 Kg - 32,0 lb

PRICES:
LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
SOLID WALNUT	DIF441FIN 8056684714902	PAIR	4.250 € *

* STAND IS NOT INCLUDED

IRON STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK / SOLID WALNUT	CLN440FIN 8056684714971	PAIR	1.700 €



OLYMPICA NOVA

This collection celebrates our roots, Vicenza and its most famous architect Andrea Palladio who designed, among other things, the Olympic Theater, the symbol of Vicenza city and a place where music is translated into freedom, power and emotion

•Sf•

OLYMPICA NOVA V



TECHNICAL SPECIFICATIONS

SYSTEM	3 way, full para-aperiodic vented box “Stealth Ultraflex”
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MD: M15 XTR2-04, Ø 150 mm W: W18XTR2-12, Ø 180 mm
CROSS-OVER	250 Hz - 2.500 Hz
FREQUENCY RESPONSE	32 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	60 W – 400 W, without clipping
DIMENSIONS (HxWxD)	1.174 x 424 x 529 mm 46,3 x 16,7 x 20,8 in
WEIGHT (EA)	44 kg - 97 lb

FINISH COMPOSITION

WALNUT SEMI GLOSS	WENGE SEMI GLOSS	PIANO BLACK HIGH GLOSS
BLACK LEATHER	BLACK LEATHER	BLACK LEATHER
ALUMINUM - TITANIUM FINISH	ALUMINUM - TITANIUM FINISH	ALUMINUM - TITANIUM FINISH

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF305WFI 8056684712830	PAIR	20.000 €
WENGE	DIF305EFI 8056684712823	PAIR	20.000 €
PIANO BLACK	DIF305BFI 8056684714094	PAIR	20.000 €

OLYMPICA NOVA III



TECHNICAL SPECIFICATIONS

SYSTEM	3 way, full para-aperiodic vented box “Stealth Ultraflex”
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MD: M15 XTR2-04, Ø150 mm W: W18XTR2-08, Ø 180 mm
CROSS-OVER	250 Hz - 2.500 Hz
FREQUENCY RESPONSE	32 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 300 W, without clipping
DIMENSIONS (HxWxD)	1.104 x 376 x 459 mm 43,5 x 14,8 x 18,1 in
WEIGHT (EA)	35 kg - 77,1 lb

FINISH COMPOSITION

WALNUT SEMI GLOSS	WENGE SEMI GLOSS	PIANO BLACK HIGH GLOSS
BLACK LEATHER	BLACK LEATHER	BLACK LEATHER
ALUMINUM - TITANIUM FINISH	ALUMINUM - TITANIUM FINISH	ALUMINUM - TITANIUM FINISH

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF303WFI 8056684712816	PAIR	16.000 €
WENGE	DIF303EFI 8056684712809	PAIR	16.000 €
PIANO BLACK	DIF303BFI 8056684714087	PAIR	16.000 €

OLYMPICA NOVA II



TECHNICAL SPECIFICATIONS

SYSTEM	3 way, full para-aperiodic vented box “Stealth Ultraflex”
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MD: M15 XTR2-04, Ø 150 mm W: W18XTR2-04, Ø 180 mm
CROSS-OVER	250 Hz - 2.500 Hz
FREQUENCY RESPONSE	40 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	88 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 250 W, without clipping
DIMENSIONS (HxWxD)	1.036 x 359 x 422 mm 40,8 x 14,2 x 16,6 in
WEIGHT (EA)	30,7 kg - 67,6 lb

FINISH COMPOSITION

WALNUT SEMI GLOSS	WENGE SEMI GLOSS	PIANO BLACK HIGH GLOSS
		
BLACK LEATHER	BLACK LEATHER	BLACK LEATHER
		
ALUMINUM - TITANIUM FINISH	ALUMINUM - TITANIUM FINISH	ALUMINUM - TITANIUM FINISH
		

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF302WFI 8056684712793	PAIR	12.000 €
WENGE	DIF302EFI 8056684712786	PAIR	12.000 €
PIANO BLACK	DIF302BFI 8056684714070	PAIR	12.000 €

OLYMPICA NOVA I



FINISH COMPOSITION

WALNUT SEMI GLOSS

WENGE SEMI GLOSS

PIANO BLACK HIGH GLOSS

BLACK LEATHER

BLACK LEATHER

BLACK LEATHER

ALUMINUM - TITANIUM FINISH

ALUMINUM - TITANIUM FINISH

ALUMINUM - TITANIUM FINISH

TECHNICAL SPECIFICATIONS

SYSTEM	2 way, full para-aperiodic vented box “Stealth Ultraflex”
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MW: MW15 XTR2-04, Ø150 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	45 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	87 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	35 W – 250 W, without clipping
DIMENSIONS (HxWxD)	355 x 199 x 395 mm 14 x 7,8 x 15,5 in
WEIGHT (EA)	10,5 kg - 23,1 lb
OPTIONAL STAND DIMENSIONS (HxWxD)	723 x 82 x 395 mm 28,4 x 3,3 x 15,5 in
OPTIONAL STAND WEIGHT (EA)	6,6 kg - 14,5 lb

PRICES:
LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF301WFI 8056684712779	PAIR	8.000 € *
WENGE	DIF301EFI 8056684712762	PAIR	8.000 € *
PIANO BLACK	DIF301BFI 8056684714063	PAIR	8.000 € *

* STAND IS NOT INCLUDED

STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN301FIN 8056684712915	PAIR	1.100 €

Sonus faber reserves the right to change prices and / or specifications without notice.

OLYMPICA NOVA CII



FINISH COMPOSITION

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	3 way, full para-aperiodic vented box “Stealth Ultraflex”
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MD: M15 XTR2-08, Ø150 mm W: W18XTR2-08, Ø 180
CROSS-OVER	250 Hz - 1.550 Hz
FREQUENCY RESPONSE	35 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W – 300 W, without clipping
DIMENSIONS (HxWxD)	278 x 866 x 459 mm 11 x 34 x 18 in
WEIGHT (EA)	29 kg - 63,9 in
OPTIONAL STAND DIMENSIONS (HxWxD)	374 x 530 x 467 mm 14,7 x 20,8 x 18,3 in
OPTIONAL STAND WEIGHT (EA)	8 kg - 17,6 lb

PRICES:
LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF307WFI 8056684712878	UNIT	8.000 € *
WENGE	DIF307EFI 8056684712861	UNIT	8.000 € *
PIANO BLACK	DIF307BFI 8056684714117	UNIT	8.000 € *

* STAND IS NOT INCLUDED

CENTER CHANNEL STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN306FIN 8056684712922	UNIT	825 €

Sonus faber reserves the right to change prices and / or specifications without notice.

OLYMPICA NOVA CI



FINISH COMPOSITION

WALNUT SEMI GLOSS



WENGE SEMI GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	2 way, full para-aperiodic vented box “Stealth Ultraflex”
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MW: MW15 XTR2-08, Ø150 mm
CROSS-OVER	1.550 Hz
FREQUENCY RESPONSE	45 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	35 W – 250 W, without clipping
DIMENSIONS (HxWxD)	241 x 616 x 397 mm 9,5 x 24,2 x 15,6 in
WEIGHT (EA)	18 kg - 39,6 lb
OPTIONAL STAND DIMENSIONS (HxWxD)	374 x 530 x 467 mm 14,7 x 20,8 x 18,3 in
OPTIONAL STAND WEIGHT (EA)	8 kg - 17,6 lb

PRICES:
LOUDSPEAKERS

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF306WFI 8056684712854	UNIT	6.000 € *
WENGE	DIF306EFI 8056684712847	UNIT	6.000 € *
PIANO BLACK	DIF306BFI 8056684714100	UNIT	6.000 € *

* STAND IS NOT INCLUDED

CENTER CHANNEL STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN306FIN 8056684712922	UNIT	825 €

Sonus faber reserves the right to change prices and / or specifications without notice.

OLYMPICA NOVA WALL



TECHNICAL SPECIFICATIONS

SYSTEM	2 way, passive radiator
LOUDSPEAKERS	TW: H28 XTR3 DAD™, Ø 28 mm MW: MW15 XTR2-04, Ø150 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	50 Hz – 35.000 Hz Stealth reflex included
SENSITIVITY	87 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	35 W – 250 W, without clipping
DIMENSIONS (HxWxD)	562 x 309 x 234 mm 22,1 x 12,1 x 10,9 in
WEIGHT (EA)	9 kg - 19,8 lb

FINISH COMPOSITION

WALNUT SEMI GLOSS	WENGE SEMI GLOSS	PIANO BLACK HIGH GLOSS
BLACK LEATHER	BLACK LEATHER	BLACK LEATHER
ALUMINUM - TITANIUM FINISH	ALUMINUM - TITANIUM FINISH	ALUMINUM - TITANIUM FINISH

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	DIF308WFI 8056684712892	UNIT	4.500 €
WENGE	DIF308EFI 8056684712885	UNIT	4.500 €
PIANO BLACK	DIF308BFI 8056684714124	UNIT	4.500 €



SONETTO G2

A family that communicates sympathy and lightness but lets the listener experiences great performances and emotions. The name refers to the classic poetic compositions with a lyrical character, a symbol of Italian creativity

•Sf•

SONETTO G2 VIII



FINISH COMPOSITION

WENGE OPEN PORE



WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



BLACK LEATHER



TITANIUM FINISH



CONCRETE



TECHNICAL SPECIFICATIONS

SYSTEM	3-way floorstanding loudspeaker system Midrange sealed cork enclosure Woofers down vented box
LOUDSPEAKERS	High-end quality drivers TW: 1,1" DAD™ Arrow Point extended frequency tweeter, Copper shorting ring MD: 1x 6,5" Camelia midrange, Copper shorting ring W: 2 x 8" woofers, Aluminum demodulation ring
CROSS-OVER	350 Hz - 2500 Hz
FREQUENCY RESPONSE	33 Hz - 40.000 Hz
SENSITIVITY	90 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 400 W
DIMENSIONS (HxWxD)	1179 - 334 - 480 mm / each 46.42 - 13.15 - 18.9 in / each
WEIGHT (EA)	45 kg / each 99.21 lb / each

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF438EFI 8056684715428	PAIR	8.000 €
WALNUT	DIF438RFI 8056684715435	PAIR	8.000 €
PIANO BLACK	DIF438BFI 8056684715411	PAIR	8.000 €

SONETTO G2 V




FINISH COMPOSITION

WENGE OPEN PORE



WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



BLACK LEATHER



TITANIUM FINISH



CONCRETE



TECHNICAL SPECIFICATIONS

SYSTEM	3-way floorstanding loudspeaker system Midrange sealed cork enclosure Woofers down vented box
LOUDSPEAKERS	High-end quality drivers TW: 1,1" DAD™ Arrow Point extended frequency tweeter, Copper shorting ring MD: 1x 6,5" Camelia midrange, Copper shorting ring W: 2 x 6,5" woofers, Aluminum demodulation ring
CROSS-OVER	280 Hz - 2500 Hz
FREQUENCY RESPONSE	35 Hz - 40.000 Hz
SENSITIVITY	89 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 320 W
DIMENSIONS (HxWxD)	1081 - 308 - 415 mm / each 42.56 - 12.13 - 16.34 in / each
WEIGHT (EA)	33,40 kg / each 73.63 lb / each

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF435EFI 8056684715381	PAIR	6.600 €
WALNUT	DIF435RFI 8056684715398	PAIR	6.600 €
PIANO BLACK	DIF435BFI 8056684715374	PAIR	6.600 €

SONETTO G2 III




FINISH COMPOSITION

WENGE OPEN PORE



WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



BLACK LEATHER



TITANIUM FINISH



CONCRETE



TECHNICAL SPECIFICATIONS

SYSTEM	2.5-way floorstanding loudspeaker system Midwoofer rear vented box Woofer down vented box
LOUDSPEAKERS	High-end quality drivers TW: 1,1" DAD™ Arrow Point extended frequency tweeter, Copper shorting ring MD: 1x 6,5" Midwoofer, Aluminum demodulation ring W: 1x 6,5" woofer, Aluminum demodulation ring
CROSS-OVER	2700 Hz
FREQUENCY RESPONSE	38 Hz - 40000 Hz
SENSITIVITY	88 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 280 W
DIMENSIONS (HxWxD)	1058 - 287 - 350 mm / each 41.65 - 11.3 - 13.78 in / each
WEIGHT (EA)	25,80 kg / each 56.88 lb / each

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF433EFI 8056684715343	PAIR	4.900 €
WALNUT	DIF433RFI 8056684715350	PAIR	4.900 €
PIANO BLACK	DIF433BFI 8056684715336	PAIR	4.900 €

Sonus faber reserves the right to change prices and / or specifications without notice.

SONETTO G2 II




FINISH COMPOSITION

WENGE OPEN PORE



WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



BLACK LEATHER



TITANIUM FINISH



CONCRETE



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Midwoofer front vented box
LOUDSPEAKERS	High-end quality drivers TW: 1,1" DAD™ Arrow Point extended frequency tweeter, Copper shorting ring MW: 1x 6,5" Midwoofer, Aluminum demodulation ring
CROSS-OVER	3100 Hz
FREQUENCY RESPONSE	42 Hz - 40.000 Hz
SENSITIVITY	87 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 200 W
DIMENSIONS (HxWxD)	411 - 227 - 355 mm / each 15.98 - 8.94 - 13.98 in / each
WEIGHT (EA)	10,40 kg / each 22.93 lb / each
OPTIONAL STAND DIMENSION (HxWxD)	
OPTIONAL STAND WEIGHT (EA)	

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF432EFI 8056684715305	PAIR	2.750 € *
WALNUT	DIF432RFI 8056684715312	PAIR	2.750 € *
PIANO BLACK	DIF432BFI 8056684715299	PAIR	2.750 € *

* STAND IS NOT INCLUDED

STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN431FIN 8056684715527	PAIR	1.000 €

Sonus faber reserves the right to change prices and / or specifications without notice.

SONETTO G2 I




FINISH COMPOSITION

WENGE OPEN PORE



WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



BLACK LEATHER



TITANIUM FINISH



CONCRETE



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Midwoofer front vented box
LOUDSPEAKERS	High-end quality drivers TW: 1,1" DAD™ Arrow Point extended frequency tweeter, Copper shorting ring MW: 1x 5" Midwoofer, Aluminum demodulation ring
CROSS-OVER	2100 Hz
FREQUENCY RESPONSE	52 Hz - 40.000 Hz
SENSITIVITY	86 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 150 W
DIMENSIONS (HxWxD)	374 - 200 - 304 mm / each 14.53 - 7.87 - 11.97 in / each
WEIGHT (EA)	8,4 kg / each 18.52 lb / each
OPTIONAL STAND DIMENSION (HxWxD)	
OPTIONAL STAND WEIGHT (EA)	

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF431EFI 8056684715268	PAIR	2.200 € *
WALNUT	DIF431RFI 8056684715275	PAIR	2.200 € *
PIANO BLACK	DIF431BFI 8056684715251	PAIR	2.200 € *

* STAND IS NOT INCLUDED

STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN431FIN 8056684715527	PAIR	1.000 €

Sonus faber reserves the right to change prices and / or specifications without notice.

SONETTO G2 CENTER




PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE OPEN PORE



WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



BLACK LEATHER



TITANIUM FINISH



CONCRETE



TECHNICAL SPECIFICATIONS

SYSTEM

3-way center channel loudspeaker system
Midrange sealed enclosure
Woofers rear vented box

LOUDSPEAKERS

High-end quality drivers
TW: 1,1" DAD™ Arrow Point extended frequency
neodymium tweeter, Copper shorting ring
MD: 1x 4" Camelia midrange, Copper shorting ring
W: 2 x 6,5" woofers, Aluminum demodulation ring

CROSS-OVER

350 Hz - 4000 Hz

FREQUENCY RESPONSE

45 Hz - 40.000 Hz

SENSITIVITY

88 dB SPL (2.83 V/1m)

NOMINAL IMPEDANCE

4 Ohm

SUGGESTED AMPLIFIER
POWER OUTPUT

50 W - 300 W

DIMENSIONS
(HxWxD)

235 - 648 - 353 mm
9.25 - 25.51 - 13.9 in

WEIGHT
(EA)

17,63 kg
38.87 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF437EFI 8056684715503	UNIT	2.750 €
WALNUT	DIF437RFI 8056684715510	UNIT	2.750 €
PIANO BLACK	DIF437BFI 8056684715497	UNIT	2.750 €

SONETTO G2 WALL




FINISH COMPOSITION

WENGE OPEN PORE



WALNUT OPEN PORE



PIANO BLACK HIGHGLOSS



BLACK LEATHER



TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Closed box design
LOUDSPEAKERS	High-end quality drivers TW: 1,1" DAD™ Arrow Point extended frequency tweeter, Copper shorting ring MW: 1x 6,5" Midwoofer, Aluminum demodulation ring
CROSS-OVER	3100 Hz
FREQUENCY RESPONSE	60 Hz - 40.000 Hz
SENSITIVITY	87 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 200 W
DIMENSIONS (HxWxD)	437 - 271 - 168 mm 17.2 - 10.67 - 6.61 in
WEIGHT (EA)	6,80 kg 14.99 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF436EFI 8056684715466	UNIT	1.450 €
WALNUT	DIF436RFI 8056684715473	UNIT	1.450 €
PIANO BLACK	DIF436BFI 8056684715459	UNIT	1.450 €



LUMINA

LUxury, MInimalist, NATural. Lumina is the acronym of these three words that summarize its philosophy, a design approach based on “less is more”, a new adventure that does not betray the brand’s tradition and DNA.

•Sf•

LUMINA V AMATOR



TECHNICAL SPECIFICATIONS

SYSTEM	3-way floorstanding loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver, Visco-elastically baffle decoupling MD: Ø 150 mm cone driver W: Ø 2 x 165 mm cone drivers, Sandwich diaphragm structure
CROSS-OVER	260 Hz - 2.850 Hz
FREQUENCY RESPONSE	38 Hz – 24.000 Hz
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 300 W undistorted signal
DIMENSIONS (HxWxD)	1.049 x 280 x 372 mm 4,13 x 11 x 14,7 in
WEIGHT (EA)	22,5 Kg - 49,6 lb

FINISH COMPOSITION

RED HIGH GLOSS




WALNUT HIGH GLOSS




WENGE HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF355GFI 8056684715107	PAIR	4.100 €
WALNUT	DIF355SFI 8056684715114	PAIR	4.100 €
RED	DIF355RFI 8056684715015	PAIR	4.100 €

LUMINA V



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE SEMI GLOSS




WALNUT SEMI GLOSS




PIANO BLACK HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	3-way floorstanding loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver, Visco-elastically baffle decoupling MD: Ø 150 mm cone driver W: Ø 2 x 165 mm cone drivers, Sandwich diaphragm structure
CROSS-OVER	260 Hz - 2.600 Hz
FREQUENCY RESPONSE	38 Hz – 24.000 Hz
SENSITIVITY	90 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	50 W - 300 W undistorted signal
DIMENSIONS (HxWxD)	1.049 x 280 x 372 mm 4,13 x 11 x 14,7 in
WEIGHT (EA)	22,5 Kg - 49,6 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF355EFI 8056684713752	PAIR	3.400 €
WALNUT	DIF355WFI 8056684713769	PAIR	3.400 €
PIANO BLACK	DIF355BFI 8056684713745	PAIR	3.400 €

LUMINA III



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE SEMI GLOSS




WALNUT SEMI GLOSS




PIANO BLACK HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: High Definition DAD™ driver, DKM dome diaphragm, Ø 29 mm MW: Ultra-free compression basket, Custom diaphragm made with cellulose pulp and other natural fibers, Ø 150 mm
CROSS-OVER	2.500 Hz
FREQUENCY RESPONSE	45 Hz – 25.000 Hz
SENSITIVITY	87 dB SPL (2.83 V/1m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W – 150 W, without clipping
DIMENSIONS (HxWxD)	359 x 219 x 305 mm 14 x 9 x 12 in
WEIGHT (EA)	5,5 kg - 12,1 lb
OPTIONAL STAND DIMENSION (HxWxD)	386 x 315 x 686 mm 12,4 x 15,2 x 27 in
OPTIONAL STAND WEIGHT (EA)	4,7 kg - 10,3 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF353EFI 8056684713721	PAIR	2.550 €
WALNUT	DIF353WFI 8056684713738	PAIR	2.550 €
PIANO BLACK	DIF353BFI 8056684713714	PAIR	2.550 €


LUMINA II AMATOR



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver Visco-elastically baffle decoupling MW: Ø 150 mm cone driver
CROSS-OVER	2.600 Hz
FREQUENCY RESPONSE	55 Hz -24.000 Hz
SENSITIVITY	86 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 150 W undistorted signal
DIMENSIONS (HxWxD)	304 x 180 x 263 mm 12 x 7,1 x 10,3 in
WEIGHT (EA)	5,8 Kg – 12,8 lb

FINISH COMPOSITION



PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF352GFI 8056684715077	PAIR	1.750 €
WALNUT	DIF352SFI 8056684715084	PAIR	1.750 €
RED	DIF352RFI 8056684714995	PAIR	1.750 €

LUMINA II

PASSIVE LOUDSPEAKERS



FINISH COMPOSITION

WENGE SEMI GLOSS




WALNUT SEMI GLOSS




PIANO BLACK HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver Visco-elastically baffle decoupling MW: Ø 150 mm cone driver
CROSS-OVER	1.800 Hz
FREQUENCY RESPONSE	55 Hz -24.000 Hz
SENSITIVITY	86 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 150 W undistorted signal
DIMENSIONS (HxWxD)	304 x 180 x 263 mm 12 x 7,1 x 10,3 in
WEIGHT (EA)	5,8 Kg – 12,8 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF352EFI 8056684713691	PAIR	1.400 €
WALNUT	DIF352WFI 8056684713707	PAIR	1.400 €
PIANO BLACK	DIF352BFI 8056684713684	PAIR	1.400 €

LUMINA I






TECHNICAL SPECIFICATIONS

SYSTEM	2-way shelf loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver Visco-elastically baffle decoupling MW: Ø 120 mm cone driver
CROSS-OVER	2.000 Hz
FREQUENCY RESPONSE	65 Hz -24.000 Hz
SENSITIVITY	84 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 100 W undistorted signal
DIMENSIONS (HxWxD)	280 x 148 x 213 mm 11 x 5,8 x 8,4 in
WEIGHT (EA)	4,4 Kg - 9,7 lb

PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE SEMI GLOSS	WALNUT SEMI GLOSS	PIANO BLACK HIGH GLOSS
		
BLACK LEATHER	BLACK LEATHER	BLACK LEATHER
		

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF351EFI 8056684713660	PAIR	1.050 €
WALNUT	DIF351WFI 8056684713677	PAIR	1.050 €
PIANO BLACK	DIF351BFI 8056684713653	PAIR	1.050 €

LUMINA CI



PASSIVE LOUDSPEAKERS

FINISH COMPOSITION

WENGE SEMI GLOSS




WALNUT SEMI GLOSS




PIANO BLACK HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	2-way horizontal loudspeaker system Vented box design
LOUDSPEAKERS	TW: Ø 29 mm high definition DAD™ driver, Visco-elastically baffle decoupling MW: Ø 2 x 120 mm cone drivers
CROSS-OVER	2.000 Hz
FREQUENCY RESPONSE	65 Hz -24.000 Hz
SENSITIVITY	87 db SPL (2.83V/1 m)
NOMINAL IMPEDANCE	4 Ohm
SUGGESTED AMPLIFIER POWER OUTPUT	30 W - 100 W undistorted signal
DIMENSIONS (HxWxD)	168 x 523 x 212 mm 6,6 x 20,6 x 8,4 in
WEIGHT (EA)	7,6 Kg - 16,8 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	DIF356EFI 8056684713783	UNIT	900 €
WALNUT	DIF356WFI 8056684713790	UNIT	900 €
PIANO BLACK	DIF356BFI 8056684713776	UNIT	900 €



GRAVIS

A historical name, linked to the aim of the product: reproducing grave sounds. In this line power and design go hand in hand.

•Sf•

GRAVIS VI




ACTIVE SUBWOOFERS


FINISH COMPOSITION 2023

(CUSTOM FINISHES AVAILABLE)


RED HIGH GLOSS



GRAPHITE HIGH GLOSS



WENGE HIGH GLOSS



PIANO BLACK HIGH GLOSS




FINISH COMPOSITION REFERENCE & HOMAGE TRADITION

RED HIGH GLOSS



WENGE HIGH GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Closed box loading, two-driver, active subwoofer
LOUDSPEAKERS	2 x Ø 320 mm (12") double coil 4 + 4 ohm, very long throw, sandwich honeycomb cone, wide rubber surround woofer
POWER AMPLIFICATION	High performance, class AB amplifier 1.800 W
FREQUENCY RESPONSE	18 Hz (@ - 6 dB, acoustic Linkwitz 4th order roll-on, EQ1 setting) to Fc (user continuously adjustable)
VOLTAGE MAINS INPUT	Selectable, 120 Vac - 60 Hz or 230 Vac - 50 Hz
FUSE	T12A H 250V (for 230 Vac – 60 Hz) T6.3A H 250V (for 110 Vac – 50 Hz)
CONTROLS	Direct access Master volume; App control featuring: volume, continuously adjustable crossover frequency (40 to 150 Hz), filtering slope 24 dB / oct; continuously adjustable signal phase; parametric EQ (4 presets available), Delay (1 to 20 ms); auto eq; auto power on / off switch
AUDIO SIGNAL INPUTS	2 x Line level, left and right / LFE RCA phono plugs (unbalanced) 2 x Line Level, left and right / LFE XLR plugs (balanced) 1 x High level, Neutrik 4 - pole Speakon®
POWER CONSUMPTION	0,5 W (Stand-by) - 1.800 W (Peak)
DIMENSIONS (HxWxD)	616 x 448 x 585 mm 24 x 17,6 x 23 in
WEIGHT (EA)	52 Kg - 114,6 lb

PRICES

FINISH		ITEM CODE EAN CODE	U.M.	MSRP
RED	2023	SBWU11RFI 8056684714735	UNIT	7.000 €
	REF&TRAD	SBWU10RFI 8056684712441		
GRAPHITE	2023	SBWU11PFI 8056684714742	UNIT	7.000 €
WENGE	2023	SBWU11GFI 8056684714728	UNIT	7.000 €
	REF&TRAD	SBWU10GFI 8056684712427		
PIANO BLACK	2023	SBWU11BFI 8056684714711	UNIT	7.000 €
	REF&TRAD	SBWU10BFI 8056684712410		

Sonus faber reserves the right to change prices and / or specifications without notice.

GRAVIS V




ACTIVE SUBWOOFERS


FINISH COMPOSITION 2023

(CUSTOM FINISHES AVAILABLE)


RED HIGH GLOSS



GRAPHITE HIGH GLOSS



WENGE HIGH GLOSS



PIANO BLACK HIGH GLOSS




FINISH COMPOSITION REFERENCE & HOMAGE TRADITION

RED HIGH GLOSS



WENGE HIGH GLOSS



PIANO BLACK HIGH GLOSS



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Closed box loading, single driver, active subwoofer
LOUDSPEAKERS	1 x Ø 320 mm (12") double coil 4 + 4 ohm, very long throw, sandwich honeycomb cone, wide rubber surround
POWER AMPLIFICATION	High performance, class AB amplifier 850 W
FREQUENCY RESPONSE	20 Hz (@ - 6dB, acoustic Linkwitz 4th order roll-on, EQ1 setting) to Fc (user continuously adjustable)
VOLTAGE MAINS INPUT	Selectable, 120 Vac - 60 Hz or 230 Vac - 50 Hz
FUSE	T12A H 250V (for 230 Vac - 50 Hz) T6.3A H 250V (for 110 Vac - 60 Hz)
CONTROLS	Direct access Master volume; App control featuring: volume, continuously adjustable crossover frequency (40 to 150 Hz), filtering slope 24 dB / oct; continuously adjustable signal phase; parametric EQ (4 presets available), Delay (1 to 20 ms); auto eq; auto power on / off switch
AUDIO SIGNAL INPUTS	2 x Line level, left and right RCA phono plugs (unbalanced) 2 x Line Level, left and right XLR plugs (balanced) 1 x High level, Neutrik 4 - pole Speakon©
POWER CONSUMPTION	0,5 W (Stand-by) - 1.200 W (Peak)
DIMENSIONS (HxWxD)	455 x 448 x 448 mm 17,9 x 17,6 x 17,6 in
WEIGHT (EA)	32 Kg - 70,5 lb

PRICES

FINISH		ITEM CODE EAN CODE	U.M.	MSRP
RED	2023	SBWU21RFI 8056684714773	UNIT	5.000 €
	REF&TRAD	SBWU20RFI 8056684712496		
GRAPHITE	2023	SBWU21PFI 8056684714780	UNIT	5.000 €
WENGE	2023	SBWU21GFI 8056684714766	UNIT	5.000 €
	REF&TRAD	SBWU20GFI 8056684712472		
PIANO BLACK	2023	SBWU21BFI 8056684714759	UNIT	5.000 €
	REF&TRAD	SBWU20BFI 8056684712465		

Sonus faber reserves the right to change prices and / or specifications without notice.

GRAVIS III




ACTIVE SUBWOOFERS

FINISH COMPOSITION

(CUSTOM FINISHES AVAILABLE)

WALNUT SEMI GLOSS




WENGE SEMI GLOSS




PIANO BLACK HIGH GLOSS




BLACK LEATHER



BLACK LEATHER



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Sealed box loading, single driver, active subwoofer
LOUDSPEAKERS	1 x Ø 250 mm (10") long throw, sandwich honeycomb cone, wide rubber surround LF unit
POWER AMPLIFICATION	600 W (nominal), 900 W (peak)
FREQUENCY RESPONSE	25 Hz (@ - 6 dB, acoustic Linkwitz 4th order roll-on, default setting) to Fc (user continuously adjustable)
VOLTAGE MAINS INPUT	100 - 120 Vac – 50 / 60 Hz or 220 - 240 Vac – 50 / 60 Hz Factory selected
FUSE	T6.3A L250V (100 - 120 Vac – 50 / 60 Hz) T3.15A L250V (220 - 240 Vac – 50 / 60 Hz)
CONTROLS	Direct access Master volume; APP control featuring: 4 selectable presets, volume, continuously adjustable crossover frequency (40 to 150 Hz, filtering slope 24 dB / oct); continuously adjustable signal phase (0° to 360°); up to 8 parametric EQ filters , Delay (1 to 20 ms); automatic room calibration ; selectable threshold auto power on / off
AUDIO SIGNAL INPUTS	2 x LINE (unbalanced), Left and Right / LFE - RCA plugs 1 x LINE (balanced) - XLR plug HIGH LEVEL - Neutrik 4 - pole Speakon© plug
POWER CONSUMPTION	< 2 W (Stand-by) 700 W (rated power)
DIMENSIONS (HxWxD)	415 x 400 x 495 mm 16,3 x 15,7 x 19,5 in
WEIGHT (EA)	26,7 Kg - 58,8 lb

PRICES

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
WALNUT	SBWU30WFI 8056684713240	UNIT	2.750 €
WENGE	SBWU30EFI 8056684713233	UNIT	2.750 €
PIANO BLACK	SBWU30BFI 8056684713226	UNIT	2.750 €

Sonus faber reserves the right to change prices and / or specifications without notice.

GRAVIS II




ACTIVE SUBWOOFERS

FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE




PIANO BLACK HIGHGLOSS



WHITE MATTE



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Passive radiator bass-reflex loading active subwoofer
LOUDSPEAKERS	1 x Ø 260 mm (10") very long throw, treated paper cone, wide rubber surround woofer
POWER AMPLIFICATION	High linearity Class AB 350 W rms, 700 W (peak)
FREQUENCY RESPONSE	From 25 / 35 Hz to Fc (user adjustable)
VOLTAGE MAINS INPUT	Factory selected, 120 Vac - 60 Hz or 230 Vac - 50 Hz
FUSE	T6.3A (110 Vac, 60 Hz); T3.15A (230 V, 50 Hz) Output signal short circuit; Over-heating; DC fault
CONTROLS	Independent Master and LFE volume controls; Continuously adjustable Crossover frequency (30 to 120 Hz), slope 24 dB / oct; Signal phase inversion switch (0/180°) Auto switch - on / off (deselectable)
AUDIO SIGNAL INPUTS	LFE (Low Frequency Effect), single phono plug; Line level signal, single phono plug; High level signals, Neutrik 4 - pole Speakon®
POWER CONSUMPTION	0,5 W (Stand-by) 450 W (Rated power)
DIMENSIONS (HxWxD)	404 x 356 x 408 mm 15,9 x 14 x 16 in
WEIGHT (EA)	21,5 Kg - 47,3 lb

PRICES

FINISH	VOLT	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	120 V	SBWU41EFI 8056684713356	UNIT	1.400 €
	220 V	SBWU42EFI 8056684713363		
WALNUT	120 V	SBWU41RFI 8056684712267	UNIT	1.400 €
	220 V	SBWU42RFI 8056684712298		
PIANO BLACK	120 V	SBWU41BFI 8056684712250	UNIT	1.400 €
	220 V	SBWU42BFI 8056684712281		
WHITE MATTE	120 V	SBWU41WFI 8056684712274	UNIT	1.400 €
	220 V	SBWU42WFI 8056684712304		

GRAVIS I




ACTIVE SUBWOOFERS

FINISH COMPOSITION

WENGE OPEN PORE




WALNUT OPEN PORE




PIANO BLACK HIGHGLOSS



WHITE MATTE



BLACK LEATHER



TECHNICAL SPECIFICATIONS

SYSTEM	Closed box loading, down firing active subwoofer
LOUDSPEAKERS	1 x Ø 210 mm (8”) very long throw, treated paper cone, wide rubber surround woofer
POWER AMPLIFICATION	High linearity Class AB 150 W rms, 250 W (peak)
FREQUENCY RESPONSE	From 30 Hz to Fc (user adjustable)
VOLTAGE MAINS INPUT	Factory selected, 120Vac - 60Hz or 230 Vac - 50 Hz
FUSE	T4.0A (110 Vac, 60 Hz); T2.0A (230 V, 50 Hz) Output signal short circuit Over-heating DC fault
CONTROLS	Independent Master and LFE volume controls; Continuously adjustable Crossover frequency (30 to 120 Hz), slope 24 dB / oct; Signal phase inversion switch (0 / 180°) Auto switch - on / off (deselectable)
AUDIO SIGNAL INPUTS	LFE (Low Frequency Effect), single phono plug; Line level signal, single phono plug; High level signals, Neutrik 4 - pole Speakon®
POWER CONSUMPTION	0,5 W (Stand-by) 250 W (Rated power)
DIMENSIONS (HxWxD)	334 x 286 x 316 mm 13,1 x 11,2 x 12,4 in
WEIGHT (EA)	14,5 Kg - 32 lb

PRICES

FINISH	VOLT	ITEM CODE EAN CODE	U.M.	MSRP
WENGE	120 V	SBWU51EFI 8056684713370	UNIT	900 €
	220 V	SBWU52EFI 8056684713387		
WALNUT	120 V	SBWU51RFI 8056684712328	UNIT	900 €
	220 V	SBWU52RFI 8056684712359		
PIANO BLACK	120 V	SBWU51BFI 8056684712311	UNIT	900 €
	220 V	SBWU52BFI 8056684712342		
WHITE MATTE	120 V	SBWU51WFI 8056684712335	UNIT	900 €
	220 V	SBWU52WFI 8056684712366		
TRANSMITTER				
BLACK MATTE		WTX112FIN 8056684712595	UNIT	500 €

Sonus faber reserves the right to change prices and / or specifications without notice.



DUETTO

A duet is a musical form in which the sounds of two instruments come together in harmony, resulting in a new and unique timbre, which can only be repeated when performed by those specific sounds. In this manner, with Duetto, Sonus faber has created a wireless pair of speakers that achieve a new level of performance.

The Duetto sets a new standard for wireless listening, combining the true Hi-Fi experience with the best digital and analogue connectivity. It's a new way to enjoy the music and cinema sound experience without compromising on a unique Italian design or the industry's best technological performance.

•Sf•

DUETTO




WIRELESS SPEAKERS

FINISH COMPOSITION


WALNUT



GRAPHITE



BLACK LEATHER



BLACK FABRIC



BLACK FABRIC



TECHNICAL SPECIFICATIONS

SYSTEM	2 way, Curved Vented box
LOUDSPEAKERS	TW: Ferrite Magnet system with copper cap, Silk dome and dedicated Waveguide MW: Neodymium Magnet system with copper cap and Aluminum ring, Long excursion design
CROSS-OVER	1900Hz – Designed with Sf know-how
FREQUENCY RESPONSE	37 Hz – 30.000 Hz
MAX SPL	105 dB SPL @1m
ON BOARD AMPLIFIERS	Tw: 100W Class AB Mw: 250W Class D
DAC	SABRE, AKM
CONNECTIVITY	RCA Line/Phono IN, Optical, HDMI ARC/EARC, SUB Output
BUILT IN STREAMING	Airplay, Chromecast, Spotify, Tidal connect, Roon Ready, QQMUSIC, Bluetooth Aptx HD
DEDICATED STAND (OPTIONAL)	Yes
DIMENSIONS (HxWxD) (HxWxD) INCLUDING STAND	342 x 210 x 272 mm / 13,4 x 8,3 x 10,7 in 1082 x 298 x 371 mm / 42,6 x 11,7 x 14,6 in
WEIGHT (EA) (EA) INCLUDING STAND	6,8 kg - 15,0 lb 14,6 kg - 32,2 lb

PRICES

COUNTRY	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
EU	WALNUT	DIF342WFI 8056684714391	PAIR	3.999 €
	GRAPHITE	DIF342GFI 8056684714384		
CHN	WALNUT	DIF342CFI 8056684714704	PAIR	3.999 €
	GRAPHITE	DIF342HFI 8056684714698		
KR, JP, TW	WALNUT	DIF342WAI 8056684714667	PAIR	3.999 €
	GRAPHITE	DIF342GAI 8056684714674		

STAND

FINISH	ITEM CODE EAN CODE	U.M.	MSRP
BLACK	CLN342FIN 8056684714964	PAIR	749 €

Sonus faber reserves the right to change prices and / or specifications without notice.





OMNIA

Omnia in Latin means “Everything”. The all-in-one speaker ecosystem that embodies Sonus faber’s values and heritage, from Italian tradition to modern technologies. The Sonus faber idea of sound merges with the innovation and easiness of use of streaming connections.

•Sf•

OMNIA




WIRELESS SPEAKERS

FINISH COMPOSITION

WALNUT




GRAPHITE



BLACK FABRIC



BLACK FABRIC



ALUMINUM - TITANIUM FINISH



ALUMINUM - TITANIUM FINISH



TECHNICAL SPECIFICATIONS

SYSTEM	Stereo 4 - way; DSP - optimized closed box system
SPEAKERS	2 x Soft Dome Tweeter 2 x Cone Midrange 2 x Extended Range Side Drivers 1 x Woofer
POWER RATING	490 W
MAINS SUPPLY	100 - 120 V, 220 - 240 V, 50 / 60 Hz
POWER CONSUMPTION	Typical use: 18 W Standby mode: 3,5 W Deep sleep (No - network standby mode): 0,5 W
MAXIMUM SOUND LEVEL	108 dB SPL at 1 meter
FREQUENCY RESPONSE	Bandwidth: 30 Hz to 25k Hz (@ - 6 dB) Accuracy in frequency response: ± 2 dB from 20 Hz to 20k Hz
AUDIO INPUTS	HDMI Arc 2 channel Analog input: MM Phono / line-in
NETWORK CONNECTIVITY	Ethernet (10 / 100 Mbps) Wi-Fi dual band 2 x 2 802.11 b/g/n/ac (2.4 GHz and 5.2 GHz)
STREAMING	Apple AirPlay 2 Chromecast Built-in Spotify ® Connect TIDAL connect Roon Ready Bluetooth AptX HD, SRC
DIMENSIONS (HxWxD)	130 x 650 x 280 mm 5,1 x 25,5 x 11 in
WEIGHT (EA)	7,6 Kg - 16,7 lb

PRICES

COUNTRY	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
EU	WALNUT	DIF340WFI 8056684713967	UNIT	1.799 €
	GRAPHITE	DIF340GFI 8056684713936		
CHN	WALNUT	DIF340CFI 8056684714346	UNIT	1.799 €
	GRAPHITE	DIF340HFI 8056684714353		
KR, JP, TW	WALNUT	DIF340WAI 8056684713950	UNIT	1.799 €
	GRAPHITE	DIF340GAI 8056684713929		

Sonus faber reserves the right to change prices and / or specifications without notice.



ARENA

The Arena, in Roman times, was the focal space within theatres. The space where the action took place. Today, with Arena collection the user can experience the stunning emotion of home theatre with the Made in Italy and unique new concept of CI-FI, Custom Intallation High Fidelity.

•Sf•

CUSTOM INSTALLATION

ARENA 30



TECHNICAL SPECIFICATIONS

SPEAKER TYPE	4 way
LOW FREQUENCY TRANSDUCER	2 x 8 in
MID/HIGH FREQUENCY TRANSDUCER	2 x 6,25 in - 38 mm Dome Tw + 19 mm Super Tw
MAXIMUM RECOMMENDED POWER	600 W
LOW-FREQUENCY CUT-OFF (-6DB)	44,30 Hz
FREQUENCY RESPONSE (-3DB ON-AXIS)	55,50 Hz
MAX SPL 1 METER	121 dB
SENSITIVITY 2.83 VRMS@1M	94,00 dB
NOMINAL IMPEDANCE	4 ohm
MINIMAL IMPEDANCE	2,8 ohm
CROSSOVER FREQUENCIES	200 Hz / 2k Hz / 10k Hz
ENCLOSURE TYPE	Closed Box
MOUNTING DEPTH	162 mm - 6,3 in
WEIGHT	58,7 kg - 129,4 lb
DEPTH	167 mm - 6,5 in
WIDTH	321 mm - 12,6 in
HEIGHT	1.774 mm - 69,8 in

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
4 WAY IN-WALL SEALED BOX ENCLOSURE	/	DIF393FIN 8056684714612	UNIT	17.000 €

ARENA 20



TECHNICAL SPECIFICATIONS

SPEAKER TYPE	3,5 way
LOW FREQUENCY TRANSDUCER	2 x 8 in
MID/HIGH FREQUENCY TRANSDUCER	6,25 in - 19 mm Dome Tw
MAXIMUM RECOMMENDED POWER	400 W
LOW-FREQUENCY CUT-OFF (-6DB)	55 Hz
FREQUENCY RESPONSE (-3DB ON-AXIS)	60 Hz
MAX SPL 1 METER	117 dB
SENSITIVITY 2.83 VRMS@1M	92,00 dB
NOMINAL IMPEDANCE	4 ohm
MINIMAL IMPEDANCE	2,8 ohm
CROSSOVER FREQUENCIES	160 Hz / 220 Hz / 3100 Hz
ENCLOSURE TYPE	Closed Box
MOUNTING DEPTH	144 mm - 5,6 in
WEIGHT	47,2 kg - 104 lb
DEPTH	150 mm - 5,9 in
WIDTH	321 mm - 12,6 in
HEIGHT	1.577 mm - 62 in

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3,5 WAY IN-WALL SEALED BOX ENCLOSURE	/	DIF392FIN 8056684714605	UNIT	11.000 €

CUSTOM INSTALLATION

ARENA S15



IN-WALL SUB WOO-
FER
ARRAY BALANCED

TECHNICAL SPECIFICATIONS

SPEAKER TYPE	Array Balanced Sub-Woofer	
LOW FREQUENCY TRANSDUCER	4 x 6,5 in	
MID/HIGH FREQUENCY TRANSDUCER	-	
MAXIMUM RECOMMENDED POWER	400 W	
LOW-FREQUENCY CUT-OFF (-6DB)	29 Hz	
LOW-FREQUENCY CUT-OFF (-3DB)	31,50 Hz	
FREQUENCY RESPONSE (-6DB ON-AXIS)	29 Hz	180 Hz
FREQUENCY RESPONSE (-3DB ON-AXIS)	31,50 Hz	180 Hz
SENSITIVITY 2.83 VRMS@1M	90,00 dB	
NOMINAL IMPEDANCE	4 ohm	
MINIMAL IMPEDANCE	3,5 ohm	
ENCLOSURE TYPE	Patentable Acoustical Load	
MOUNTING DEPTH	202 mm - 7,9 in	
WEIGHT	38,7 kg - 85,3 lb	
DEPTH	208 mm - 8,1 in	
WIDTH	432 mm - 17 in	
HEIGHT	947 mm - 37,2 in	
MAX SPL WITH EQ	113 dB	
MAX SPL W/O EQ	105 dB	

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
IN-WALL SUB WOOFER ARRAY BALANCED	/	DIF390FIN 8056684714599	UNIT	8.000 €

ARENA 10



TECHNICAL SPECIFICATIONS

SPEAKER TYPE	3,0way
LOW FREQUENCY TRANSDUCER	4 x 6,5 in
MID/HIGH FREQUENCY TRANSDUCER	1 x 6,25 in - 19 mm Tw
MAXIMUM RECOMMENDED POWER	400 W
FREQUENCY RESPONSE (-6DB on-axis)	36 Hz 33580,0 Hz
FREQUENCY RESPONSE (-3DB ON-AXIS)	40 Hz 31585,0 Hz
MAX SPL 1 METER	111,0 dB
SENSITIVITY 2.83 VRMS@1M	88,5 dB
NOMINAL IMPEDANCE	4,0 ohm
MINIMAL IMPEDANCE	3,5 ohm
CROSSOVER FREQUENCIES	250 Hz / 2100 Hz
ENCLOSURE TYPE	Closed Box
MOUNTING DEPTH	150,0 mm
WEIGHT	25 kg
DEPTH	150,0 mm
WIDTH	590,0 mm
HEIGHT	590,0 mm

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3 WAY IN-CEILING SEALED BOX ENCLOSURE	/	DIF391FIN 8056684714865	UNIT	8.000 €
FRAME	/	KIT391FIN 8056684715824	UNIT	1.500 €



PALLADIO

Andrea Palladio is the father of Renaissance architecture, widely considered to be one of the most influential individuals in the history of architecture. He decided to spend his life in Vicenza, Sonus faber hometown, designing and realizing some of the most spectacular monuments in human history (Teatro Olimpico and Basilica Palladiana over all the others). With Palladio custom installation collection, Sonus faber pays tribute to his fellow citizens with a new concept of architectural sound.

•Sf•

PALLADIO LEVEL 6

CUSTOM INSTALLATION



CUSTOM INSTALLATION

PW 662



OPTIONAL
VERTICAL PREMIUM KIT

TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-wall Sealed box enclosure
TWEETER - DAD™ DRIVER	Ø 29 mm / 1,1 in
MID-WOOFER	Ø 165 mm / 6,5 in
CROSSOVER FREQUENCY	3.000 Hz
FREQUENCY RESPONSE	60 Hz - 25.000 Hz (-6 dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	496 x 288 mm 19,5 x 11,3 in
CUT OUT	473 x 265 mm 18,6 x 10,4 in
DEPTH BEHIND SURFACE	100 mm - 4 in
PROTRUSION	15 mm - 0,59 in
NET WEIGHT	6,7 kg - 14.9 lb
INCLUDED IN THE BOX	Bezel - Free rectangular magnetic grille: 291 x 499 mm 11,4 x 19,6 in
ADDITIONAL FITTINGS	<u>Premium Kit:</u> Natural wood front mask, String grille, Paintable frame (net weight 0,55 Kg - 1,21 lb)

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY IN-WALL. SEALED BOX ENCLOSURE	/	CIL330FIN 8056684712694	UNIT	1.600 €
- WOOD	WALNUT	KIT330FIN 8056684713035	UNIT	275 €
- PAINTABLE FRAME				
- STRING GRILLE	WENGE	KIT331FIN 8056684713042	UNIT	275 €

PC 662



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MID-WOOFER	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz - 25.000 Hz (-6 dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 234 mm - 9,2 in
CUT OUT	Ø 208 mm - 8,19 in
DEPTH BEHIND SURFACE	115 mm - 4,5 in
PROTRUSION	10 mm - 0,4 in
NET WEIGHT	3,63 kg - 8 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	<u>Pre-mount kit:</u> 0,32 kg - 0,7 lb <u>Bezel-Free square magnetic grille:</u> 0,32 kg - 0,7 lb 236 x 236 mm 9,3 x 9,3 in

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-CEILING	/	CIL331FIN 8056684712700	UNIT	700 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT320FIN 8056684712984	(10 PCS) X 1KIT	350 €
*OPTIONAL PRE MOUNTING	/	KIT322FIN 8056684713004	(5 PCS) X 1 KIT	150 €

Sonus faber reserves the right to change prices and / or specifications without notice.

PC 682



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MID-WOOFER	Ø 200 mm - 8 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	2.500 Hz
FREQUENCY RESPONSE	45 Hz - 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 283 mm - 11,1 in
CUT OUT	Ø 257 mm - 10,1 in
DEPTH BEHIND SURFACE	142 mm - 5,7 in
PROTRUSION	13 mm - 0,51 in
NET WEIGHT	4,36 kg - 9,6 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	<u>Pre-mount kit:</u> 0,34 kg - 0,74 lb <u>Bezel-Free square magnetic grille:</u> 0,44 kg - 0,97 lb 287 x 287 mm 11,3 x 11,3 in

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 8 in IN-CEILING	/	CIL332FIN 8056684712717	UNIT	775 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT324FIN 8056684713028	(5 PCS) X 1 KIT	150 €

PC 662 P



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MID-WOOFER	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz - 25.000 Hz (-6 dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 265 mm - 10,4 in
CUT OUT	Ø 244 mm - 9,6 in
DEPTH BEHIND SURFACE	172 mm - 6,8 in
PROTRUSION	10 mm - 0,4 in
NET WEIGHT	3,83 kg - 8,44 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	<u>Pre-mount kit:</u> 0,34 kg - 0,74 lb <u>Bezel-Free square magnetic grille:</u> 0,44 kg - 0,97 lb 287 x 287 mm 11,3 x 11,3 in

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-CEILING	/	CIL333FIN 8056684712724	UNIT	700 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT323FIN 8056684713011	(5 PCS) X 1 KIT	150 €

CUSTOM INSTALLATION

PC 664 P



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	3-way point In-ceiling system Drone cone passive radiator enclosure
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDRANGE	Ø 80 mm - 3,1 in
WOOFER	Ø 165 mm - 6,5 in
DRONE CONE	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	500 Hz - 3.500 Hz
FREQUENCY RESPONSE	58 Hz - 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	411 x 411 mm 16,2 x 16,2 in
CUT OUT	388 x 388 mm 15,2 x 15,2 in
DEPTH BEHIND SURFACE	220 mm - 8,6 in
PROTRUSION	9 mm - 0,3 in
NET WEIGHT	10,4 Kg - 22,9 lb
INCLUDED IN THE BOX	<u>Bezel-Free square magnetic grille:</u> 287 x 287 mm 11,3 x 11,3 in <u>Security cable</u>

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3 WAY POINT IN-CEILING DRONE CONE PASSIVE RADIATOR ENCLOSURE	/	CIL334FIN 8056684712731	UNIT	2.300 €

* SECURITY CABLE INCLUDED

PC 683



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	3-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDRANGE	Ø 80 mm - 3,1 in
WOOFER	Ø 200 mm - 8 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	1.400 Hz - 3.500 Hz
FREQUENCY RESPONSE	45 Hz – 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 283 mm - 11,1 in
CUT OUT	Ø 257 mm - 10,1 in
DEPTH BEHIND SURFACE	142 mm - 5,7 in
PROTRUSION	13 mm - 0,51 in
NET WEIGHT	4,5 kg - 10 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	<u>Bezel-Free square magnetic grille:</u> 0,44 kg - 0,97 lb 287 x 287 mm 11,3 x 11,3 in <u>Pre-mount kit:</u> 0,34 kg - 0,74 lb

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3 WAY IN-CEI- LING INFINITE BAFFLE	/	CIL335FIN 8056684712748	UNIT	975 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT324FIN 8056684713028	(5 PCS) X 1 KIT	150 €

Sonus faber reserves the right to change prices and / or specifications without notice.

PL 664



CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	500 Hz - 3.500 Hz
FREQUENCY RESPONSE	56 Hz - 25.000Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	751 x 288 mm 29,5 x 11,3 in
CUT OUT	724 x 265 mm 28,5 x 10,4 in
DEPTH BEHIND SURFACE	100 mm - 4 in
PROTRUSION	15 mm - 0,59 in
NET WEIGHT	10,3 kg - 22,7 lb

TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	3-way left/right/center In-wall Drone cone passive radiator enclosure	INCLUDED IN THE BOX	Bezel-Free rectangular magnetic grille: 750 x 291 mm 29,5 x 11,4 in
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in	ADDITIONAL FITTINGS	Premium Kit: Natural wood front mask, String grille, Paintable frame (net weight 0,88 kg 1,94 lb)
MIDRANGE	Ø 80 mm - 3,1 in		
WOOFER	Ø 165 mm - 6,5 in		
DRONE CONE	Ø 165 mm - 6,5 in		

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
3 WAY LCR 2X6 in IN-WALL MID	/	CIL336FIN 8056684712755	UNIT	2.300 €
*OPTIONAL VERTICAL PREMIUM KIT: - WOOD - PAINTABLE FRAME - STRING GRILLE	WALNUT VERTICAL	KIT333FIN 8056684713066	UNIT	325 €
	WENGE VERTICAL	KIT335FIN 8056684713080	UNIT	325 €
*OPTIONAL HORIZONTAL PREMIUM KIT: - WOOD - PAINTABLE FRAME - STRING GRILLE	WALNUT HORIZONTAL	KIT332FIN 8056684713059	UNIT	325 €
	WENGE HORIZONTAL	KIT334FIN 8056684713073	UNIT	325 €



Sonus faber reserves the right to change prices and / or specifications without notice.

PALLADIO LEVEL 5

CUSTOM INSTALLATION



CUSTOM INSTALLATION

PW 562



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-wall system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz - 25.000 Hz
SENSITIVITY (2.83 VRMS @ 1M)	88 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 60° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W without clipping
FRAME OUTER	216 x 323 mm 8,5 x 12,7 in
CUT OUT	192 x 299 mm 7,6 x 11,8 in
DEPTH BEHIND SURFACE	101 mm - 3,4 in
PROTRUSION	12 mm - 0,47 in
NET WEIGHT	3,7 Kg - 8,2 lb
INCLUDED IN THE BOX	Bezel-Free square magnetic grille

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-WALL	/	CIL320FIN 8056684712649	UNIT	575 €

PC 562



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	Ø 165 mm / 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz – 25.000 Hz
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 60° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W Undistorted signal
FRAME OUTER	Ø 234 mm - 9,2 in
CUT OUT	Ø 208 mm - 8,1 in
DEPTH BEHIND SURFACE	115 mm - 4,5 in
PROTRUSION	10 mm - 0,4 in
NET WEIGHT	3,1 Kg - 6,8 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	Bezel-Free square magnetic grille. Pre-mount kit.

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-CEILING	/	CIL321FIN 8056684712632	UNIT	440 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT320FIN 8056684712984	(10 PCS) X 1 KIT	350 €
*OPTIONAL PRE MOUNTING	/	KIT322FIN 8056684713004	(5 PCS) X 1 KIT	150 €

PC 582



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	Ø 200 mm - 8 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	45 Hz - 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 60° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W without clipping
FRAME OUTER	Ø 283 mm - 11,1 in
CUT OUT	Ø 257 mm - 10,1 in
DEPTH BEHIND SURFACE	139 mm - 5,5 in
PROTRUSION	13 mm - 0,51 in
NET WEIGHT	3,4 Kg - 7,5 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	Pre-mount kit. Bezel-Free square magnetic grille.

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 8 in IN-CEILING	/	CIL322FIN 8056684712656	UNIT	525 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT324FIN 8056684713028	(5 PCS) X 1 KIT	150 €

PC 562 P



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way point In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	Ø 165 mm - 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	3.000 Hz
FREQUENCY RESPONSE	50 Hz – 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	90 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 60° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 200 W without clipping
FRAME OUTER	Ø 265 mm - 10,4 in
CUT OUT	Ø 244 mm - 9,6 in
DEPTH BEHIND SURFACE	170 mm - 6,7 in
PROTRUSION	10 mm - 0,4 in
NET WEIGHT	3,2 Kg - 7 lb
INCLUDED IN THE BOX	Bezel-Free round magnetic grille
ADDITIONAL FITTINGS	Pre-mount kit. Bezel-Free square magnetic grille.

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 6 in IN-CEILING	/	CIL323FIN 8056684712663	UNIT	500 €
*OPTIONAL SQUARE GRILLE	PAINTABLE	KIT321FIN 8056684712991	(10 PCS) X 1 KIT	450 €
*OPTIONAL PRE MOUNTING	/	KIT323FIN 8056684713011	(5 PCS) X 1 KIT	150 €

CUSTOM INSTALLATION

PL 563



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way left/right/center In-wall system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	2 x Ø 165 mm 2 x Ø 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	1.650 Hz
FREQUENCY RESPONSE	50 Hz - 25.000 Hz
SENSITIVITY (2.83 VRMS @ 1M)	92 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 45° H - ± 60° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 250 W without clipping
FRAME OUTER	471 x 216 mm 18,5 x 8,5 in
CUT OUT	448 x 192 mm 17,6 x 7,6 in
DEPTH BEHIND SURFACE	101 mm - 3,4 in
PROTRUSION	13 mm - 0,51 in
NET WEIGHT	6,3 Kg - 13,9 lb
INCLUDED IN THE BOX	Bezel-Free square magnetic grille

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 2X6 in IN-WALL LCR	/	CIL324FIN 8056684712670	UNIT	1.150 €

PC 563 P



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	2-way point In-ceiling system Infinite baffle
TWEETER - DAD™ DRIVER	Ø 29 mm - 1,1 in
MIDWOOFER	2 x Ø 165 mm 2 x Ø 6,5 in
CROSSOVER FREQUENCY - PARACROSS TOPOLOGY™	1.650 Hz
FREQUENCY RESPONSE	45 Hz – 25.000 Hz (-6dB)
SENSITIVITY (2.83 VRMS @ 1M)	92 dBSPL
NOMINAL IMPEDANCE	4 ohm
COVERAGE ANGLE (1 KHZ, @-6 DB)	± 45° H - ± 45° V
SUGGESTED AMPLIFIER POWER OUTPUT (*)	40 W – 250 W without clipping
FRAME OUTER	460 x 386 mm 18,1 x 15,1 in
CUT OUT	433 X 359 mm 17 x 14,1 in
DEPTH BEHIND SURFACE	148 mm - 5,8 in
PROTRUSION	13 mm - 0,5 in
NET WEIGHT	6,5 Kg - 14,3 lb
INCLUDED IN THE BOX	Bezel-Free square magnetic grille

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY 2X6 in IN-CEILING	/	CIL325FIN 8056684712687	UNIT	1.250 €

CUSTOM INSTALLATION

PS G101



TECHNICAL SPECIFICATIONS

LOUDSPEAKER SYSTEM	In-wall passive subwoofer Infinite baffle
WOOFER	Ø 250 mm - 10 in
FREQUENCY RESPONSE	25 Hz - 1.000 Hz
SENSITIVITY (2.83 VRMS @ 1M)	86 dBSPL
NOMINAL IMPEDANCE	8 ohm
SUGGESTED AMPLIFIER POWER OUTPUT (*)	200 W – 800 W without clipping
FRAME OUTER	310 x 310 mm 12,2 x 12,2 in
CUT OUT	280 x 280 mm 11 x 11 in
DEPTH BEHIND SURFACE	98 mm - 3,8 in
PROTRUSION	23 mm - 0,9 in
NET WEIGHT	5,6 Kg - 12,4 lb
INCLUDED IN THE BOX	Bezel-Free square magnetic grille

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
10 in IN-WALL SUB	/	CIL326FIN 8056684712939	UNIT	875 €





ASTER

Aster is the Latin for “Star”. The first Sonus faber outdoor speaker brings enriching Natural Sound to the open-air spaces of home and public environments. As for its name, its nature is to face the sky, guaranteeing durability and reliability to all the weathers.

•Sf•

CUSTOM INSTALLATION

ASTER



TECHNICAL SPECIFICATIONS

SPEAKER TYPE	2 way
LOW/MID FREQUENCY TRANSDUCER	1 x 5.25"
HIGH FREQUENCY TRANSDUCER	1 x 1"
MAXIMUM RECOMMENDED POWER	125 W
FREQUENCY RESPONSE	60 Hz – 32 kHz
MAX SPL 1 METER	100,00 dBSPL
SENSITIVITY 2.83 VRMS@1M	88,00 dB
NOMINAL IMPEDANCE	6 Ohm
CROSSOVER FREQUENCY	1.8 kHz
ENCLOSURE TYPE	Passive radiator
DIMENSIONS (HxWxD)	195 x 330 x 150 mm 7,6 x 12,9 x 5,9 in depth with mounting bracket 208 mm - 8,1 in
WEIGHT (EA)	3,1 Kg - 6,8 lb

PRICES

TYPE	FINISH	ITEM CODE EAN CODE	U.M.	MSRP
2 WAY OUTDOOR SPEAKER	BLACK	DIF370BFI 8056684714650	UNIT	550 €
	WHITE	DIF370WFI 8056684714667	UNIT	550 €






RED
HIGH GLOSS

WALNUT WOOD painted in red with black maple inlays, treated with 7 layers of transparent lacquer polished by hand.



RED VIOLIN
HIGH GLOSS

MAPLE WOOD painted in red with black maple inlays, treated with 7 layers of transparent lacquer polished by hand.



GRAPHITE
HIGH GLOSS

WALNUT WOOD painted in dark grey with black maple inlays, treated with 7 layers of transparent lacquer polished by hand.



WENGE
HIGH GLOSS

WENGE WOOD with natural maple inlays, treated with 7 layers of transparent lacquer polished by hand.



WALNUT
HIGH GLOSS

WALNUT WOOD with black maple inlays, treated with 7 layers of transparent lacquer polished by hand.



WALNUT
HIGH GLOSS

WALNUT WOOD with natural maple inlays, treated with 7 layers of transparent lacquer polished by hand.



RED
HIGH GLOSS

WALNUT WOOD painted in red, treated with 7 layers of transparent lacquer polished by hand.



GRAPHITE
HIGH GLOSS

WALNUT WOOD painted in dark grey, treated with 7 layers of transparent lacquer polished by hand.




WENGE
HIGH GLOSS

WENGE WOOD treated with 7 layers of transparent lacquer polished by hand.



WALNUT
HIGH GLOSS

WALNUT WOOD treated with 7 layers of transparent, lacquer polished by hand.




WENGE WOOD with natural maple inlays, hand coated with transparent protective lacquer.



WALNUT WOOD with natural maple inlays, hand coated with transparent protective lacquer.



SOLID WALNUT WOOD, hand coated with transparent protective lacquer.



SOLID WALNUT WOOD, painted in dark grey, hand coated with transparent protective lacquer.



SOLID WALNUT WOOD, hand coated with transparent protective lacquer.



SOLID WALNUT WOOD, painted in dark grey, hand coated with transparent protective lacquer.



WALNUT WOOD veneer coated with transparent protective lacquer.



WENGE WOOD veneer coated with transparent protective lacquer.



High gloss black lacquer polished by hand.



White matte lacquer.



Utilising exquisite iridescent pigments, this opulent limited-edition finish effortlessly merges warm copper hues in illuminated areas with sophisticated cooler bluish-gray tones in shaded regions, creating a captivating interplay of light and shadow.



Crafted from Econyl, featuring a distinctive matte surface, meticulously laser-processed with an elegant parametric design.

FINISH DISPLAY



Lacquer polished by hand.
Matte lacquer.

SONUS FABER LOUDSPEAKER CUSTOMIZATION PROGRAM

CUSTOMIZATION

Customization is available for all products in the Sonus faber catalog.
Please refer to your regional sales representative for complete details.

Custom orders are priced at a premium of at least +20% on MSRP with a minimum lead time of 90 days.



sonusfaber.com