




NEW LAUNCH



Please check this <u>link</u> for the official product and lifestyle visuals.

99 CLASSICS 2ND GEN



SKU: M99C-V2, EAN: 0698596028876, UPC: 698596028876

FEATURES:

- An iconic headphone renewed for both long-time fans and a new generation of listeners. Featuring the timeless aesthetics of the original, alongside reengineered hardware, a more balanced tuning, and new accessories.
- Closed-back, over-ear headphones
- Real walnut wood ear cups
- Durable build, screw-assembled, no glue, fully serviceable
- Detachable memory foam ear pads with clip-in mechanism
- Built to comfortably fit all head shapes and sizes
- Ergonomic 2 axis ear cups swivel system

TECH SPECS:

- Driver Type: Dynamic
- Driver Size: 40 mm
- Frequency Range: 15 Hz 25 kHz
- Sensitivity: 103 dB SPL/mW at 1 kHz
- Impedance: 16Ω
- Headphone Connectors: Dual 3.5 mm TS Jack
- Total Harmonic Distortion: <0.1% at 1 kHz
- Weight: 290 g or 10.23 oz

- Case: Hard EVA carrying pouch
- Included adapters:
- 3.5 mm to 6.3 mm gold-plated jack
- 3.5 mm to USB-C dongle DAC
- 1.8 m dual-twisted, Kevlar-wrapped OFC cable





99 CLASSICS 2nd Gen

- 22x 24 x 10.5 cm
- Corrugated brown outer box
- Package total weight 900 g (32 oz)



1.8 m dual-twisted, Kevlarwrapped OFC cable



Cable pouch



USB type-C to 3.5mm adapter



Hard EVA carrying pouch



Acoustic absorbers



6.3 mm gold-plated jack





Please check this <u>link</u> for the official product and lifestyle visuals.

ELITE

€4000 MSRP

Tungsten

SKU: MEM-ELTG-6.3S, EAN: 0698596028814, UPC: 698596028814

FEATURES:

- Open-back, circumaural headphones
- Planar magnetic driver technology
- Isomagnetic ear pad coupling technology
- CNC-milled aluminum frame
- Carbon fiber headband
- Patent-pending pressure distribution wings
- Anthropometric ear cup shape
- CNC-milled grille

TECH SPECS:

- Driver Type: Rinaro Isodynamic Hybrid Array® MZ3SE
- Diaphragm Type: Rinaro Parus® [MZ3SE]
- Frequency Range: 3 Hz 112 kHz
- Impedance: 32Ω
- Sensitivity: 101 dB SPL/mW at 1 kHz
- Maximum SPL: >130 dB
- Total Harmonic Distortion (THD): <0.05%
- Headphone Connectors: Dual 4-pin mini-XLR
- Weight: 433 gr or 15.27 oz

- Case: High-strength ABS plastic suitcase with foam inserts and leather handle
- Two sets of ear pads included:
- Hybrid Ear Pads (perforated Alcantara® interior + leather exterior)
- Angled Alcantara® Ear Pads
- One cable included: Dual 4-pin mini XLR to 6.3 mm, 2.5 m (8.2 ft) silver-plated PCUHD premium cable





ELITE PACKAGING

- 32 x 35 x 15.5 cm
- Shrink-wrapped hard cover box
 Package total weight: -2400 g (84,6 oz)



Angled Alcantara Ear Pads



Hybrid (Perforated Alcantara Interior + Real Leather Exterior) Ear Pads



Mini XLR to 6.3 mm silver-plated PCUHD premium cable





Please check this <u>link</u> for the official product and lifestyle visuals.

EMPYREAN II



SKU: MEM-II-6.3C, EAN: 0698596028807, UPC: 698596028807

FEATURES:

- Building upon the legacy of its predecessor, EMPYREAN II is here to deliver more of what you love more clarity, more depth, more fun all of this inside a lightweight, comfortable, artistic headphone frame
- Open-back, circumaural headphones
- Planar magnetic driver technology
- Isomagnetic ear pad coupling technology
- CNC-milled aluminum frame
- Carbon fiber headband
- Patent-pending pressure distribution wings
- Anthropometric ear cup shape
- CNC-milled grille

TECH SPECS:

- Driver Type: Rinaro Isodynamic Hybrid Array® MZ3
- Diaphragm Type: Rinaro Isoplanar® [MZ3]
- Frequency Range: 8 Hz 110 kHz
- Impedance: 32 Ω
- Sensitivity: 90 dB SPL/mW at 1 kHz
- Maximum SPL: >130 dB
- Total Harmonic Distortion (THD): <0.05%
- Headphone Connectors: Dual 4-pin mini-XLR
- Weight: 449 g or 15.84 oz

- Case: High-strength ABS plastic suitcase with foam inserts and leather handle
- Two sets of ear pads included:
- Duo Ear Pads
- Angled Alcantara® Ear Pads
- One cable included: Dual 4-pin mini XLR to 6.3 mm, 2.5 m (8.2 ft) copper PCUHD premium cable





EMPYREAN II PACKAGING

- 32 x 35 x 15.5 cm
- Corrugated brown outer boxPackage total weight ~2400 g (85 oz)



Duo Ear Pads



Angled Alcantara Ear Pads



Mini XLR to 6.3 mm copper PCUHD premium cable





Please check this <u>link</u> for the official product and lifestyle visuals.

POET



SKU: POET-SC, EAN: 0698596028593, UPC: 698596028593

FEATURES:


- Open-back, circumaural headphones
- Planar magnetic driver technology
- Detachable magnetic ear pads
- Lightweight magnesium frame
- Titanium alloy headband with suede leather headrest
- Stainless steel grille

TECH SPECS:

- Driver Type: Rinaro Isodynamic Hybrid Array® MZ6
- Diaphragm Type: Rinaro Parus® [MZ6]
- Frequency Range: 4 Hz 96 kHz
- Impedance: 55Ω
- Sensitivity: 101 dB SPL/mW at 1 kHz
- Maximum SPL: >130 dB
- Total Harmonic Distortion (THD): <0.05%
- Headphone Connectors: Dual 3.5 mm TS jack
- Weight: 405 g or 14.29 oz

- ABS Hard Case with foam inserts
- One cable included: Dual mono 3.5 mm to 6.3 mm, 2.5m (8.2 ft) copper PCUHD premium cable





POET PACKAGING

- 28 x 24 x 12 cm
- Corrugated brown outer box
 Package total weight 1500 g (53 oz)



2.5 m braided Furukawa PCUHD copper cable with 6.3 mm jack



PU Leather cable pouch



High-strength ABS plastic suitcase with foam inserts



Please check this <u>link</u> for the official product and lifestyle visuals.

LIRIC



SKU: LIR-2, EAN: 0698596028364, UPC: 698596028364

FEATURES:

- Closed-back, circumaural headphones
- Planar magnetic driver technology
- Detachable magnetic ear pads
- Lightweight magnesium frame
- Stainless steel headband with padded cushions and optimal airflow control
- PES System
- Macassar ebony wood ear cups

TECH SPECS:

- Driver Type: Rinaro Isodynamic Hybrid Array® MZ4
- Diaphragm Type: Rinaro Isoplanar® [MZ4]
- Frequency Range: 4 Hz 92 kHz
- Impedance: 61 Ω
- Sensitivity: 100 dB SPL/mW at 1 kHz
- Maximum SPL: >130 dB
- Total Harmonic Distortion (THD): <0.15%
- Headphone Connectors: 3.5 mm TS jack
- Weight: 427 g or 15.1 oz

- Hard EVA pouch with velvet lining
- PU Leather cable pouch
- Included adapters:
- 3.5 to 6.3 mm gold-plated jack
- Airplane adapter
- Two cables included:
- Dual mono 3.5 mm to 4.4 mm, 1.3 m (4.2 ft) balanced copper PCUHD premium cable
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 ft) soft TPE cable with copper aluminum casings





LIRIC (2nd Generation) PACKAGING

- 28.5 x 28.5 x 15.5 cm
- Corrugated brown outer box
- Package total weight ~2500 g (88,1 oz)



1.3 m braided Furukawa PCUHD copper cable with 4.4 mm jack and 3 m soft TPE cable with 3.5 mm jack



PU Leather cable pouch



6.3 mm & airplane jack adapter



Hard EVA pouch with velvet lining



Please check this <u>link</u> for the official product and lifestyle visuals.

109 PRO



SKU: M-109P, EAN: 0615517935624, UPC: 615517935624

FEATURES:

- Dynamic, open-back, circumaural headphone;
- 109 Series driver features a Dual Membrane Diaphragm a combination of Beryllium-coated polymer and carbon fiber-reinforced cellulose composite
- Easy to drive from most devices, from portable sources to full home setups;
- Dark walnut wood ear cups, zinc, manganese steel, vegan leather headband and soft velour ear pads for a comfortable, lightweight, yet highly durable structure.

TECH SPECS:

- Driver Type: DynamicDriver Size: 50 mm
- Frequency Range: 5 Hz 30 kHz
- Impedance: 40 Ω
- Sensitivity: 112 dB SPL/mW at 1 kHz
- Headphone Connectors: Dual 3.5 mm TS jack
- Weight: 375 g or 13 oz (without cables)

- Case: Hard EVA pouch
- Included adapters:
- -3.5 mm to 6.3 mm gold-plated jack
- Standard cables:
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 1.5 m (4.9 ft) soft TPE cable with black aluminium casings
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 ft) soft TPE cable with black aluminium casings





109 PRO PACKAGING

- 24.5 x 28 x 13.5 cm
- Shrink-wrapped hard cover box
- Package total weight: ~1800 g (63.5 oz)



1.5 m & 3m soft TPE cable, with 3.5 mm jack



PU leather pouch



6.3 mm gold-plated jack adapter



Hard EVA carrying pouch





Please check this link for the official product and lifestyle visuals.

105 SILVA



SKU: M-105S, EAN: 0698596028715, UPC: 698596028715

FEATURES:

- Open-back circumaural headphone;
- Dynamic driver with carbon fiber-reinforced cellulose composite dome, titanium-coated semicrystalline polymer torus, and copper-zinc alloy stabilizer
- Easy to drive from most devices, from portable sources to full home setups;
- Hand-Polished Walnut Wood with the radial ABS-PC grille, zinc, manganese steel, soft PU leather headband and soft velour earpads for a comfortable, lightweight, yet highly durable structure.

TECH SPECS:

- Driver Type: DynamicDriver Size: 50 mm
- Frequency Range: 5 Hz 30 kHz
- Sensitivity: 112 dB SPL at 1 KHz, 1 mW
- Impedance: 42 Ω
- Headphone connectors: 3.5 mm TS jack
- Weight: -354 g or 12,48 oz (without cables)

- Case: Hard EVA pouch
- Cable pouch
- Included adapters:
- 6.3 mm gold-plated jack;
- USB type-C to 3.5mm
- Standard cable: Dual mono 3.5 mm to 3.5 mm (1/8 in), 1.8 m (5.9 ft) Kevlar duo OFC twisted cable with anthracite aluminum shells





105 SILVA

- 25 x 23 x 11.5 cm
- Shrink-wrapped hard cover box
 Package total weight: -1200 g (42.3 oz)



1.8 m Kevlar duo OFC twisted cable with anthracite aluminum shells



Cable pouch



6.3 mm gold-plated jack & USB type-C to 3.5mm adapter



Hard EVA carrying pouch





Please check this <u>link</u> for the official product and lifestyle visuals.

105 **AER**



SKU: M-105A, EAN: 0698596028371, UPC: 698596028371

FEATURES:

- Dynamic, open-back circumaural, headphone;
- 105 Series driver features a Dual Membrane Diaphragm a combination of PEEK polymer and carbon fiber-reinforced cellulose composite
- Easy to drive from most devices, from portable sources to full home setups;
- ABS-PC ear cups, zinc, manganese steel, vegan leather headband and soft velour ear pads for a comfortable, lightweight, yet highly durable structure

TECH SPECS:

- Driver Type: DynamicDriver Size: 50 mm
- Frequency Range: 5 Hz 30 kHz
- Sensitivity: 112 dB SPL/mW at 1 kHz
- Impedance: 42 Ω
- Headphone Connectors: Dual 3.5 mm TS jack
 Weight: 336 g or 11.85 oz (without cables)

- Case: Hard EVA pouch
- Included adapters: 3.5 mm to 6.3 mm gold-plated jack
- Standard cable: Dual mono 3.5 mm to 3.5 mm (1/8 in), 1.8 m (5.9 ft) Kevlar OFC cable with black aluminium casings






105 AER

- 25 x 23 x 11.5 cm
- Shrink-wrapped hard cover box
 Package total weight: -1200 g (42.3 oz)







Cable pouch



6.3 mm gold-plated jack adapter



Hard EVA carrying pouch





Please check this <u>link</u> for the official product and lifestyle visuals.

99 CLASSICS

HEADSET - WALNUT GOLD

SKU: 99WG-BM, EAN: 0698596028531, UPC: 698596028531

FEATURES:

- Real walnut wood ear cups
- Durable build, screw-assembled, no glue
- Fully serviceable
- Detachable cables
- Built to comfortably fit all head shapes and sizes
- Efficient passive noise isolation, memory foam ear pads
- Ergonomic 2 axis ear cups swivel system

TECH SPECS:

- Driver Type: Dynamic
- Driver Size: 40 mm
- Frequency Range: 15 Hz 25 kHz
- Sensitivity: 103 dB SPL/mW at 1 kHz (ref. 20 μPa)
- Impedance: 32 Ω
- Rated Input Power: 30 mW
- Maximum Input Iower: 50 mW
- Weight: 260 g or 9.17 oz (without cables)

INCLUDED ACCESSORIES:

- Case: Hard EVA carrying pouch
- Included adapters:
- 3.5 mm to 6.3 mm gold-plated jack
- Airplane adapter
- Standard cables:
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 1.2 m (3.9 ft) thread Kevlar OFC cable with microphone and remote
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 ft) thread Kevlar OFC cable
- Boom Mic, 3.5 mm (1/8") Y-adapter, PU leather pouch

COLOR OPTIONS





GOLD SILVER







Please check this <u>link</u> for the official product and lifestyle visuals.

99 CLASSICS

HEADSET - WALNUT SILVER

SKU: 99WS-BM, **EAN**: 0698596028548, **UPC**: 698596028548

FEATURES:

- Real walnut wood ear cups
- Durable build, screw-assembled, no glue
- Fully serviceable
- Detachable cables
- Built to comfortably fit all head shapes and sizes
- Efficient passive noise isolation, memory foam ear pads
- Ergonomic 2 axis ear cups swivel system

TECH SPECS:

- Driver Type: Dynamic
- Driver Size: 40 mm
- Frequency Range: 15 Hz 25 kHz
- Sensitivity: 103 dB SPL/mW at 1 kHz (ref. 20 μPa)
- Impedance: 32 Ω
- Rated Input Power: 30 mW
- Maximum Input Power: 50 mW
- Weight: 260 g or 9.17 oz (without cables)

INCLUDED ACCESSORIES:

- Case: Hard EVA carrying pouch
- Included adapters:
- 3.5 mm to 6.3 mm gold-plated jack
- Airplane adapter
- Standard cables:
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 1.2 m (3.9 ft) thread Kevlar OFC cable with microphone and remote
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 ft) thread Kevlar OFC cable
- Boom Mic, 3.5 mm (1/8") Y-adapter, PU leather pouch

COLOR OPTIONS





GOLD SILVER







Please check this <u>link</u> for the official product and lifestyle visuals.

99 NEO



HEADSET

SKU: 99N-BM, **EAN**: 0698596028555, **UPC**: 698596028555

FEATURES:

- ABS plastic ear cups
- Durable build, screw-assembled, no glue
- Fully serviceable
- Detachable cables
- Built to comfortably fit all head shapes and sizes
- Efficient passive noise isolation, memory foam ear pads
- Ergonomic 2 axis ear cups swivel system

TECH SPECS:

- Driver Type: Dynamic
- Driver Size: 40 mm
- Frequency Range: 15 Hz 25 kHz
- Sensitivity: 103 dB SPL/mW at 1 kHz (ref. 20 μPa)
- Impedance: 26 Ω
- Rated Input Power: 30 mW
- Maximum Input Power: 50 mW
- Weight: 260 g or 9.17 oz (without cables)

- Case: Hard EVA carrying pouch
- Included adapter:
- 3.5 mm to 6.3 mm gold-plated jack
- Standard cable:
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 1.5 m (4.9 ft) thread Kevlar OFC cable
- Boom Mic, 3.5 mm (1/8") Y-adapter, PU leather pouch





99 SERIES BOOM MIC KIT PACKAGING

- 27.5 x 23 x 11.5 cm
- Shrink-wrapped hard cover box
- Package total weight: –1300 g (45.8 oz)







99 Classics

Boom Mic

3.5 mm (1/8") Y-adapter







PU leather pouch

1.2 m thread Kevlar OFC with Mic and 6.3 mm & airplane jack adapter remote & 3 m thread Kevlar OFC







Hard EVA carrying pouch



Please check this <u>link</u> for the official product and lifestyle visuals.

99 CLASSICS

WALNUT GOLD

SKU: M99C-WG, EAN: 0700115708852, UPC: 700115708852

FEATURES:

- Closed-back, over-ear headphones
- Real walnut wood ear cups
- Durable build, screw-assembled, no glue
- Fully serviceable
- Detachable cables
- Built to comfortably fit all head shapes and sizes
- Efficient passive noise isolation, memory foam ear pads
- Ergonomic 2 axis ear cups swivel system

TECH SPECS:

- Driver Type: Dynamic
- Driver Size: 40 mm
- Frequency Range: 15 Hz 25 kHz
- Sensitivity: 103 dB SPL/mW at 1 kHz (ref. 20 μPa)
- Impedance: 32 Ω
- Rated Input Power: 30 mW
- Maximum Input Power: 50 mW
- Weight: 260 g or 9.17 oz (without cables)

INCLUDED ACCESSORIES:

- Case: Hard EVA carrying pouch
- Included adapters:
- 3.5 mm to 6.3 mm gold-plated jack
- Airplane adapter
- Standard cables:
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 1.2 m (3.9 ft) thread Kevlar OFC cable with microphone and remote
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 ft) thread Kevlar OFC cable

COLOR OPTIONS





GOLD SILVER





Please check this <u>link</u> for the official product and lifestyle visuals.

99 CLASSICS

WALNUT SILVER

SKU: M99C-WS, EAN: 0700115708876, UPC: 700115708876

FEATURES:

- Closed-back, over-ear headphones
- Real walnut wood ear cups
- Durable build, screw-assembled, no glue
- Fully serviceable
- Detachable cables
- Built to comfortably fit all head shapes and sizes
- Efficient passive noise isolation, memory foam ear pads
- Ergonomic 2 axis ear cups swivel system

TECH SPECS:

- Driver Type: Dynamic
- Driver Size: 40 mm
- Frequency Range: 15 Hz 25 kHz
- Sensitivity: 103 dB SPL/mW at 1 kHz (ref. 20 μPa)
- Impedance: 32Ω
- Rated Input Power: 30 mW
- Maximum Input Power: 50 mW
- Weight: 260 g or 9.17 oz (without cables)

INCLUDED ACCESSORIES:

- Case: Hard EVA carrying pouch
- Included adapters:
- 3.5 mm to 6.3 mm gold-plated jack
- Airplane adapter
- Standard cables:
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 1.2 m (3.9 ft) thread Kevlar OFC cable with microphone and remote
- Dual mono 3.5 mm to 3.5 mm (1/8 in), 3 m (9.8 ft) thread Kevlar OFC cable

COLOR OPTIONS





GOLD SILVER





Please check this <u>link</u> for the official product and lifestyle visuals.

99 NEO



SKU: M99N-BS, EAN: 0700115708920, UPC: 700115708920

FEATURES:

- Closed-back, over-ear headphones
- ABS plastic ear cups
- Durable build, screw-assembled, no glue
- Fully serviceable
- Detachable cables
- Built to comfortably fit all head shapes and sizes
- Efficient passive noise isolation, memory foam ear pads
- Ergonomic 2 axis ear cups swivel system

TECH SPECS:

- Driver Type: Dynamic
- Driver Size: 40 mm
- Frequency Range: 15 Hz 25 kHz
- Sensitivity: 103 dB SPL/mW at 1 kHz (ref. 20 μPa)
- Impedance: 26 Ω
- Rated Input Power: 30 mW
- Maximum Input Power: 50 mW
- Weight: 260 g or 9.17 oz (without cables)

- Case: Hard EVA carrying pouch
- Included adapter: 3.5 mm to 6.3 mm gold-plated jack
- Standard cables: Dual mono 3.5 mm to 3.5 mm (1/8 in), 1.5 m (4.9 ft) thread Keylar OFC cable



MEZE AUDIO MEZE AUDIO PERFECT NATURAL SOUND PERFECT NATURAL FIT 99 Classics

99 SERIES PACKAGING

- 22 x 24 x 10.5 cm
- Shrink-wrapped hard cover box
- Package total weight: ~1040 g (36.6 oz)



6.3 mm & airplane jack adapter





Cable pouch



Hard EVA carrying pouch





Please check this <u>link</u> for the official product and lifestyle visuals.

ALBA



SKU: M-ALB, EAN: 0698596028357, UPC: 698596028357

FEATURES:


- Easy to drive, pairs well with any device, thanks to its high sensitivity and low impedance
- A silhouette inspired by natural patterns, a rock-solid shape that ensures the highest stability
- Materials: Premium zinc alloy produced by diecasting finish with anodized aluminum parts
- Finish: Pearl color shell
- Custom designed silicone ear tips

TECH SPECS:

- Driver Type: Dynamic
- Driver Size: 10.8 mm
- Frequency Range: 15 Hz 25 kHz
- Impedance: 32 Ω
- Sensitivity: 109 dB SPL/mW at 1 kHz (ref. 20 μPa)
- Total Harmonic Distortion: <0.1% at 1 kHz
- Weight: 14 g or 0.5 oz (without cables)

- Case: Hard eco-leather carrying pouch
- 4 pairs (S, M, L, XL) ear tips
- Standard cable: 2-pin to 3.5 mm (1/8 in) silver-plated braided cable
- Custom-designed 3.5 mm to USB-C adapter (with built-in DAC/AMP)





ALBA PACKAGING


- 13.3 x 11.7 x 3.8 cm
- Shrink-wrapped hard cover box
- Package total weight: ~193 g (6.8 oz)



2-pin (0.78 mm) connectors with 3.5 mm gold plated jack termination



USB-C to headphone jack adapter



4 pairs ear tips (S, M, L, XL)



Eco-leather carrying pouch

